Vision Research

An International Journal for Functional Aspects of Vision

Author and Subject Index
Volume 39, 1999

PERGAMON

Supplement to Vision Research

VISION RESEARCH

Founded by THORNE SHIPLEY

Chairman

H. SPEKREIJSE, Dept. of Visual System Analysis, Academic Medical Center, University of Amsterdam, P.O. Box 12011, 1100 AA Amsterdam-Zuidoost, The Netherlands [Tel. (31) 20 5664583; Fax (31) 20 6916521; Email e.a.borghols@amc.uva.nl]

Editorial Assistants: OLGA OOMEN and STEFANIE SPEKREIJSE

Vision Research is a journal devoted to the functional aspects of human, vertebrate and invertebrate vision and welcomes papers that address important issues in basic and/or clinical research. The journal is sub-divided into five sections, each with two Section Editors for publication of full papers and *Letters-to-the-Editor*. The journal has a new section called Rapid Communications for publication of highly topical material of about 2000 words on a fast publication track (within 3 months upon acceptance).

Section 1: *Neurobiology*
functional morphology and anatomy
pigments and transduction
the role of neurotransmitters
retinal, subcortical and cortical electrophysiology
physiological optics
plasticity and regeneration of function
GÜNTER NIEMEYER, Zürich, Switzerland
SAMUEL WU, Houston, TX, U.S.A.

Section 2: *Psychophysics*
binocular, depth, motion, colour, form, pattern, orientation and texture vision
spatial vision and stereopsis
attentive vision
adaptation and aftereffects
RANDOLPH BLAKE, Nashville, TN, U.S.A.
ADAM REEVES, Boston, MA, U.S.A.
STEVEN K. SHEVELL, Chicago, IL, U.S.A.

Section 3: *Behavioural Physiology and Visuomotor Control*
eye movements, animal psychophysics
oculomotor studies, reading
visual guidance of manipulation, locomotion and navigation
visual behaviour in space
EILEEN KOWLER, New Brunswick, NJ, U.S.A.
CHRISTA NEUMEYER, Mainz, Germany

Section 4: *Computational Vision*
models and theory
visual networks
ELLEN C. HILDRETH, Wellesley, MA, U.S.A.
CONCETTA MORRONE, Pisa, Italy

Section 5: *Clinical Vision Sciences*
psychophysics, electrophysiology
pathophysiology, neuropharmacology
experimental ophthalmology and neurology
functional (brain) imaging
IVAN BODIS-WOLLNER, Brooklyn, NY, U.S.A.
EBERHART ZRENNER, Tübingen, Germany

The Section Editors are assisted by an Editorial Board consisting of:

EMIKO ADACHI-USAMI, Chiba, Japan
WOLFGANG BAEHR, Salt Lake City, UT, U.S.A.
MARTIN S. BANKS, Berkeley, CA, U.S.A.
ROBERT BARLOW, Syracuse, NY, U.S.A.
DENNIS DACEY, Seattle, WA, U.S.A.
MICHAEL D'ZMURA, Irvine, CA, U.S.A.
JIM ENRIGHT, La Jolla, CA, U.S.A.
CASPER ERKELENS, Utrecht, The Netherlands
MANFRED FAHLE, Bremen, Germany
GERALD FISHMAN, Chicago, IL, U.S.A.
WILSON S. GEISLER, Austin, TX, U.S.A.
MARTIN GIZZI, Edison, NJ, U.S.A.
AMIRAM GRINVALD, Rehovot, Israel
WILLEM DE GRIP, Nijmegen, The Netherlands
ROBERT HESS, Montréal, Canada
HOWARD HOWLAND, Ithaca, U.S.A.
CHRISTOF KOCH, Pasadena, CA, U.S.A.
BARRY LEE, Göttingen, Germany
GORDON LEGGE, Minneapolis, MN, U.S.A.
DENNIS M. LEVI, Houston, TX, U.S.A.
SUZANNE P. MCKEE, San Francisco, CA, U.S.A.
LUC MISSOTTEN, Leuven, Belgium
JOHN MOLLON, Cambridge, U.K.
DAVID NEWSOME, New Orleans, LA. U.S.A.
CYNTHIA OWSLEY, Birmingham, AL, U.S.A.
ALLAN J. PANTLE, Oxford, OH, U.S.A.
ANDREW J. PARKER, Oxford, U.K.
MARTIN REGAN, North York, Ontario, Canada
FRANK SCHAEFFEL, Tübingen, Germany
PAUL SIEVING, Ann Arbor, MI, U.S.A.
RUXANDRA SIRETEANU, Frankfurt, Germany
DAN T'SO, New York, NY, U.S.A.

Author Service Department: For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department [*Tel.* +44 (0)1865 843900; *Fax.* +44 (0)1865 843905; *Email* authors@elsevier.co.uk].

Frequency: Published 28 issues/annum. © 1999 Elsevier Science Ltd. All rights reserved.

Publication information: Vision Research (ISSN 0042-6989). For 2000, Volume 40 is scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.nl/locate/visres). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (http://www.elsevier.nl). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims, and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:
New York: Elsevier Science, PO Box 945, New York, NY 10159-0945, USA; phone: (+1) (212) 633 3730 [toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; fax: (+1) (212) 633 3680; e-mail: usinfo-f@elsevier.com. **Amsterdam:** Elsevier Science, PO Box 211, 1000 AE Amsterdam, The Netherlands; phone: (+31) 20 4853757; fax: (+31) 20 4853432; e-mail: nlinfo-f@elsevier.nl. **Tokyo:** Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047; e-mail: info@elsevier.co.jp. **Singapore:** Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192; phone: (+65) 434 3727; fax: (+65) 337 2230; e-mail: asiainfo@elsevier.com.sg. **Rio de Janeiro:** Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro-RJ, Brazil; phone: (+55) (21) 509 5340; fax: (+55) (21) 507 1991; e-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]
Periodicals postage is paid at Rahway, NJ. Vision Research (ISSN 0042-6989) is published 28 issues/annum, semi-monthly with additional issues in March, June, September and December, in one Volume, by Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK. The US subscription price is $2498.00 per year.
POSTMASTER: Send address corrections to: Vision Research, Elsevier Science, Customer Support Department, PO Box 945, New York, NY 10159-0945.
Distributed in the USA by Mercury Airfreight International, 365 Blair Road, Avenel, NJ 07001.

AUTHOR INDEX

ACLAND, G.M.
Dudus, L., Anand, V., Acland, G.M., Chen, S.-J., Wilson, J.M., Fisher, K.J., Maguire, A.M. and Bennett, J. Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV, 39: 2545

AHMED, J.
Hood, D.C., Greenstein, V., Frishman, L., Holopigian, K., Viswanathan, S., Seiple, W., Ahmed, J. and Robson, J.G. Identifying inner retinal contributions to the human multifocal ERG, 39: 2285

AKUTSU, H.
Akutsu, H., and McGraw, P.V. and Levi, D.M. Alignment of separated patches: multiple location tags, 39: 789

ALAIS, D.
Alais, D. and Blake, R. Grouping visual features during binocular rivalry, 39: 4341

ALEXANDER, K.R.
Alexander, K.R., Derlacki, D.J. and Fishman, G.A. Coherence and the judgment of spatial displacements in retinitis pigmentosa, 39: 2267

ALLIKMETS, R.
Shroyer, N.F., Lewis, R.A., Allikmets, R., Singh, N., Dean, M., Leppert, M. and Lupski, J.R. The rod photoreceptor ATP-binding cassette transporter gene, *ABCR,* and retinal disease: from monogenic to multifactorial, 39: 2537

ALVAREZ, T.L.
Munoz, P., Semmlow, J.L., Yuan, W. and Alvarez, T.L. Short term modification of disparity vergence eye movements, 39: 1695

ANAND, V.
Dudus, L., Anand, V., Acland, G.M., Chen, S.-J., Wilson, J.M., Fisher, K.J., Maguire, A.M. and Bennett, J. Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV, 39: 2545

ANDERSON, B.L.
Anderson, B.L. Stereoscopic occlusion and the aperture problem for motion: a new solution, 39: 1273

ANDERSON, C.M.
Dobkins, K.R., Anderson, C.M. and Lia, B. Infant temporal contrast sensitivity functions (tCSFs) mature earlier for luminance than for chromatic stimuli: evidence for precocious magnocellular development?, 39: 3223

ANDERSON, R.S.
Anderson, R.S. and Ennis, F.A. Foveal and peripheral thresholds for detection and resolution of vanishing optotype tumbling Es, 39: 4141

ANDERSON, S.J.
Anderson, S.J., Holliday, I.E. and Harding, G.F.A. Assessment of cortical dysfunction in human strabismic amblyopia using magnetoencephalography (MEG), 39: 1723

ANDREWS, T.J.
Andrews, T.J. and Coppola, D.M. Idiosyncratic characteristics of saccadic eye movements when viewing different visual environments, 39: 2947

ANSTIS, S.
Anstis, S., Stürzel, F. and Spillmann, L. Spatial distortions in rotating radial figures, 39: 1455

ANTAL, A.
Kéri, S., Antal, A., Kálmán, J. Janka, Z. and Benedek, G. Early visual impairment is independent of the visuocognitive and memory disturbances in Alzheimer's disease, 39: 2261

ARAMANT, R.B.
Zrenner, E., Stett, A., Weiss, S., Aramant, R.B., Guenther, E., Kohler, K., Miliczek, K.-D., Seiler, M.J. and Haemmerle, H. Can subretinal microphotodiodes successfully replace degenerated photoreceptors?, 39: 2555
Seiler, M.J., Aramant, R.B. and Ball, S.L. Photoreceptor function of retinal transplants implicated by light-dark shift of S-antigen and rod transducin, 39: 2589

ARDEN, G.
Arden, G., Wolf, J., Berninger, T., Hogg, C.R., Tzekov, R. and Holder, G.E. S-cone ERGs elicited by a simple technique in normals and in tritanopes, 39: 641

PII: S0042-6989(99)00231-X

ARDITI, A.
Arditi, A. Elicited sequential presentation for low vision reading, 39: 4412
ARIKAWA, K.
Arikawa, K., Mizuno, S., Scholten, D.G.W., Kinoshita, M., Seki, T., Kitamoto, J. and Stavenga, D.G. An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio,* 39: 1
ARNOLD, D.B.
Arnold, D.B., Robinson, D.A. and Leigh, R.J. Nystagmus induced by pharmacological inactivation of the brainstem ocular motor integrator in monkey, 39: 4286
ARTAL, P.
Guirao, A. and Artal, P. Off-axis monochromatic aberrations estimated from double pass measurements in the human eye, 39: 207
ASAKURA, N.
Asakura, N. and Inui, T. Computational analysis of disparity modulation sensitivity: an explanation in terms of a Bayesian surface reconstruction, 39: 1881
VAN ASSEN, M.A.
van Assen, M.A. and Vos, P.G. Evidence for curvilinear interpolation from dot alignment judgements, 39: 4378
AUST, U.
Troje, N.F., Huber, L., Loidolt, M., Aust, U. and Fieder, M. Categorical learning in pigeons: the role of texture and shape in complex static stimuli, 39: 353
AVERBUCH-HELLER, L.
Averbuch-Heller, L., Lewis, R.F. and Zee, D.S. Disconjugate adaptation of saccades: contribution of binocular and monocular mechanisms, 39: 341
AZZOPARDI, P.
Azzopardi, P., Jones, K.E. and Cowey, A. Uneven mapping of magnocellular and parvocellular projections from the lateral geniculate nucleus to the striate cortex in the macaque monkey, 39: 2179

BACH, M.
Hoffmann, M. Dorn, T.J. and Bach, M. Time course of motion adaptation: motion-onset visual evoked potentials and subjective estimates, 39: 437, Errata, 2793
BACKUS, B.T.
Backus, B.T., Banks, M.S., van Ee, R. and Crowell, J.A. Horizontal and vertical disparity, eye position, and stereoscopic slant perception, 39: 1143
van Ee, R., Banks, M.S. and Backus, B.T. Perceived visual direction near an occluder, 39: 4085
BAEHR, W.
Baehr, W., Spekreijse, H. and Zrenner, E. Editorial, 39: 2439
BAHCALL, D.O.
Bahcall, D.O. and Kowler, E. Attentional interference at small spatial separations, 39: 71
BALL, S.L.
Seiler, M.J., Aramant, R.B. and Ball, S.L. Photoreceptor function of retinal transplants implicated by light-dark shift of S-antigen and rod transducin, 39: 2589
BANKS, M.S.
Backus, B.T., Banks, M.S., van Ee, R. and Crowell, J.A. Horizontal and vertical disparity, eye position, and stereoscopic slant perception, 39: 1143
Rowan Candy, T. and Banks, M.S. Use of an early nonlinearity to measure optical and receptor resolution in the human infant, 39: 3386
van Ee, R., Banks, M.S. and Backus, B.T. Perceived visual direction near an occluder, 39: 4085
BANTON, T.
Banton, T., Bertenthal, B.I. and Seaks, J. Infants' sensitivity to statistical distribution of motion direction and speed, 39: 3417
BAR, M.
Biederman, I. and Bar, M. One-shot viewpoint invariance in matching novel objects, 39: 2885

BARLOW, H.B.
Tripathy, S.P., Mussap, A.J. and Barlow, H.B. Detecting collinear dots in noise, 39: 4161
BARNES, C.S.
Barnes, C.S. Wei, J. and Shevell, S.K. Chromatic induction with remote chromatic contrast varied in magnitude, spatial frequency, and chromaticity, 39: 3561
BARNES, G.R.
Wells, S.G. and Barnes, G.R. Predictive smooth pursuit eye movements during identification of moving acuity targets, 39: 2767
BARRETT, B.T.
Barrett, B.T., Whitaker, D. and Bradley, A. Vernier acuity with compound gratings: the whole is equal to the better of its parts, 39: 3681
BASRI, R.
Liu, Z., Jacobs, D.W. and Basri, R. The role of convexity in perceptual completion: beyond good continuation, 39: 4244
BAUER, B.
Bauer, B., Jolicæur, P. and Cowan, W.B. Convex hull test of the linear separability hypothesis in visual search, 39: 2681
BAUER, U.
Bauer, U., Scholz, M. Levitt, J.B., Obermayer, K. and Lund, J.S. A model for the depth-dependence of receptive field size and contrast sensitivity of cells in layer 4C of macaque striate cortex, 39: 613
BAUMBERGER, B.
Cutting, J.E., Wang, R.F., Flückiger, M. and Baumberger, B. Human heading judgments and object-based motion information, 39: 1079
BÄUML, K.-H.
Bäuml, K.-H. Simultaneous color constancy: how surface color perception varies with the illuminant, 39: 1531
BEARDSLEY, S.A.
Clifford, C.W.G., Beardsley, S.A. and Vaina, L.M. The perception and discrimination of speed in complex motion, 39: 2213
BEARSE, M.A. JR.
Sutter, E.E. and Bearse, M.A. Jr. The optic nerve head component of the human ERG, 39: 419
BECKER, S.
Becker, S., Bowd, C., Shorter S., King, K. and Patterson, R. Occlusion contributes to temporal processing differences between crossed and uncrossed stereopsis in random-dot displays, 39: 331
BEDELL, H.E.
Siderov, J., Harwerth, R.S. and Bedell, H.E. Stereopsis, cyclovergence and the backwards tilt of the vertical horopter, 39: 1347
Patel, S.S., Bedell, H.E. and Ukwade, M.T. Vernier judgments in the absence of regular shape information, 39: 2349
Ukwade, M.T. and Bedell, H.E. Stereothresholds in persons with congenital nystagmus and in normal observers during comparable retinal image motion, 39: 2963
BEINTEMA, J.A.
Beintema, J.A. and van den Berg, A.V. Heading detection using motion templates and eye velocity gain fields. *Vision Research* 38:2155 Errata, 39: 410
BENDA, N.
Benda, N., Dietrich, T. and Schiefer, U. Models for the description of angioscotomas, 39: 1889
Schiefer, U., Benda, N., Dietrich, T.J., Selig, B., Hofmann, C. and Schiller, J. Angioscotoma detection with fundus-oriented perimetry. A study with dark and bright stimuli of different size, 39: 1897
BENEDEK, G.
Kéri, S., Antal, A., Kálmán, J. Janka, Z. and Benedek, G. Early visual impairment is independent of the visuocognitive and memory disturbances in Alzheimer's disease, 39: 2261
BENNETT, J.
Dudus, L., Anand, V., Acland, G.M., Chen, S.-J., Wilson, J.M., Fisher, K.J., Maguire, A.M. and Bennett, J. Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV, 39: 2545

BENNETT, P.J.
Gold, J., Bennett, P.J. and Sekuler, A.B. Identification of band-pass filtered letters and faces by human and ideal observers, 39: 3537
BENTON, C.P.
Johnston, A., Benton, C.P. and Morgan, M.J. Concurrent measurement of perceived speed and speed discrimination threshold using the method of single stimuli, 39: 3849
Benton, C.P. and Johnston, A. Contrast inconstancy across changes in polarity, 39: 4076
VAN DEN BERG, A.V.
Beintema, J.A. and van den Berg, A.V. Heading detection using motion templates and eye velocity gain fields. *Vision Research* 38:2155 Errata, 39: 410
van den Berg, A.V. Predicting the present direction of heading, 39: 3608
VAN DEN BERG, T.J.T.P.
van den Berg, T.J.T.P. and Spekreijse, H. Light scattering model for donor lenses as a function of depth, 39: 1437
BERNINGER, T.
Arden, G., Wolf, J., Berninger, T., Hogg, C.R., Tzekov, R. and Holder, G.E. S-cone ERGs elicited by a simple technique in normals and in tritanopes, 39: 641
BERTENTHAL, B.I.
Banton, T., Bertenthal, B.I. and Seaks, J. Infants' sensitivity to statistical distribution of motion direction and speed, 39: 3417
BEX, P.J.
Bex, P.J., Metha, A.B. and Makous, W. Enhanced motion aftereffect for complex motions, 39: 2229
BIEBER, M.L
Bieber, M.L., Kraft, J.M. and Werner, J.S. Effects of known variations in photopigments on *L/M* cone ratios estimated from luminous efficiency functions. *Vision Research* 38:1961 Errata, 39: 410
BIEDERMAN, I.
Biederman, I. and Bar, M. One-shot viewpoint invariance in matching novel objects, 39: 2885
BILODEAU, L.
Bilodeau, L. and Faubert, J. The oblique effect with colour defined motion throughout the visual field, 39: 757
BILOTTA, J.
Saszik, S. and Bilotta, J. The effects of temperature on the dark-adapted spectral sensitivity function of the adult zebrafish, 39: 1051
BISTI, S.
Gargini, C., Demontis, G.C., Cervetto, L. and Bisti, S. Analysis of pharmacologically isolated components of the ERG, 39: 1759
Gargini, C., Demontis, G.C., Bisti, S. and Cervetto, L. Effects of blocking the hyperpolarization-activated current (I_h) on the cat electroretinogram, 39: 1767
BLACKBURN, S.
Gillam, B., Blackburn, S. and Nakayama, K. Stereopsis based on monocular gaps: metrical encoding of depth and slant without matching contours, 39: 493
BLAKE, A.
Eagle, R.A., Hogervorst, M.A. and Blake, A. Does the visual system exploit projective geometry to help solve the motion correspondence problem?, 39: 373
BLAKE, R.
Lee, S.-H. and Blake, R. Rival ideas about binocular rivalry, 39: 1447
Lee, S.-H. and Blake, R. Detection of temporal structure depends on spatial structure, 39: 3033
Grossman, E.D. and Blake, R. Perception of coherent motion, biological motion and form-from-motion under dim-light conditions, 39: 3721
Alais, D. and Blake, R. Grouping visual features during binocular rivalry, 39: 4341
BLAKESLEE, B.
Blakeslee, B. and McCourt, M.E. A multiscale spatial filtering account of the White effect, simultaneous brightness contrast and grating induction, 39: 4361
BLANZ, V.

O'Toole, A.J., Vetter, T. and Blanz, V. Three-dimensional shape and two-dimensional surface reflectance contributions to face recognition: an application of three-dimensional morphing, 39: 3145
BOBES, M.A.
Torriente, I., Valdes-Sosa, M., Ramirez, D. and Bobes, M.A. Visual evoked potentials related to motion-onset are modulated by attention, 39: 4122
BOCKISCH, C.J.
Bockisch, C.J. Orientation discrimination and tilt aftereffects with luminance and illusory contours, 39: 765
Bockisch, C.J. and Miller, J.M. Different motor systems use similar damped extraretinal eye position information, 39: 1025
BOJANIC, S.
Bolger, C., Bojanic, S., Sheahan, N.F., Coakley, D. and Malone, J.F. Dominant frequency content of ocular microtremor from normal subjects, 39: 1911
BOLGER, C.
Bolger, C., Bojanic, S., Sheahan, N.F., Coakley, D. and Malone, J.F. Dominant frequency content of ocular microtremor from normal subjects, 39: 1911
BONNEH, Y.
Bonneh, Y. and Sagi D. Configuration saliency revealed in short duration binocular rivalry, 39: 271
Bonneh, Y. and Sagi, D. Contrast integration across space, 39: 2597
BONNET, C.
Thomas, J.P., Fagerholm, P. and Bonnet, C. One spatial filter limits speed of detecting low and middle frequency gratings, 39: 1683
BOOTHE, R.G.
Bradley, D.V., Fernandes, A. and Boothe, R.G. The refractive development of untreated eyes of rhesus monkeys varies according to the treatment received by their fellow eyes, 39: 1749
BOWD, C.
Becker, S., Bowd, C., Shorter S., King, K. and Patterson, R. Occlusion contributes to temporal processing differences between crossed and uncrossed stereopsis in random-dot displays, 39: 331
Shorter, S., Bowd, C., Donnelly, M. and Patterson, R. The stereoscopic (cyclopean) motion aftereffect is selective for spatial frequency and orientation of disparity modulation, 39: 3745
BOWMAKER, J.K.
Loew, E.R. and Bowmaker, J.K. Herbert Dartnall-Obituary, 39: 679
Kröger, R.H.H., Bowmaker, J.K. and Wagner, H.J. Morphological changes in the retina of *Aequidens pulcher* (Cichlidae) after rearing in monochromatic light, 39: 2441
Das, D., Wilkie, S.E., Hunt, D.M. and Bowmaker, J.K. Visual pigments and oil droplets in the retina of a passerine bird, the canary *Serinus canaria:* microspectrophotometry and opsin sequences, 39: 2801
BOYNTON, G.M.
Boynton, G.M., Demb, J.B., Glover, G.H. and Heeger, D.J. Neuronal basis of contrast discrimination, 39: 257
Boynton, G.M. and Foley, J.M. Temporal sensitivity of human luminance pattern mechanisms determined by masking with temporally modulated stimuli, 39: 1641
BRADDICK, O.J.
Smith, A.T., Curran, W. and Braddick, O.J. What motion distributions yield global transparency and spatial segmentation?, 39: 1121
Zanker, J.M. and Braddick, O.J. How does noise influence the estimation of speed?, 39: 2411
BRADLEY, A.
Barrett, B.T., Whitaker, D. and Bradley, A. Vernier acuity with compound gratings: the whole is equal to the better of its parts, 39: 3681
BRADLEY, D.V.
Bradley, D.V., Fernandes, A. and Boothe, R.G. The refractive development of untreated eyes of rhesus monkeys varies according to the treatment received by their fellow eyes, 39: 1749
BRADSHAW, M.F.

Hibbard, P.B., Bradshaw, M.F. and DeBruyn, B. Global motion processing is not tuned for binocular disparity, 39: 961
Bradshaw, M.F. and Rogers, B.J. Sensitivity to horizontal and vertical corrugations defined by binocular disparity, 39: 3049
BRENNER, E.
Brenner, E. and van Damme, W.J.M. Perceived distance, shape and size, 39: 975
Brenner, E. and Landy, M.S. Interaction between the perceived shape of two objects, 39: 3834
BRENT, H.P.
Ellemberg, D., Lewis, T.L., Maurer, D., Liu, C.H. and Brent, H.P. Spatial and temporal vision in patients treated for bilateral congenital cataracts, 39: 3480
BRINCAT, S.
Westheimer, G., Brincat, S. and Wehrhahn, C. Contrast dependency of foveal spatial functions: orientation, vernier, separation, blur and displacement discrimination and the tilt and Poggendorff illusions, 39: 1631
BRÖDE, P.
Jaschinski, W., Bröde, P. and Griefahn, B. Fixation disparity and nonius bias, 39: 669
BROERSE, J.
Broerse, J., Vladusich, T. and O'Shea, R.P. Colour at edges and colour spreading in McCollough effects, 39: 1305
BROWN, J.M.
May, J.G., Brown, J.M. and Roberts, S. Afterimages, grating induction and illusory phantoms, 39: 3025
BROWN, P.H.
Brown, P.H. and Burbeck, C.A. Measuring perceived 3D shape at multiple spatial scales, 39: 1833
BUCCI, M.P.
Bucci, M.P., Kapoula, Z. and Eggert, T. Saccade amplitude disconjugacy induced by aniseikonia: role of monocular depth cues, 39: 3109
BUCK, S.L.
Verweij, J, Dacey, D.M., Peterson, B.B. and Buck, S.L. Sensitivity and dynamics of rod signals in H1 horizontal cells of the macaque monkey retina, 39: 3662
BUCKLEY, D.
Frisby, J.P., Buckley, D., Grant, H., Gårding, J., Horsman, J.M., Hippisley-Cox, S.D. and Porrill, J. An orientation anisotropy in the effects of scaling vertical disparities, 39: 481
BULLINGER, A.
Tschopp, C., Viviani, P., Reicherts, M., Bullinger, A., Rudaz, N., Mermoud, C. and Safran, A.B. Does visual sensitivity improve between 5 and 8 years? A study of automated visual field examination, 39: 1107
BÜLTHOFF, H.H.
Tarr, M.J., Kersten, D. and Bülthoff, H.H. Why the visual recognition system might encode the effects of illumination. *Vision Research* 38:2259 Errata, 39: 409
BURBECK, C.A.
Brown, P.H. and Burbeck, C.A. Measuring perceived 3D shape at multiple spatial scales, 39: 1833
BURD, H.J.
Burd, H.J., Judge, S.J. and Flavell, M.J. Mechanics of accommodation of the human eye, 39: 1591
BURKE, W.
Burke, W. Psychophysical observations concerned with a foveal lesion (macular hole), 39: 2421
BURNS, S.A.
Marcos, S., Burns, S.A., Moreno-Barriusop, E. and Navarro, R. A new approach to the study of ocular chromatic aberrations, 39: 4309
BURR, D.C.
Porciatti, V., Fiorentini, A., Morrone, M.C. and Burr, D.C. The effects of ageing on reaction times to motion onset, 39: 2157
BURTON, A.M.
Liu, C.H., Collin, C.A., Burton, A.M. and Chaudhuri, A. Lighting direction affects recognition of untextured faces in photographic positive and negative, 39: 4003
BUSCH, E.M.

Busch, E.M., Gorgels, T.G.M.F. and van Norren, D. Temporal sequence of changes in rat retina after UV-A and blue light exposure, 39: 1233
BÜSCHER, A.
Niemann, T., Lappe, M., Büscher, A. and Hoffman, K.-P. Ocular responses to radial optic flow and single accelerated targets in humans, 39: 1359
BUSEY, T.A.
Busey, T.A. Localization and identification tasks rely on different temporal frequencies, 39: 513

CALLIECO, R.
Caputo, G., Romani, A., Callieco, R., Gaspari, D. and Cosi, V. Amodal completion in texture visual evoked potentials, 39: 31
CAMPBELL, M.C.W.
Glasser, A. and Campbell, M.C.W. On the potential causes of presbyopia, 39: 1267
Glasser, A. and Campbell, M.C.W. Biometric, optimal and physical changes in the isolated human crystalline lens with age in relation to presbyopia, 39: 1991
CAMPENHAUSEN, M.V.
Campenhausen, M.v. and Kirschfeld, K. Visual attention modifies spectral sensitivity of nystagmic eye movements, 39: 1551
CANNON, M.W.
Cannon, M.W., Reese, G.J. and Fullenkamp, S.C. Target detection against narrow band noise backgrounds, 39: 2191
CAPUTO, G.
Caputo, G., Romani, A., Callieco, R., Gaspari, D. and Cosi, V. Amodal completion in texture visual evoked potentials, 39: 31
Caputo, G. and Casco, C. A visual evoked potential correlate of global figure-ground segmentation, 39: 1597
CARMO, A.
Carmo, A., Cunha-Vaz, J.G., Carvalho, A.P. and Lopes, M.C. L-Arginine transport in retinas from streptozotocin diabetic rats: correlation with the level of IL-1ß and NO synthase activity, 39: 3817
CARNEY, T.
Carney, T. and Klein, S.A. Optimal spatial localization is limited by contrast sensitivity, 39: 503
CARPENTER, R.H.S.
Hanes, D.P. and Carpenter, R.H.S. Countermanding saccades in humans, 39: 2777
CARRASCO, M.
Yeshurun, Y. and Carrasco, M. Spatial attention improves performance in spatial resolution tasks, 39: 293
CARVALHO, A.P.
Carmo, A., Cunha-Vaz, J.G., Carvalho, A.P. and Lopes, M.C. L-Arginine transport in retinas from streptozotocin diabetic rats: correlation with the level of IL-1ß and NO synthase activity, 39: 3817
CASCO, C.
Caputo, G. and Casco, C. A visual evoked potential correlate of global figure-ground segmentation, 39: 1597
CASTELO-BRANCO, M.
Neuenschwander, S., Castelo-Branco, M. and Singer, W. Synchronous oscillations in the cat retina, 39: 2485
CASTET, E.
Castet, E., Charton, V., Dufour, A. The extrinsic/intrinsic classification of two-dimensional motion signals with barber-pole stimuli, 39: 915
CAVANAGH, P.
Seiffert, A.E. and Cavanagh, P. Position-based motion perception for color texture stimuli: effects of contrast and speed, 39: 4172
CERVETTO, L.
Gargini, C., Demontis, G.C., Cervetto, L. and Bisti, S. Analysis of pharmacologically isolated components of the ERG, 39: 1759

Gargini, C., Demontis, G.C., Bisti, S. and Cervetto, L. Effects of blocking the hyperpolarization-activated current (I_h) on the cat electroretinogram, 39: 1767
CHANDNA, A.
Shea, S.J. Chandna, A. and Norcia, A.M. Oscillatory motion but not pattern reversal elicits monocular motion VEP biases in infantile esotropia, 39: 1803
CHAPARRO, A.
Stromeyer, C.F. III, Thabet, R., Chaparro, A. and Kronauer, R.E. Spatial masking does not reveal mechanisms selective to combined luminance and red-green color, 39: 2099
Stromeyer, C.F. III, Gowdy, P.D., Chaparro, A. and Kronauer, R.E. Second-site adaptation in the red-green detection pathway: only elicited by low-spatial-frequency test stimuli, 39: 3011
Zemany, L., Stromeyer, C.F. III, Chaparro, A. and Kronauer, R.E. Motion detection on flashed, stationary pedestal gratings: evidence for an opponent-motion mechanism. *Vision Research* 38:795 Erratum, 39: 4419
CHARLIER, M.
Vleugels, L., Charlier, M., van Nunen, A., Lafosse, C., Vogels, R., Ketelaer, P. and Vandenbussche, E. Temporal resolution deficits in the visual fields of MS patients, 39: 2429
CHARTON, V.
Castet, E., Charton, V., Dufour, A. The extrinsic/intrinsic classification of two-dimensional motion signals with barber-pole stimuli, 39: 915
CHAUDHURI, A.
Liu, C.H., Collin, C.A., Burton, A.M. and Chaudhuri, A. Lighting direction affects recognition of untextured faces in photographic positive and negative, 39: 4003
CHEN, C.-C.
Foley, J.M. and Chen, C.-C. Pattern detection in the presence of maskers that differ in spatial phase and temporal offset: threshold measurements and a model, 39: 3855
CHEN, S.-J.
Dudus, L., Anand, V., Acland, G.M., Chen, S.-J., Wilson, J.M., Fisher, K.J., Maguire, A.M. and Bennett, J. Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV, 39: 2545
CHICHILNISKY, E.J.
Chichilnisky, E.J. and Wandell, B.A. Trichromatic opponent color classification, 39: 3444
CHOU, I-H.
Chou, I-h., Sommer, M.A. and Schiller, P.H. Express averaging saccades in monkeys, 39: 4200
CHUBB, C.
Morgan, M.J. and Chubb, C. Contrast facilitation in motion detection: evidence for a Reichardt detector in human vision, 39: 4217
CLARK, J.J.
Clark, J.J. Spatial attention and latencies of saccadic eye movements, 39: 585
Clark, J.J. and O'Regan, J.K. Word ambiguity and the optimal viewing position in reading, 39: 843
CLIFFORD, C.W.G.
Clifford, C.W.G. and Vaina, L.M. A computational model of selective deficits in first and second-order motion processing, 39: 113
Clifford, C.W.G., Beardsley, S.A. and Vaina, L.M. The perception and discrimination of speed in complex motion, 39: 2213
Clifford, C.W.G. and Wenderoth, P. Adaptation to temporal modulation can enhance differential speed sensitivity, 39: 4324
COAKLEY, D.
Bolger, C., Bojanic, S., Sheahan, N.F., Coakley, D. and Malone, J.F. Dominant frequency content of ocular microtremor from normal subjects, 39: 1911
COLETTA, N.J.
Sharma, V., Levi, D.M. and Coletta, N.J. Sparse-sampling of gratings in the visual cortex of strabismic amblyopes, 39: 3526
COLLEWIJN, H.
von Leeuwen, A.F., Westen, M.J., van der Steen, J., de Faber, J.-T.H.N. and Collewijn, H. Gaze-shift dynamics in subject with and without symptoms of convergence insufficiency: influence of monocular preference and the effect of training, 39: 3095

COLLIN, C.A.
Liu, C.H., Collin, C.A., Burton, A.M. and Chaudhuri, A. Lighting direction affects recognition of untextured faces in photographic positive and negative, 39: 4003
COLLIN, S.P.
Shand, J., Døving, K.B. and Collin, S.P. Optics of the developing fish eye: comparisons of Matthiessen's ratio and the focal length of the lens in the black bream *Acanthopagrus butcheri* (Sparidae, Teleostei), 39: 1071
CONRADI, N.
Sjöstrand, D., Olsson, V., Popovic, Z. and Conradi, N. Quantitative estimations of foveal and extra-foveal retinal circuitry in humans, 39: 2987
CONTE, M.M.
Victor, J.D. and Conte, M.M. Short-range vernier acuity: interactions of temporal frequency, temporal phase, and stimulus polarity, 39: 3351
COOK, J.E.
Cook, J.E., Podugolnikova, T.A. and Kondrashev, S.L. Species-dependent variation in the dendritic stratification of apparently homologous retinal ganglion cell mosaics in two neoteleost fishes, 39: 2615
COPPOLA, D.M.
Andrews, T.J. and Coppola, D.M. Idiosyncratic characteristics of saccadic eye movements when viewing different visual environments, 39: 2947
CORMACK, F.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I.D., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding. *Vision Research* 38:2181 Errata, 39: 410
CORNELISSEN, P.L.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I.D., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding. *Vision Research* 38:2181 Errata, 39: 410
COSI, V.
Caputo, G., Romani, A., Callieco, R., Gaspari, D. and Cosi, V. Amodal completion in texture visual evoked potentials, 39: 31
COWAN, W.B.
Bauer, B., Jolicæur, P. and Cowan, W.B. Convex hull test of the linear separability hypothesis in visual search, 39: 2681
COWEY, A.
Azzopardi, P., Jones, K.E. and Cowey, A. Uneven mapping of magnocellular and parvocellular projections from the lateral geniculate nucleus to the striate cortex in the macaque monkey, 39: 2179
Cowey, A., Stoerig, P. and Williams, C. Variance in transneuronal retrograde ganglion cell degeneration in monkeys after removal of striate cortex: effects of size of the cortical lesion, 39: 3642
CRABB, D.P.
Westcott, M.C., Fitzke, F.W., Crabb, D.P. and Hitchings, R.A. Characteristics of frequency-of-seeing curves for a motion stimulus in glaucoma eyes, glaucoma suspect eyes, and normal eyes, 39: 631
CROGNALE, M.A.
Crognale, M.A., Teller, D.Y., Yamaguchi, T., Motulsky, A.G. and Deeb, S.S. Analysis of red/green color discrimination in subjects with a single X-linked photopigment gene, 39: 707
Switkes, E. and Crognale, M.A. Comparison of color and luminance contrast: apples *versus* oranges?, 39: 1823
CROWELL, J.A.
Backus, B.T., Banks, M.S., van Ee, R. and Crowell, J.A. Horizontal and vertical disparity, eye position, and stereoscopic slant perception, 39: 1143
CUENCA, N.
Haverkamp, S. Kolb, H. and Cuenca, N. Endothelial nitric oxide synthase (eNOS) is localized to Müller cells in all vertebrate retinas, 39: 2299
CUNHA-VAZ, J.G.
Carmo, A., Cunha-Vaz, J.G., Carvalho, A.P. and Lopes, M.C. $_{L}$-Arginine transport in retinas from streptozotocin diabetic rats: correlation with the level of IL-1ß and NO synthase activity, 39: 3817
CURRAN, W.

Smith, A.T., Curran, W. and Braddick, O.J. What motion distributions yield global transparency and spatial segmentation?, 39: 1121
CUTHILL, I.C.
Hart, N.S., Partridge, J.C. and Cuthill, I.C. Visual pigments, cone oil droplets, ocular media and predicted spectral sensitivity in the domestic turkey *(Meleagris gallopavo),* 39: 3321
CUTTING, J.E.
Cutting, J.E., Wang, R.F., Flückiger, M. and Baumberger, B. Human heading judgments and object-based motion information, 39: 1079

DACEY, D.M.
Verweij, J, Dacey, D.M., Peterson, B.B. and Buck, S.L. Sensitivity and dynamics of rod signals in H1 horizontal cells of the macaque monkey retina, 39: 3662
DAGNELIE, G.
Humayun, M.S., de Juan, E. Jr., Weiland, J.D., Dagnelie, G., Katona, S., Greenberg, R. and Suzuki, S. Pattern electrical stimulation of the human retina, 39: 2569
DAKIN, S.C.
Hess, R.F. and Dakin, S.C. Contour integration in the peripheral field, 39: 947
Dakin, S.C., Williams, C.B. and Hess, R.F. The interaction of first- and second-order cues to orientation, 39: 2867
Hess, R.F., Wang, Y.-Z. and Dakin, S.C. Are judgements of circularity local or global?, 39: 4354
VAN DAMME, W.J.M.
Brenner, E. and van Damme, W.J.M. Perceived distance, shape and size, 39: 975
DANZIGER, S.
Fendrich, R., Demirel, S. and Danziger, S. The oculomotor gap effect without a foveal fixation point, 39: 833
DAS, D.
Das, D., Wilkie, S.E., Hunt, D.M. and Bowmaker, J.K. Visual pigments and oil droplets in the retina of a passerine bird, the canary *Serinus canaria:* microspectrophotometry and opsin sequences, 39: 2801
DE FABER, J.-T.H.N.
von Leeuwen, A.F., Westen, M.J., van der Steen, J., de Faber, J.-T.H.N. and Collewijn, H. Gaze-shift dynamics in subject with and without symptoms of convergence insufficiency: influence of monocular preference and the effect of training, 39: 3095
DE HOZ, R.
Ramírez, J.M., Triviño, A., De Hoz, R., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Immunohistochemical study of rabbit choroidal innervation, 39: 1249
DE JUAN, E. JR.
Humayun, M.S., de Juan, E. Jr., Weiland, J.D., Dagnelie, G., Katona, S., Greenberg, R. and Suzuki, S. Pattern electrical stimulation of the human retina, 39: 2569
DE LUCA, E.
De Luca, E. and Fahle, M. Learning of interpolation in 2 and 3 dimensions, 39: 2051
DEAN, M.
Shroyer, N.F., Lewis, R.A., Allikmets, R., Singh, N., Dean, M., Leppert, M. and Lupski, J.R. The rod photoreceptor ATP-binding cassette transporter gene, *ABCR,* and retinal disease: from monogenic to multifactorial, 39: 2537
DEBRUYN, B.
Hibbard, P.B., Bradshaw, M.F. and DeBruyn, B. Global motion processing is not tuned for binocular disparity, 39: 961
DEEB, S.S.
Crognale, M.A., Teller, D.Y., Yamaguchi, T., Motulsky, A.G. and Deeb, S.S. Analysis of red/green color discrimination in subjects with a single X-linked photopigment gene, 39: 707
DEMANINS, R.
Hess, R.F., Wang, Y.-Z., Demanins, R., Wilkinson, F. and Wilson, H.R. A deficit in strabismic amblyopia for global shape detection, 39: 901

Demanins, R., Wang, Y.-Z. and Hess, R.F. The neural deficit in strabismic amblyopia: sampling considerations, 39: 3575
Demanins, R., Hess, R.F., Williams, C.B. and Keeble, D.R.T. The orientation discrimination deficit in strabismic amblyopia depends upon stimulus bandwidth, 39: 4018
DEMB, J.B.
Boynton, G.M., Demb, J.B., Glover, G.H. and Heeger, D.J. Neuronal basis of contrast discrimination, 39: 257
DEMIREL, S.
Fendrich, R., Demirel, S. and Danziger, S. The oculomotor gap effect without a foveal fixation point, 39: 833
DEMONTIS, G.C.
Gargini, C., Demontis, G.C., Cervetto, L. and Bisti, S. Analysis of pharmacologically isolated components of the ERG, 39: 1759
Gargini, C., Demontis, G.C., Bisti, S. and Cervetto, L. Effects of blocking the hyperpolarization-activated current (I_h) on the cat electroretinogram, 39: 1767
DERLACKI, D.J.
Alexander, K.R., Derlacki, D.J. and Fishman, G.A. Coherence and the judgment of spatial displacements in retinitis pigmentosa, 39: 2267
DERRINGTON, A.M.
Derrington, A.M. and Ukkonen, O.I. Second-order motion discrimination by feature-tracking, 39: 1465
DI RUSSO, F.
Di Russo, F., Spinelli, D. Electrophysiological evidence for an early attentional mechanism in visual processing in humans, 39: 2975
DIACONU, V.
Faubert, J., Diaconu, V., Ptito, M. and Ptito A. Residual vision in the blind field of hemidecorticated humans predicted by a diffusion scatter model and selective spectral absorption of the human eye, 39: 149
DIETHER, S.
Schaeffel, F. and Diether, S. The growing eye: an autofocus system that works on very poor images, 39: 1585
Diether, S. and Schaeffel, F. Long-term changes in retinal contrast sensitivity in chicks from frosted occluders and drugs: relations to myopia?, 39: 2499
DIETRICH, T.J.
Benda, N., Dietrich, T. and Schiefer, U. Models for the description of angioscotomas, 39: 1889
Schiefer, U., Benda, N., Dietrich, T.J., Selig, B., Hofmann, C. and Schiller, J. Angioscotoma detection with fundus-oriented perimetry. A study with dark and bright stimuli of different size, 39: 1897
DILL, M.
Dill, M. and Fahle, M. Display symmetry affects positional specificity in *same-different* judgment of pairs of novel visual patterns, 39: 3752
DISTLER, C.
Distler, C., Vital-Durand, F., Korte, R., Korbmacher, H. and Hoffmann, K.-P. Development of the optokinetic system in macaque monkeys, 39: 3909
DOBINSON, J.
Maddess, T., Goldberg, I., Dobinson, J., Wine, S., Welsh, A.H. and James, A.C. Testing for glaucoma with the spatial frequency doubling illusion, 39: 4258
DOBKINS, K.R.
Lia, B., Dobkins, K.R., Palmer, J. and Teller, D.Y. Infants code the direction of chromatic quadrature motion, 39: 1783
Dobkins, K.R., Anderson, C.M. and Lia, B. Infant temporal contrast sensitivity functions (tCSFs) mature earlier for luminance than for chromatic stimuli: evidence for precocious magnocellular development?, 39: 3223
DONNELLY, M.
Shorter, S., Bowd, C., Donnelly, M. and Patterson, R. The stereoscopic (cyclopean) motion aftereffect is selective for spatial frequency and orientation of disparity modulation, 39: 3745
DONNER, K.

Rovamo, J. Raninen, A. and Donner, K. The effects of temporal noise and retinal illuminance on foveal flicker sensitivity, 39: 533
DORN, T.J.
Hoffmann, M. Dorn, T.J. and Bach, M. Time course of motion adaptation: motion-onset visual evoked potentials and subjective estimates, 39: 437, Errata, 2793
DOSHER, B.A..
Dosher, B.A.. and Lu, Z.-L. Mechanisms of perceptual learning, 39: 3197
DOUGLAS, R.H.
Douglas, R.H., Partridge, J.C., Dulai, K.S., Hunt, D.M., Mullineaux, C.W. and Hynninen, P.H. Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger,* a deep-sea dragon fish with far red bioluminescence, 39: 2817
DØVING, K.B.
Shand, J., Døving, K.B. and Collin, S.P. Optics of the developing fish eye: comparisons of Matthiessen's ratio and the focal length of the lens in the black bream *Acanthopagrus butcheri* (Sparidae, Teleostei), 39: 1071
DRAGOI, V.
Dragoi, V. and Lockhead, G. Context-dependent changes in visual sensitivity induced by Müller-Lyer stimuli, 39: 1657
DRESP, B.
Dresp, B. and Grossberg, S. Spatial facilitation by color and luminance edges: boundary, surface, and attentional factors, 39: 3431
DUDUS, L.
Dudus, L., Anand, V., Acland, G.M., Chen, S.-J., Wilson, J.M., Fisher, K.J., Maguire, A.M. and Bennett, J. Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV, 39: 2545
DUFOUR, A.
Castet, E., Charton, V., Dufour, A. The extrinsic/intrinsic classification of two-dimensional motion signals with barber-pole stimuli, 39: 915
DULAI, K.S.
Douglas, R.H., Partridge, J.C., Dulai, K.S., Hunt, D.M., Mullineaux, C.W. and Hynninen, P.H. Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger,* a deep-sea dragon fish with far red bioluminescence, 39: 2817
DURET, F.
Duret, F., Issenhuth, M. and Safran, A.B. Combined use of several preferred retinal loci in patients with macular disorders when reading single words, 39: 873
Duret, F., Safran, A.B. and Issenhuth, M. Combined use of several preferred retinal loci in patients with macular disorders when reading single words. *Vision Research* 39:873 Errata, 39: 2793

EAGLE, R.A.
Eagle, R.A., Hogervorst, M.A. and Blake, A. Does the visual system exploit projective geometry to help solve the motion correspondence problem?, 39: 373
Eagle, R.A. and Hogervorst, M.A. The role of perspective information in the recovery of 3D structure-from-motion, 39: 1713
ECKSTEIN, A.
Eckstein, A. and Zrenner, E. Reply to Dr. Kashani, 39: 2028
EDMUNDS, R.
Snowden, R.J. and Edmunds, R. Colour and polarity contributions to global motion perception, 39: 1813
EDWARDS, M.
Pope, D.R., Edwards, M. and Schor, C.M. Orientation and luminance polarity tuning of the transient-vergence system, 39: 575
Edwards, M. and Nishida, S. Global-motion detection with transparent-motion signals, 39: 2239
Edwards, M., Pope, D.R. and Schor, C.M. Orientation tuning of the transient-stereopsis system, 39: 2717

Pope, D.R., Edwards, M. and Schor, C.S. Extraction of depth from opposite-contrast stimuli: transient system can, sustained system can't, 39: 4010
Edwards, M. and Schor, C.M. Depth aliasing by the transient-stereopsis system, 39: 4333
VAN EE, R.
van Ee, R. and Erkelens, C.J. The influence of large scanning eye movements on stereoscopic slant estimation of large surfaces, 39: 467
Backus, B.T., Banks, M.S., van Ee, R. and Crowell, J.A. Horizontal and vertical disparity, eye position, and stereoscopic slant perception, 39: 1143
van Ee, R., Banks, M.S. and Backus, B.T. Perceived visual direction near an occluder, 39: 4085
EGGERT, T.
Bucci, M.P., Kapoula, Z. and Eggert, T. Saccade amplitude disconjugacy induced by aniseikonia: role of monocular depth cues, 39: 3109
ELLEMBERG, D.
Ellemberg, D., Lewis T.L., Liu, C.H. and Maurer, D. Development of spatial and temporal vision during childhood, 39: 2325
Ellemberg, D., Lewis, T.L., Maurer, D., Liu, C.H. and Brent, H.P. Spatial and temporal vision in patients treated for bilateral congenital cataracts, 39: 3480
ENNIS, F.A.
Anderson, R.S. and Ennis, F.A. Foveal and peripheral thresholds for detection and resolution of vanishing optotype tumbling Es, 39: 4141
ENOCH, J.M.
Enoch, J.M. A comment on 'photoreceptor function in unilateral amblyopia,' 39: 2311
ERKELENS, C.J.
van Ee, R. and Erkelens, C.J. The influence of large scanning eye movements on stereoscopic slant estimation of large surfaces, 39: 467
Hooge, I.T.C. and Erkelens, C.J. Peripheral vision and oculomotor control during visual search, 39: 1567
ERNST, R.
Ernst, R. and Heisenberg, M. The memory template in *Drosophila* pattern vision at the flight simulator, 39: 3920
ESSEX, J.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I.D., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding. *Vision Research* 38:2181 Errata, 39: 410
ESSOCK, E.A.
Sinai, M.J., Essock, E.A. and McCarley, J.S. Spatial sensitization of increments and decrements: a border-contrast process and a net-excitation process, 39: 1847

FACH, C.
Stockman, A., Sharpe, L.T. and Fach, C. The spectral sensitivity of the human short-wavelength sensitive cones derived from thresholds and color matches, 39: 2901
FAGERHOLM, P.
Thomas, J.P., Fagerholm, P. and Bonnet, C. One spatial filter limits speed of detecting low and middle frequency gratings, 39: 1683
FAHLE, M.
De Luca, E. and Fahle, M. Learning of interpolation in 2 and 3 dimensions, 39: 2051
Dill, M. and Fahle, M. Display symmetry affects positional specificity in *same-different* judgment of pairs of novel visual patterns, 39: 3752
Herzog, M.H. and Fahle, M. Effects of biased feedback on learning and deciding in a vernier discrimination task, 39: 4232
FALSINI, B.
Porrello, G. and Falsini, B. Retinal ganglion cell dysfunction in humans following post-geniculate lesions: specific spatio-temporal losses revealed by pattern ERG, 39: 1739
FARELL, B.
Farell, B. Color and luminance in the perception of 1- and 2-dimensional motion, 39: 2633

FAUBERT, J.
Faubert, J., Diaconu, V., Ptito, M. and Ptito A. Residual vision in the blind field of hemidecorticated humans predicted by a diffusion scatter model and selective spectral absorption of the human eye, 39: 149
Bilodeau, L. and Faubert, J. The oblique effect with colour defined motion throughout the visual field, 39: 757
von Grünau, M.W., Faubert, J., Iordanova, M. and Rajska, D. Flicker and the efficiency of cues for capturing attention, 39: 3241
FENDRICH, R.
Fendrich, R., Demirel, S. and Danziger, S. The oculomotor gap effect without a foveal fixation point, 39: 833
FERNANDES, A.
Bradley, D.V., Fernandes, A. and Boothe, R.G. The refractive development of untreated eyes of rhesus monkeys varies according to the treatment received by their fellow eyes, 39: 1749
FIEDER, M.
Troje, N.F., Huber, L., Loidolt, M., Aust, U. and Fieder, M. Categorical learning in pigeons: the role of texture and shape in complex static stimuli, 39: 353
FINDLAY, J.M.
Gilchrist, I.D., Heywood, C.A. and Findlay, J.M. Saccade selection in visual search: evidence for spatial frequency specific between-item interactions, 39: 1373
FINE, E.M.
Fine, E.M. and Rubin, G.S. Reading with central field loss: number of letters masked is more important than the size of the mask in degrees, 39: 747
Fine, E.M. and Rubin, G.S. Reading with simulated scotomas: attending to the right is better than attending to the left, 39: 1039
Fine, E.M. and Rubin, G.S. Corrigendum, 39: 1049
Fine, E.M. and Rubin, G.S. The effects of simulated cataract on reading with normal vision and simulated central scotoma, 39: 4274
FINE, I.
Jacobs, R.A. and Fine, I. Experience-dependent integration of texture and motion cues to depth, 39: 4062
FIORENTINI, A.
Gianfranceschi, L., Fiorentini, A. and Maffei, L. Behavioural visual acuity of wild type and *bcl2* transgenic mouse, 39: 569
Porciatti, V., Fiorentini, A., Morrone, M.C. and Burr, D.C. The effects of ageing on reaction times to motion onset, 39: 2157
FISHER, A.J.
Fisher, A.J., Morgan, I.G. and Stell, W.K. Colchicine causes excessive ocular growth and myopia in chicks, 39: 685
FISHER, K.J.
Dudus, L., Anand, V., Acland, G.M., Chen, S.-J., Wilson, J.M., Fisher, K.J., Maguire, A.M. and Bennett, J. Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV, 39: 2545
FISHMAN, G.A.
Alexander, K.R., Derlacki, D.J. and Fishman, G.A. Coherence and the judgment of spatial displacements in retinitis pigmentosa, 39: 2267
FITZKE, F.W.
Westcott, M.C., Fitzke, F.W., Crabb, D.P. and Hitchings, R.A. Characteristics of frequency-of-seeing curves for a motion stimulus in glaucoma eyes, glaucoma suspect eyes, and normal eyes, 39: 631
FLAVELL, M.J.
Burd, H.J., Judge, S.J. and Flavell, M.J. Mechanics of accommodation of the human eye, 39: 1591
FLEET, D.J.
Langley, K., Fleet, D.J. and Hibbard, P.B. Stereopsis from contrast envelopes, 39: 2313
FLÜCKIGER, M.
Cutting, J.E., Wang, R.F., Flückiger, M. and Baumberger, B. Human heading judgments and object-based motion information, 39: 1079

FOGT, N.
Fogt, N. and Mowell, T.A. The effect of slant on visuomotor localization, 39: 3083
FOLEY, J.M.
Boynton, G.M. and Foley, J.M. Temporal sensitivity of human luminance pattern mechanisms determined by masking with temporally modulated stimuli, 39: 1641
Foley, J.M. and Chen, C.-C. Pattern detection in the presence of maskers that differ in spatial phase and temporal offset: threshold measurements and a model, 39: 3855
FORTE, J.
Forte, J., Hogben, J.H. and Ross, J. Spatial limitations of temporal segmentation, 39: 4052
FRANKISH, C.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I.D., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding. *Vision Research* 38:2181 Errata, 39: 410
FREDERICKSEN, R.E.
Verstraten, F.A.J., van der Smagt, M.J., Fredericksen, R.E. and van de Grind, W. Integration after adaptation to transparent motion: static and dynamic test patterns result in different aftereffect directions, 39: 803
FREEMAN, T.C.A.
Freeman, T.C.A. Path perception and Filehne illusion compared: model and data, 39: 2659
FRISBY, J.P.
Frisby, J.P., Buckley, D., Grant, H., Gårding, J., Horsman, J.M., Hippisley-Cox, S.D. and Porrill, J. An orientation anisotropy in the effects of scaling vertical disparities, 39: 481
Ivins, J.P., Porrill, J. and Frisby, J.P. Instability of torsion during smooth asymmetric vergence, 39: 993
Porrill, J., Ivins, J.P. and Frisby, J.P. The variation of torsion with vergence and elevation, 39: 3934
FRISHMAN, L.
Hood, D.C., Greenstein, V., Frishman, L., Holopigian, K., Viswanathan, S., Seiple, W., Ahmed, J. and Robson, J.G. Identifying inner retinal contributions to the human multifocal ERG, 39: 2285
FUJITA, I.
Uka, T., Tanaka, H., Kato, M. and Fujita, I. Behavioral evidence for visual perception of 3-dimensional surface structures in monkeys, 39: 2399
FUKUI, Y.
Takeda, T., Hashimoto, K., Hiruma, N. and Fukui, Y. Characteristics of accommodation toward apparent depth, 39: 2087
FULLENKAMP, S.C.
Cannon, M.W., Reese, G.J. and Fullenkamp, S.C. Target detection against narrow band noise backgrounds, 39: 2191

GALVIN, S.J.
Galvin, S.J., O'Shea, R.P., Squire, A.M. and Hailstone, D.S. Sharpness overconstancy: the roles of visibility and current context, 39: 2649
GANCARZ, G.
Gancarz, G. and Grossberg, S. A neural model of saccadic eye movement control explains task-specific adaptation, 39: 3123
GARCÍA-SÁNCHEZ, J.
Ramírez, J.M., Triviño, A., De Hoz, R., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Immunohistochemical study of rabbit choroidal innervation, 39: 1249
GÅRDING, J.
Frisby, J.P., Buckley, D., Grant, H., Gårding, J., Horsman, J.M., Hippisley-Cox, S.D. and Porrill, J. An orientation anisotropy in the effects of scaling vertical disparities, 39: 481
GARGINI, C.
Gargini, C., Demontis, G.C., Cervetto, L. and Bisti, S. Analysis of pharmacologically isolated components of the ERG, 39: 1759
Gargini, C., Demontis, G.C., Bisti, S. and Cervetto, L. Effects of blocking the hyperpolarization-activated current (I_h) on the cat electroretinogram, 39: 1767
GEESAMAN, B.J.

Matthews, N. Liu, Z., Geesaman, B.J. and Qian, N. Perceptual learning on orientation and direction discrimination, 39: 3692
GEGENFURTNER, K.R.
Reisbeck, T.E. and Gegenfurtner, K.R. Velocity tuned mechanisms in human motion processing, 39: 3267
GEORGESON, M.A.
Schofield, A.J. and Georgeson, M.A. Sensitivity to modulations of luminance and contrast in visual white noise: separate mechanisms with similar behaviour, 39: 2697
Scott-Samuel, N.E. and Georgeson, M.A. Does early non-linearity account for second-order motion?, 39: 2853
Georgeson, M.A. and Scott-Samuel, N.E. Motion contrast: a new metric for direction discrimination, 39: 4393
GERSTEIN, G.L.
Kirkland, K.L. and Gerstein, G.L. A model of cortically induced synchronization in the lateral geniculate nucleus of the cat: a role for low-threshold calcium channels. *Vision Research* 38:2007 Errata, 39: 2793
GHIARDI, G.J.
Ghiardi, G.J., Gidday, J.M. and Roth, S. The purine nucleoside adenosine in retinal ischemia-reperfusion injury, 39: 2519
GIANFRANCESCHI, L.
Gianfranceschi, L., Fiorentini, A. and Maffei, L. Behavioural visual acuity of wild type and *bcl2* transgenic mouse, 39: 569
GIDDAY, J.M.
Ghiardi, G.J., Gidday, J.M. and Roth, S. The purine nucleoside adenosine in retinal ischemia-reperfusion injury, 39: 2519
GIERSCH, A.
Giersch, A. and Lorenceau, J. Effects of a benzodiazepine, lorazepam, on motion integration and segmentation: an effect on the processing of line-ends?, 39: 2017
GILCHRIST, I.D.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I.D., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding. *Vision Research* 38:2181 Errata, 39: 410
Gilchrist, I.D., Heywood, C.A. and Findlay, J.M. Saccade selection in visual search: evidence for spatial frequency specific between-item interactions, 39: 1373
GILLAM, B.
Gillam, B. and Nakayama, K. Quantitative depth for a phantom surface can be based on cyclopean occlusion cues alone, 39: 109
Gillam, B., Blackburn, S. and Nakayama, K. Stereopsis based on monocular gaps: metrical encoding of depth and slant without matching contours, 39: 493
GIOVANNUCCI, D.R.
Giovannucci, D.R. and Stephenson, R.S. Identification and distribution of dietary precursors of the *Drosophila* visual pigment chromophore: analysis of carotenoids in wild type and *ninaD* mutants by HPLC, 39: 219
GLASSER, A.
Glasser, A. and Campbell, M.C.W. On the potential causes of presbyopia, 39: 1267
Glasser, A. and Campbell, M.C.W. Biometric, optimal and physical changes in the isolated human crystalline lens with age in relation to presbyopia, 39: 1991
GLENNERSTER, A.
Glennerster, A. and McKee, S.P. Bias and sensitivity of stereo judgements in the presence of a slanted reference plane, 39: 3057
GLOVER, G.H.
Boynton, G.M., Demb, J.B., Glover, G.H. and Heeger, D.J. Neuronal basis of contrast discrimination, 39: 257
GOLD, J.
Gold, J., Bennett, P.J. and Sekuler, A.B. Identification of band-pass filtered letters and faces by human and ideal observers, 39: 3537
GOLDBERG, I.

Maddess, T., Goldberg, I., Dobinson, J., Wine, S., Welsh, A.H. and James, A.C. Testing for glaucoma with the spatial frequency doubling illusion, 39: 4258
GORGELS, T.G.M.F.
Busch, E.M., Gorgels, T.G.M.F. and van Norren, D. Temporal sequence of changes in rat retina after UV-A and blue light exposure, 39: 1233
GOWDY, P.D.
Stromeyer, C.F. III, Gowdy, P.D., Chaparro, A. and Kronauer, R.E. Second-site adaptation in the red-green detection pathway: only elicited by low-spatial-frequency test stimuli, 39: 3011
Gowdy, P.D., Stromeyer, C.F. III and Kronauer, R.E. Facilitation between the luminance and red-green detection mechanisms: enhancing contrast differences across edges, 39: 4098
Gowdy, P.D., Stromeyer, C.F. III and Kronauer, R.E. Detection of flickering edges: absence of a red-green edge detector, 39: 4186
GRAHAM, A.D.
Schor, C.M., Lott, L.A., Pope, D. and Graham, A.D. Saccades reduce latency and increase velocity of ocular accommodation, 39: 3769
GRAHAM, B.
Graham, B. and Judge, S.J. Normal development of refractive state and ocular component dimensions in the marmoset *(Callithrix jacchus)*, 39: 177
Graham, B. and Judge, S.J. The effects of spectacle wear in infancy on eye growth and refractive error in the marmoset *(Callithrix jacchus)*, 39: 189
GRAHAM, N.
Graham, N., Rico, M., Offen, S. and Scott, W. Texture segregation shows only a very small lower-hemifield advantage, 39: 1171
GRANT, H.
Frisby, J.P., Buckley, D., Grant, H., Gårding, J., Horsman, J.M., Hippisley-Cox, S.D. and Porrill, J. An orientation anisotropy in the effects of scaling vertical disparities, 39: 481
GRAY, R.
Gray, R. and Regan, D. Adapting to expansion increases perceived time-to-collision, 39: 3602
GREEN, D.G.
Green, D.G., Kapousta-Bruneau, N.V. Electrophysiological properties of a new isolated rat retina preparation, 39: 2165
GREENBERG, R.
Humayun, M.S., de Juan, E. Jr., Weiland, J.D., Dagnelie, G., Katona, S., Greenberg, R. and Suzuki, S. Pattern electrical stimulation of the human retina, 39: 2569
GREENSTEIN, V.
Hood, D.C., Greenstein, V., Frishman, L., Holopigian, K., Viswanathan, S., Seiple, W., Ahmed, J. and Robson, J.G. Identifying inner retinal contributions to the human multifocal ERG, 39: 2285
GRIEFAHN, B.
Jaschinski, W., Bröde, P. and Griefahn, B. Fixation disparity and nonius bias, 39: 669
GRIFFITH, K.
Robinson, P.R., Griffith, K., Gross, J.M. and O'Neill, M.C. A back-propagation neural network predicts absorption maxima of chimeric human red/green visual pigments, 39: 1707
GRIMM, C.
Hafezi, F., Marti, A., Grimm C., Wenzel, A. and Remé, C.E. Differential DNA binding activities of the transcription factors AP-1 and Oct-1 during light-induced apoptosis of photoreceptors, 39: 2511
VAN DE GRIND, W.
Verstraten, F.A.J., van der Smagt, M.J., Fredericksen, R.E. and van de Grind, W. Integration after adaptation to transparent motion: static and dynamic test patterns result in different aftereffect directions, 39: 803
van der Smagt, M.J. and van de Grind, W. Integration and segregation of local motion signals: the role of contrast polarity, 39: 811
GROSS, J.M.
Robinson, P.R., Griffith, K., Gross, J.M. and O'Neill, M.C. A back-propagation neural network predicts absorption maxima of chimeric human red/green visual pigments, 39: 1707
GROSSBERG, S.

Grossberg, S. and Williamson, J.R. A self-organizing neural system for learning to recognize textured scenes, 39: 1385
Gancarz, G. and Grossberg, S. A neural model of saccadic eye movement control explains task-specific adaptation, 39: 3123
Dresp, B. and Grossberg, S. Spatial facilitation by color and luminance edges: boundary, surface, and attentional factors, 39: 3431
Grossberg, S. and Kelly, F. Neural dynamics of binocular brightness perception, 39: 3796
GROSSMAN, E.D.
Grossman, E.D. and Blake, R. Perception of coherent motion, biological motion and form-from-motion under dim-light conditions, 39: 3721
VON GRÜNAU, M.W.
von Grünau, M.W., Faubert, J., Iordanova, M. and Rajska, D. Flicker and the efficiency of cues for capturing attention, 39: 3241
GRZYWACZ, N.M.
Verghese, P., Watamaniuk, S.N.J., McKee, S.P. and Grzywacz, N.M. Local motion detectors cannot account for the detectability of an extended trajectory in noise, 39: 19
GUENTHER, E.
Guenther, E., Schmid, S., Reiff, D. and Zrenner, E. Maturation of intrinsic membrane properties in rat retinal ganglion cells, 39: 2477
Zrenner, E., Stett, A., Weiss, S., Aramant, R.B., Guenther, E., Kohler, K., Miliczek, K.-D., Seiler, M.J. and Haemmerle, H. Can subretinal microphotodiodes successfully replace degenerated photoreceptors?, 39: 2555
Guenther, E., Tröger, B., Schlosshauer, B. and Zrenner, E. Long-term survival of retinal cell cultures on retinal implant materials, 39: 3988
GUIRAO, A.
Guirao, A. and Artal, P. Off-axis monochromatic aberrations estimated from double pass measurements in the human eye, 39: 207
GURNEY, K.N.
Wright, M.J. and Gurney, K.N. Visual discrimination of direction changes based upon two types of angular motion, 39: 1927
GYOBA, J.
Kawabata, H., Gyoba, J., Inoue, H. and Ohtsubo H. Visual completion of partly occluded grating in infants under 1 month of age, 39: 3586

HADJIZENONOS, C.
Parry, N.R.A., Murray, I.J. and Hadjizenonos, C. Spatio-temporal tuning of VEPs: effect of mode stimulation, 39: 3491
HAEGERSTROM-PORTNOY, G.
Haegerstrom-Portnoy, G. and Verdon, W.A. Rods induce transient tritanopia in blue cone monochromats, 39: 2275
HAEMMERLE, H.
Zrenner, E., Stett, A., Weiss, S., Aramant, R.B., Guenther, E., Kohler, K., Miliczek, K.-D., Seiler, M.J. and Haemmerle, H. Can subretinal microphotodiodes successfully replace degenerated photoreceptors?, 39: 2555
HAFEZI, F.
Hafezi, F., Marti, A., Grimm C., Wenzel, A. and Remé, C.E. Differential DNA binding activities of the transcription factors AP-1 and Oct-1 during light-induced apoptosis of photoreceptors, 39: 2511
HAILSTONE, D.S.
Galvin, S.J., O'Shea, R.P., Squire, A.M. and Hailstone, D.S. Sharpness overconstancy: the roles of visibility and current context, 39: 2649
HANES, D.P.
Hanes, D.P. and Carpenter, R.H.S. Countermanding saccades in humans, 39: 2777
HANSEN, P.C.

Cornelissen, P.L., Hansen, P.C., Gilchrist, I.D., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding. *Vision Research* 38:2181 Errata, 39: 410
HARDING, G.F.A.
Suttle, C.M. and Harding, G.F.A. Morphology of transient VEPs to luminance and chromatic pattern onset and offset, 39: 1577
Anderson, S.J., Holliday, I.E. and Harding, G.F.A. Assessment of cortical dysfunction in human strabismic amblyopia using magnetoencephalography (MEG), 39: 1723
HARRIS, R.A.
Harris, R.A., O'Carroll, D.C. and Laughlin, S.B. Adaptation and the temporal delay filter of fly motion detectors, 39: 2603
HART, N.S.
Hart, N.S., Partridge, J.C. and Cuthill, I.C. Visual pigments, cone oil droplets, ocular media and predicted spectral sensitivity in the domestic turkey *(Meleagris gallopavo),* 39: 3321
HARVEY, L.O. JR.
Schefrin, B.E., Tregear, S.J., Harvey, L.O. Jr., and Werner, J.S. Senescent changes in scotopic contrast sensitivity, 39: 3728
Schefrin, B.E., Tregear, S.J., Harvey, L.O. Jr., and Herbert, A.M. Discriminating mirror symmetry in foveal and extra-foveal vision, 39: 3737
HARWERTH, R.S.
Siderov, J., Harwerth, R.S. and Bedell, H.E. Stereopsis, cyclovergence and the backwards tilt of the vertical horopter, 39: 1347
HASEGAWA, E.
Tsumura, T., Murata A., Yamaguchi, F., Sugimoto, K., Hasegawa, E., Hatase, O., Nairn, A.C. and Tokuda, M. The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation, 39: 3165
HASHIMOTO, K.
Takeda, T., Hashimoto, K., Hiruma, N. and Fukui, Y. Characteristics of accommodation toward apparent depth, 39: 2087
HATASE, O.
Tsumura, T., Murata A., Yamaguchi, F., Sugimoto, K., Hasegawa, E., Hatase, O., Nairn, A.C. and Tokuda, M. The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation, 39: 3165
HAVERKAMP, S.
Haverkamp, S. Kolb, H. and Cuenca, N. Endothelial nitric oxide synthase (eNOS) is localized to Müller cells in all vertebrate retinas, 39: 2299
HAWRYSHYN, C.W.
McDonald, C.G. and Hawryshyn, C.W. Latencies and discharge patterns of color-opponent neurons in the rainbow trout optic tectum, 39: 2795
Parkyn, D.C. and Hawryshyn, C.W. Ethambutol affects the spectral and polarisation sensitivity of on-responses in the optic nerve of rainbow trout, 39: 4145
HÉBERT, M.
Hébert, M., Lachapelle, V. and Lachapelle P. Reproducibility of ERG responses obtained with the DTL electrode, 39: 1069
HEEGER, D.J.
Boynton, G.M., Demb, J.B., Glover, G.H. and Heeger, D.J. Neuronal basis of contrast discrimination, 39: 257
HEIDENREICH, S.M.
Turano, K.A. and Heidenreich, S.M. Eye movements affect the perceived speed of visual motion, 39: 1177
HEINEN, S.J.
Watamaniuk, S.N.J. and Heinen, S.J. Human smooth pursuit direction discrimination, 39: 59
HEISENBERG, M.
Ernst, R. and Heisenberg, M. The memory template in *Drosophila* pattern vision at the flight simulator, 39: 3920
HERBERT, A.M.

Schefrin, B.E., Tregear, S.J., Harvey, L.O. Jr., and Herbert, A.M. Discriminating mirror symmetry in foveal and extra-foveal vision, 39: 3737
HERZOG, M.H.
Herzog, M.H. and Fahle, M. Effects of biased feedback on learning and deciding in a vernier discrimination task, 39: 4232
HESS, R.F.
Hess, R.F., Kingdom, F.A.A. and Ziegler, L.R. On the relationship between the spatial channels for luminance and disparity processing, 39: 559
Hess, R.F., Wang, Y.-Z., Demanins R., Wilkinson F. and Wilson H.R. A deficit in strabismic amblyopia for global shape detection, 39: 901
Hess, R.F. and Dakin, S.C. Contour integration in the peripheral field, 39: 947
Ziegler, L.R. and Hess, R.F. Stereoscopic depth but not shape perception from second-order stimuli, 39: 1491
Dakin, S.C., Williams, C.B. and Hess, R.F. The interaction of first- and second-order cues to orientation, 39: 2867
Keeble, D.R.T. and Hess, R.F. Discriminating local continuity in curved figures, 39: 3287
Demanins, R., Wang, Y.-Z. and Hess, R.F. The neural deficit in strabismic amblyopia: sampling considerations, 39: 3575
Demanins, R., Hess, R.F., Williams, C.B. and Keeble, D.R.T. The orientation discrimination deficit in strabismic amblyopia depends upon stimulus bandwidth, 39: 4018
Hess, R.F., Wang, Y.-Z. and Dakin, S.C. Are judgements of circularity local or global?, 39: 4354
HEYWOOD, C.A.
Gilchrist, I.D., Heywood, C.A. and Findlay, J.M. Saccade selection in visual search: evidence for spatial frequency specific between-item interactions, 39: 1373
HIBBARD, P.B.
Hibbard, P.B., Bradshaw, M.F. and DeBruyn, B. Global motion processing is not tuned for binocular disparity, 39: 961
Langley, K., Fleet, D.J. and Hibbard, P.B. Stereopsis from contrast envelopes, 39: 2313
HIDA, E.
Okamoto, H., Kawakami, S., Saito, H., Hida, E., Odajima, K., Tamanoi, D. and Ohno, H. MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection, 39: 3465
HIPPISLEY-COX, S.D.
Frisby, J.P., Buckley, D., Grant, H., Gårding, J., Horsman, J.M., Hippisley-Cox, S.D. and Porrill, J. An orientation anisotropy in the effects of scaling vertical disparities, 39: 481
HIRUMA, N.
Takeda, T., Hashimoto, K., Hiruma, N. and Fukui, Y. Characteristics of accommodation toward apparent depth, 39: 2087
HITCHINGS, R.A.
Westcott, M.C., Fitzke, F.W., Crabb, D.P. and Hitchings, R.A. Characteristics of frequency-of-seeing curves for a motion stimulus in glaucoma eyes, glaucoma suspect eyes, and normal eyes, 39: 631
HOFFMAN, K.-P.
Niemann, T., Lappe, M., Büscher, A. and Hoffman, K.-P. Ocular responses to radial optic flow and single accelerated targets in humans, 39: 1359
Distler, C., Vital-Durand, F., Korte, R., Korbmacher, H. and Hoffmann, K.-P. Development of the optokinetic system in macaque monkeys, 39: 3909
HOFFMANN, M.
Hoffmann, M. Dorn, T.J. and Bach, M. Time course of motion adaptation: motion-onset visual evoked potentials and subjective estimates, 39: 437, Errata, 2793
HOFMANN, C.
Schiefer, U., Benda, N., Dietrich, T.J., Selig, B., Hofmann, C. and Schiller, J. Angioscotoma detection with fundus-oriented perimetry. A study with dark and bright stimuli of different size, 39: 1897
HOGBEN, J.H.
Forte, J., Hogben, J.H. and Ross, J. Spatial limitations of temporal segmentation, 39: 4052
HOGERVORST, M.A.

Eagle, R.A., Hogervorst, M.A. and Blake, A. Does the visual system exploit projective geometry to help solve the motion correspondence problem?, 39: 373
Eagle, R.A. and Hogervorst, M.A. The role of perspective information in the recovery of 3D structure-from-motion, 39: 1713
HOGG, C.R.
Arden, G., Wolf, J., Berninger, T., Hogg, C.R., Tzekov, R. and Holder, G.E. S-cone ERGs elicited by a simple technique in normals and in tritanopes, 39: 641
HOLDER, G.E.
Arden, G., Wolf, J., Berninger, T., Hogg, C.R., Tzekov, R. and Holder, G.E. S-cone ERGs elicited by a simple technique in normals and in tritanopes, 39: 641
HOLLIDAY, I.E.
Anderson, S.J., Holliday, I.E. and Harding, G.F.A. Assessment of cortical dysfunction in human strabismic amblyopia using magnetoencephalography (MEG), 39: 1723
HOLOPIGIAN, K.
Hood, D.C., Greenstein, V., Frishman, L., Holopigian, K., Viswanathan, S., Seiple, W., Ahmed, J. and Robson, J.G. Identifying inner retinal contributions to the human multifocal ERG, 39: 2285
HONDA, H.
Honda, H. Modification of saccade-contingent visual mislocalization by the presence of a visual frame of reference, 39: 51
HONG LIU, C., 39: See Liu, C.H.
HOOD, D.C.
Hood, D.C., Greenstein, V., Frishman, L., Holopigian, K., Viswanathan, S., Seiple, W., Ahmed, J. and Robson, J.G. Identifying inner retinal contributions to the human multifocal ERG, 39: 2285
HOOGE, I.T.C.
Hooge, I.T.C. and Erkelens, C.J. Peripheral vision and oculomotor control during visual search, 39: 1567
HORSMAN, J.M.
Frisby, J.P., Buckley, D., Grant, H., Gårding, J., Horsman, J.M., Hippisley-Cox, S.D. and Porrill, J. An orientation anisotropy in the effects of scaling vertical disparities, 39: 481
HOWLAND, H.C.
Li, T. and Howland, H.C. A true neuronal consensual pupillary reflex in chicks, 39: 897
López-Gil, N. and Howland, H.C. Measurement of the eye's near infrared wave-front aberration using the objective crossed-cylinder aberroscope technique, 39: 2031
HUBER, L.
Troje, N.F., Huber, L., Loidolt, M., Aust, U. and Fieder, M. Categorical learning in pigeons: the role of texture and shape in complex static stimuli, 39: 353
HUMAYUN, M.S.
Humayun, M.S., de Juan, E. Jr., Weiland, J.D., Dagnelie, G., Katona, S., Greenberg, R. and Suzuki, S. Pattern electrical stimulation of the human retina, 39: 2569
HUNG, L.-F.
Smith E.L. III and Hung, L.-F. The role of optical defocus in regulating refractive development in infant monkeys, 39: 1415
HUNT, D.M.
Das, D., Wilkie, S.E., Hunt, D.M. and Bowmaker, J.K. Visual pigments and oil droplets in the retina of a passerine bird, the canary *Serinus canaria:* microspectrophotometry and opsin sequences, 39: 2801
Douglas, R.H., Partridge, J.C., Dulai, K.S., Hunt, D.M., Mullineaux, C.W. and Hynninen, P.H. Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger,* a deep-sea dragon fish with far red bioluminescence, 39: 2817
HWANG, D.
Sutter, A. and Hwang, D. A comparison of the dynamics of simple (Fourier) and complex (non-Fourier) mechanisms in texture segregation, 39: 1943
HYNNINEN, P.H.
Douglas, R.H., Partridge, J.C., Dulai, K.S., Hunt, D.M., Mullineaux, C.W. and Hynninen, P.H. Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger,* a deep-sea dragon fish with far red bioluminescence, 39: 2817

ILG, U.J.
Ilg, U.J. and Thier, P. Eye movements of rhesus monkeys directed towards *imaginary* targets, 39: 2143
INOUE, H.
Kawabata, H., Gyoba, J., Inoue, H. and Ohtsubo H. Visual completion of partly occluded grating in infants under 1 month of age, 39: 3586
INUI, T.
Asakura, N. and Inui, T. Computational analysis of disparity modulation sensitivity: an explanation in terms of a Bayesian surface reconstruction, 39: 1881
IORDANOVA, M.
von Grünau, M.W., Faubert, J., Iordanova, M. and Rajska, D. Flicker and the efficiency of cues for capturing attention, 39: 3241
ISSENHUTH, M.
Duret, F., Issenhuth, M. and Safran, A.B. Combined use of several preferred retinal loci in patients with macular disorders when reading single words, 39: 873
Duret, F., Safran, A.B. and Issenhuth, M. Combined use of several preferred retinal loci in patients with macular disorders when reading single words. *Vision Research* 39:873 Errata, 39: 2793
ITO, H.
Ito, H. Two processes in stereoscopic apparent motion, 39: 2739
IVINS, J.P.
Ivins, J.P., Porrill, J. and Frisby, J.P. Instability of torsion during smooth asymmetric vergence, 39: 993
Porrill, J. Ivins, J.P. and Frisby, J.P. The variation of torsion with vergence and elevation, 39: 3934

JACKSON, G.R.
Jackson, G.R., Owsley, C. and McGwin, G. Jr. Aging and dark adaptation, 39: 3975
JACOBS, D.W.
Liu, Z., Jacobs, D.W. and Basri, R. The role of convexity in perceptual completion: beyond good continuation, 39: 4244
JACOBS, R.A.
Jacobs, R.A. Optimal integration of texture and motion cues to depth, 39: 3621
Jacobs, R.A. and Fine, I. Experience-dependent integration of texture and motion cues to depth, 39: 4062
JAGGER, W.S.
Jagger, W.S. and Sands, P.J. A wide-angle gradient index optical model of the crystalline lens and eye of the octopus, 39: 2841
JÄGLE, H.
Sharpe, L.T., Stockman, A., Jägle, H., Knau, H. and Nathans, J. L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities, 39: 3513
JAMES, A.C.
Maddess, T., Goldberg, I., Dobinson, J., Wine, S., Welsh, A.H. and James, A.C. Testing for glaucoma with the spatial frequency doubling illusion, 39: 4258
JANKA, Z.
Kéri, S., Antal, A., Kálmán, J. Janka, Z. and Benedek, G. Early visual impairment is independent of the visuocognitive and memory disturbances in Alzheimer's disease, 39: 2261
JASCHINSKI, W.
Jaschinski, W., Bröde, P. and Griefahn, B. Fixation disparity and nonius bias, 39: 669
JOHNSTON, A.
Johnston, A., Benton, C.P. and Morgan, M.J. Concurrent measurement of perceived speed and speed discrimination threshold using the method of single stimuli, 39: 3849
Benton, C.P. and Johnston, A. Contrast inconstancy across changes in polarity, 39: 4076
JOLICÆUR, P.

Bauer, B., Jolicæur, P. and Cowan, W.B. Convex hull test of the linear separability hypothesis in visual search, 39: 2681
JONES, K.E.
Azzopardi, P., Jones, K.E. and Cowey, A. Uneven mapping of magnocellular and parvocellular projections from the lateral geniculate nucleus to the striate cortex in the macaque monkey, 39: 2179
JOSEPH, J.S.
Joseph, J.S. and Nakayama, K. Amodal representation depends on the object seen before partial occlusion, 39: 283
JUDGE, S.J.
Graham, B. and Judge, S.J. Normal development of refractive state and ocular component dimensions in the marmoset *(Callithrix jacchus),* 39: 177
Graham, B. and Judge, S.J. The effects of spectacle wear in infancy on eye growth and refractive error in the marmoset *(Callithrix jacchus),* 39: 189
Burd, H.J., Judge, S.J. and Flavell, M.J. Mechanics of accommodation of the human eye, 39: 1591
JURKLIES, B.
Kaelin-Lang, A., Jurklies, B. and Niemeyer, G. Effects of adenosinergic agents on the vascular resistance and on the optic nerve response in the perfused cat eye, 39: 1059

KAELIN-LANG, A.
Kaelin-Lang, A., Jurklies, B. and Niemeyer, G. Effects of adenosinergic agents on the vascular resistance and on the optic nerve response in the perfused cat eye, 39: 1059
KÁLMÁN, J.
Kéri, S., Antal, A., Kálmán, J. Janka, Z. and Benedek, G. Early visual impairment is independent of the visuocognitive and memory disturbances in Alzheimer's disease, 39: 2261
KAMERMANS, M.
Kamermans, M. and Spekreijse, H. The feedback pathway from horizontal cells to cones: a mini review with a look ahead, 39: 2449
Sjoerdsma, T., Kamermans, M. and Spekreijse, H. Effect of the tuberculostaticum ethambutol and stimulus intensity on chromatic discrimination in man, 39: 2955
KAMMER, T.
Kirschfeld, K. and Kammer, T. The Fröhlich effect: a consequence of the interaction of visual focal attention and metacontrast, 39: 3702
KANKAANPÄÄ, M.I.
Rovamo, J.M., Kankaanpää, M.I. and Kukkonen, H. Modelling spatial contrast sensitivity functions for chromatic and luminance-modulated gratings, 39: 2387
KAPOULA, Z.
Bucci, M.P., Kapoula, Z. and Eggert, T. Saccade amplitude disconjugacy induced by aniseikonia: role of monocular depth cues, 39: 3109
KAPOUSTA-BRUNEAU, N.V.
Green, D.G., Kapousta-Bruneau, N.V. Electrophysiological properties of a new isolated rat retina preparation, 39: 2165
Kapousta-Bruneau, N.V. Effects of sodium pentobarbital on the components of electroretinogram in the isolated rat retina, 39: 3498
KASHANI, A.A.
Kashani, A.A. Letters to the editor, 39: 2027
KATO, M.
Uka, T., Tanaka, H., Kato, M. and Fujita, I. Behavioral evidence for visual perception of 3-dimensional surface structures in monkeys, 39: 2399
KATONA, S.
Humayun, M.S., de Juan, E. Jr., Weiland, J.D., Dagnelie, G., Katona, S., Greenberg, R. and Suzuki, S. Pattern electrical stimulation of the human retina, 39: 2569
KAWABATA, H.

Kawabata, H., Gyoba, J., Inoue, H. and Ohtsubo H. Visual completion of partly occluded grating in infants under 1 month of age, 39: 3586
KAWAKAMI, S.
Okamoto, H., Kawakami, S., Saito, H., Hida, E., Odajima, K., Tamanoi, D. and Ohno, H. MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection, 39: 3465
KEEBLE, D.R.T.
Kingdom, F.A.A. and Keeble, D.R.T. On the mechanism for scale invariance in orientation-defined textures, 39: 1477
Keeble, D.R.T. and Hess, R.F. Discriminating local continuity in curved figures, 39: 3287
Demanins, R., Hess, R.F., Williams, C.B. and Keeble, D.R.T. The orientation discrimination deficit in strabismic amblyopia depends upon stimulus bandwidth, 39: 4018
KEIL, K.
Timney, B. and Keil, K. Local and global stereopsis in the horse, 39: 1861
KELLY, F.
Grossberg, S. and Kelly, F. Neural dynamics of binocular brightness perception, 39: 3796
KÉRI, S.
Kéri, S., Antal, A., Kálmán, J. Janka, Z. and Benedek, G. Early visual impairment is independent of the visuocognitive and memory disturbances in Alzheimer's disease, 39: 2261
KERSTEN, D.
Tarr, M.J., Kersten, D. and Bülthoff, H.H. Why the visual recognition system might encode the effects of illumination. *Vision Research* 38:2259 Errata, 39: 409
Liu, Z. and Kersten, D. 2D observers for human 3D object recognition?. *Vision Research* 38:2507 Errata, 39: 410
Liu, Z., Kersten, D. and Knill, D.C. Dissociating stimulus information from internal representation - a case study in object recognition, 39: 603
KETELAER, P.
Vleugels, L., Charlier, M., van Nunen, A., Lafosse, C., Vogels, R., Ketelaer, P. and Vandenbussche, E. Temporal resolution deficits in the visual fields of MS patients, 39: 2429
KIM, J.
Wilson, H.R. and Kim, J. Dynamics of a divisive gain control in human vision. *Vision Research* 38:2735 Errata, 39: 409
Kim, J. and Turano, K.A. Optimal spatial frequencies for discrimination of motion direction in optic flow patterns, 39: 3175
KIMURA, E.
Kimura, E. and Young, R.S.L. S-cone contribution to pupillary responses evoked by chromatic flash offset, 39: 1189
KING, K.
Becker, S., Bowd, C., Shorter S., King, K. and Patterson, R. Occlusion contributes to temporal processing differences between crossed and uncrossed stereopsis in random-dot displays, 39: 331
KINGDOM, F.A.A.
Hess, R.F., Kingdom, F.A.A. and Ziegler, L.R. On the relationship between the spatial channels for luminance and disparity processing, 39: 559
Li, H.-C.O. and Kingdom, F.A.A. Feature specific segmentation in perceived structure-from-motion, 39: 881
Kingdom, F.A.A. and Keeble, D.R.T. On the mechanism for scale invariance in orientation-defined textures, 39: 1477
Kingdom, F.A.A., Simmons, D.R. and Rainville, S. On the apparent collapse of stereopsis in random-dot-stereograms at isoluminance, 39: 2127
KINOSHITA, M.
Arikawa, K., Mizuno, S., Scholten, D.G.W., Kinoshita, M., Seki, T., Kitamoto, J. and Stavenga, D.G. An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio,* 39: 1
KIORPES, L.,

Kiorpes, L., Tang, C. and Movshon, J.A. Factors limiting contrast sensitivity in experimentally amblyopic macaque monkeys, 39: 4152
KIRKLAND, K.L
Kirkland, K.L. and Gerstein, G.L. A model of cortically induced synchronization in the lateral geniculate nucleus of the cat: a role for low-threshold calcium channels. *Vision Research* 38:2007 Errata, 39: 2793
KIRSCHFELD, K.
Campenhausen, M.v. and Kirschfeld, K. Visual attention modifies spectral sensitivity of nystagmic eye movements, 39: 1551
Kirschfeld, K. and Kammer, T. The Fröhlich effect: a consequence of the interaction of visual focal attention and metacontrast, 39: 3702
KITAMOTO, J.
Arikawa, K., Mizuno, S., Scholten, D.G.W., Kinoshita, M., Seki, T., Kitamoto, J. and Stavenga, D.G. An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio,* 39: 1
KLEIN, S.A.
Levi, D.M., Klein, S.A. and Sharma, V. Position jitter and undersampling in pattern perception, 39: 445
Carney, T. and Klein, S.A. Optimal spatial localization is limited by contrast sensitivity, 39: 503
KLEMPEN, N.L.
Wolfe, J.M., Klempen, N.L. and Shulman, E.P. Which end is up? Two representation of orientation in visual search, 39: 2075
KNAU, H.
Sharpe, L.T., Stockman, A., Jägle, H., Knau, H. and Nathans, J. L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities, 39: 3513
KNILL, D.C.
Liu, Z., Kersten, D. and Knill, D.C. Dissociating stimulus information from internal representation - a case study in object recognition, 39: 603
KNOX, P.C.
O'Mullane, G. and Knox, P.C. Modification of smooth pursuit initiation by target contrast, 39: 3459
KOHLER, K.
Zrenner, E., Stett, A., Weiss, S., Aramant, R.B., Guenther, E., Kohler, K., Miliczek, K.-D., Seiler, M.J. and Haemmerle, H. Can subretinal microphotodiodes successfully replace degenerated photoreceptors?, 39: 2555
KOHLY, R.P.
Kohly, R.P. and Regan D. Evidence for a mechanism sensitive to the speed of cyclopean form, 39: 1011
KOLB, H.
Haverkamp, S. Kolb, H. and Cuenca, N. Endothelial nitric oxide synthase (eNOS) is localized to Müller cells in all vertebrate retinas, 39: 2299
KONDRASHEV, S.L.
Cook, J.E., Podugolnikova, T.A. and Kondrashev, S.L. Species-dependent variation in the dendritic stratification of apparently homologous retinal ganglion cell mosaics in two neoteleost fishes, 39: 2615
KONTSEVICH, L.L.
Kontsevich, L.L and Tyler, C.W. Nonlinearities of near-threshold contrast transduction, 39: 1869
Kontsevich, L.L. and Tyler, C.W. Bayesian adaptive estimation of psychometric slope and threshold, 39: 2729
KORBMACHER, H.
Distler, C., Vital-Durand, F., Korte, R., Korbmacher, H. and Hoffmann, K.-P. Development of the optokinetic system in macaque monkeys, 39: 3909
KORTE, R.
Distler, C., Vital-Durand, F., Korte, R., Korbmacher, H. and Hoffmann, K.-P. Development of the optokinetic system in macaque monkeys, 39: 3909
KOWLER, E.
Bahcall, D.O. and Kowler, E. Attentional interference at small spatial separations, 39: 71
Melcher, D. and Kowler, E. Shapes, surfaces and saccades, 39: 2929

KRAFT, J.M.
Bieber, M.L., Kraft, J.M. and Werner, J.S. Effects of known variations in photopigments on *L/M* cone ratios estimated from luminous efficiency functions. *Vision Research* 38:1961 Errata, 39: 410
KRAL, K.
Srinivasan, M.V., Poteser, M. and Kral, K. Motion detection in insect orientation and navigation, 39: 2749
KRAPPMANN, P.
Krappmann, P. Accuracy of visually and memory-guided antisaccades in man. *Vision Research* 38:2979 Errata, 39: 2793
KRAUSKOPF, J.
Krauskopf, J. and Li, X. Effect of contrast on detection of motion of chromatic and luminance targets: retina-relative and object-relative movement, 39: 3346
KREKELBERG, B.
Krekelberg, B. and Lappe, M. Temporal recruitment along the trajectory of moving objects and the perception of position, 39: 2669
KREMERS, J.
Kremers, J. and Meierkord, S. Rod-cone-interactions in deuteranopic observers: models and dynamics, 39: 3372
KRÖGER, R.H.H.
Kröger, R.H.H., Bowmaker, J.K. and Wagner, H.J. Morphological changes in the retina of *Aequidens pulcher* (Cichlidae) after rearing in monochromatic light, 39: 2441
KRONAUER, R.E.
Stromeyer, C.F. III, Thabet, R., Chaparro, A. and Kronauer, R.E. Spatial masking does not reveal mechanisms selective to combined luminance and red-green color, 39: 2099
Stromeyer, C.F. III, Gowdy, P.D., Chaparro, A. and Kronauer, R.E. Second-site adaptation in the red-green detection pathway: only elicited by low-spatial-frequency test stimuli, 39: 3011
Gowdy, P.D., Stromeyer, C.F. III and Kronauer, R.E. Facilitation between the luminance and red-green detection mechanisms: enhancing contrast differences across edges, 39: 4098
Gowdy, P.D., Stromeyer, C.F. III and Kronauer, R.E. Detection of flickering edges: absence of a red-green edge detector, 39: 4186
Zemany, L., Stromeyer, C.F. III, Chaparro, A. and Kronauer, R.E. Motion detection on flashed, stationary pedestal gratings: evidence for an opponent-motion mechanism. *Vision Research* 38:795 Erratum, 39: 4419
KUKKONEN, H.
Kukkonen, H., Rovamo, J. and Melmoth, D. Spatial integration and effective spectral density of one-dimensional noise masks, 39: 1775
Rovamo, J.M., Kankaanpää, M.I. and Kukkonen, H. Modelling spatial contrast sensitivity functions for chromatic and luminance-modulated gratings, 39: 2387
KULIKOWSKI, J.J.
Maddess, T. and Kulikowski, J.J. Apparent fineness of stationary compound gratings, 39: 3404
KURTENBACH, A.
Kurtenbach, A., Schiefer, U., Neu, A. and Zrenner, E. Development of brightness matching and colour vision deficits in juvenile diabetics, 39: 1221

LACHAPELLE, P.
Hébert, M., Lachapelle, V. and Lachapelle P. Reproducibility of ERG responses obtained with the DTL electrode, 39: 1069
LACHAPELLE, V.
Hébert, M., Lachapelle, V. and Lachapelle P. Reproducibility of ERG responses obtained with the DTL electrode, 39: 1069
LAFOSSE, C.
Vleugels, L., Charlier, M., van Nunen, A., Lafosse, C., Vogels, R., Ketelaer, P. and Vandenbussche, E. Temporal resolution deficits in the visual fields of MS patients, 39: 2429
LANDY, M.S.

Wolfson, S.S. and Landy, M.S. Long range interactions between oriented texture elements, 39: 933
Brenner, E. and Landy, M.S. Interaction between the perceived shape of two objects, 39: 3834
LANGLEY, K.
Langley, K. Computational models of coherent and transparent plaid motion, 39: 87
Langley, K., Fleet, D.J. and Hibbard, P.B. Stereopsis from contrast envelopes, 39: 2313
LAPPE, M.
Niemann, T., Lappe, M., Büscher, A. and Hoffman, K.-P. Ocular responses to radial optic flow and single accelerated targets in humans, 39: 1359
Krekelberg, B. and Lappe, M. Temporal recruitment along the trajectory of moving objects and the perception of position, 39: 2669
LAUGHLIN, S.B.
Harris, R.A., O'Carroll, D.C. and Laughlin, S.B. Adaptation and the temporal delay filter of fly motion detectors, 39: 2603
LAURINEN, P.I.
Olzak, L.A. and Laurinen, P.I. Multiple gain control processes in contrast-contrast phenomena, 39: 3983
LAZAROV-SPIEGLER, O.
Lazarov-Spiegler, O., Solomon, A.S. and Schwartz, M. Link between optic nerve regrowth failure and macrophage stimulation in mammals, 39: 169
LEDGEWAY, T.
Ledgeway, T. Discrimination of the speed and direction of global second-order motion in stochastic displays, 39: 3710
LEE, C.
Lee, C. Eye and head coordination in reading: roles of head movement and cognitive control, 39: 3761
LEE, S.-H.
Lee, S.-H. and Blake, R. Rival ideas about binocular rivalry, 39: 1447
Lee, S.-H. and Blake, R. Detection of temporal structure depends on spatial structure, 39: 3033
VON LEEUWEN, A.F.
von Leeuwen, A.F., Westen, M.J., van der Steen, J., de Faber, J.-T.H.N. and Collewijn, H. Gaze-shift dynamics in subject with and without symptoms of convergence insufficiency: influence of monocular preference and the effect of training, 39: 3095
LEIGH, R.J.
Arnold, D.B., Robinson, D.A. and Leigh, R.J. Nystagmus induced by pharmacological inactivation of the brainstem ocular motor integrator in monkey, 39: 4286
LEPPERT, M.
Shroyer, N.F., Lewis, R.A., Allikmets, R., Singh, N., Dean, M., Leppert, M. and Lupski, J.R. The rod photoreceptor ATP-binding cassette transporter gene, *ABCR,* and retinal disease: from monogenic to multifactorial, 39: 2537
LEVI, D.M.
Mussap, A.J. and Levi, D.M. Orientation-based texture segmentation in strabismic amblyopia, 39: 411
Levi, D.M., Klein, S.A. and Sharma, V. Position jitter and undersampling in pattern perception, 39: 445
Akutsu, H., and McGraw, P.V. and Levi, D.M. Alignment of separated patches: multiple location tags, 39: 789
Tripathy, S.P. and Levi, D.M. Looking behind a pathological blind spot in human retina, 39: 1917
Yu, C. and Levi, D.M. The time course of psychophysical end-stopping, 39: 2063
Sharma, V., Levi, D.M. and Coletta, N.J. Sparse-sampling of gratings in the visual cortex of strabismic amblyopes, 39: 3526
LEVITT, J.B.
Bauer, U., Scholz, M. Levitt, J.B., Obermayer, K. and Lund, J.S. A model for the depth-dependence of receptive field size and contrast sensitivity of cells in layer 4C of macaque striate cortex, 39: 613
LEWIS, R.A.
Shroyer, N.F., Lewis, R.A., Allikmets, R., Singh, N., Dean, M., Leppert, M. and Lupski, J.R. The rod photoreceptor ATP-binding cassette transporter gene, *ABCR,* and retinal disease: from monogenic to multifactorial, 39: 2537
LEWIS, R.F.
Averbuch-Heller, L., Lewis, R.F. and Zee, D.S. Disconjugate adaptation of saccades: contribution of binocular and monocular mechanisms, 39: 341

LEWIS, T.L.
Ellemberg, D., Lewis T.L., Liu, C.H. and Maurer, D. Development of spatial and temporal vision during childhood, 39: 2325
Ellemberg, D., Lewis, T.L., Maurer, D., Liu, C.H. and Brent, H.P. Spatial and temporal vision in patients treated for bilateral congenital cataracts, 39: 3480
LI, H.-C.O.
Li, H.-C.O. and Kingdom, F.A.A. Feature specific segmentation in perceived structure-from-motion, 39: 881
LI, T.
Li, T. and Howland, H.C. A true neuronal consensual pupillary reflex in chicks, 39: 897
LI, W.
Matin, L. and Li W. Averaging and summation of influences on visually perceived eye level between two long lines differing in pitch or roll-tilt, 39: 307
LI, X.
Krauskopf, J. and Li, X. Effect of contrast on detection of motion of chromatic and luminance targets: retina-relative and object-relative movement, 39: 3346
LIA, B.
Lia, B., Dobkins, K.R., Palmer, J. and Teller, D.Y. Infants code the direction of chromatic quadrature motion, 39: 1783
Dobkins, K.R., Anderson, C.M. and Lia, B. Infant temporal contrast sensitivity functions (tCSFs) mature earlier for luminance than for chromatic stimuli: evidence for precocious magnocellular development?, 39: 3223
LIDÉN, L.
Lidén, L. and Pack, C. The role of terminators and occlusion cues in motion integration and segmentation: a neural network model, 39: 3301
LINSENMEIER, R.A.
Padnick, L.B. and Linsenmeier, R.A. Properties of the flash visual evoked potential recorded in the cat primary visual cortex, 39: 2833
LIU, C.H.
Ellemberg, D., Lewis T.L., Liu, C.H. and Maurer, D. Development of spatial and temporal vision during childhood, 39: 2325
Ellemberg, D., Lewis, T.L., Maurer, D., Liu, C.H. and Brent, H.P. Spatial and temporal vision in patients treated for bilateral congenital cataracts, 39: 3480
Liu, C.H., Collin, C.A., Burton, A.M. and Chaudhuri, A. Lighting direction affects recognition of untextured faces in photographic positive and negative, 39: 4003
LIU, Z.
Liu, Z. and Kersten, D. 2D observers for human 3D object recognition?. *Vision Research* 38:2507 Errata, 39: 410
Liu, Z., Kersten, D. and Knill, D.C. Dissociating stimulus information from internal representation - a case study in object recognition, 39: 603
Matthews, N. Liu, Z., Geesaman, B.J. and Qian, N. Perceptual learning on orientation and direction discrimination, 39: 3692
Liu, Z., Jacobs, D.W. and Basri, R. The role of convexity in perceptual completion: beyond good continuation, 39: 4244
LOCKHEAD, G.
Dragoi, V. and Lockhead, G. Context-dependent changes in visual sensitivity induced by Müller-Lyer stimuli, 39: 1657
LOEW, E.R.
Loew, E.R. and Bowmaker, J.K. Herbert Dartnall-Obituary, 39: 679
LÖFFLER, G.
Löffler, G. and Orbach, H.S. Computing feature motion without feature detectors: a model for terminator motion without end-stopped cells, 39: 859
LOIDOLT, M.
Troje, N.F., Huber, L., Loidolt, M., Aust, U. and Fieder, M. Categorical learning in pigeons: the role of texture and shape in complex static stimuli, 39: 353
LOPES, M.C.

Carmo, A., Cunha-Vaz, J.G., Carvalho, A.P. and Lopes, M.C. L-Arginine transport in retinas from streptozotocin diabetic rats: correlation with the level of IL-1ß and NO synthase activity, 39: 3817
LÓPEZ-GIL, N.
López-Gil, N. and Howland, H.C. Measurement of the eye's near infrared wave-front aberration using the objective crossed-cylinder aberroscope technique, 39: 2031
LORENCEAU, J.
Giersch, A. and Lorenceau, J. Effects of a benzodiazepine, lorazepam, on motion integration and segmentation: an effect on the processing of line-ends?, 39: 2017
LOSADA, M.A.
Mullen, K.T. and Losada, M.A. The spatial tuning of color and luminance peripheral vision measured with notch filtered noise masking, 39: 721
LOTT, L.A.
Schor, C.M., Lott, L.A., Pope, D. and Graham, A.D. Saccades reduce latency and increase velocity of ocular accommodation, 39: 3769
LU, Z.-L.
Dosher, B.A.. and Lu, Z.-L. Mechanisms of perceptual learning, 39: 3197
LUND, J.S.
Bauer, U., Scholz, M. Levitt, J.B., Obermayer, K. and Lund, J.S. A model for the depth-dependence of receptive field size and contrast sensitivity of cells in layer 4C of macaque striate cortex, 39: 613
LUPSKI, J.R.
Shroyer, N.F., Lewis, R.A., Allikmets, R., Singh, N., Dean, M., Leppert, M. and Lupski, J.R. The rod photoreceptor ATP-binding cassette transporter gene, *ABCR,* and retinal disease: from monogenic to multifactorial, 39: 2537

MADDESS, T.
Maddess, T. and Kulikowski, J.J. Apparent fineness of stationary compound gratings, 39: 3404
Maddess, T., Goldberg, I., Dobinson, J., Wine, S., Welsh, A.H. and James, A.C. Testing for glaucoma with the spatial frequency doubling illusion, 39: 4258
MAFFEI, L.
Gianfranceschi, L., Fiorentini, A. and Maffei, L. Behavioural visual acuity of wild type and *bcl2* transgenic mouse, 39: 569
Porciatti, V., Pizzorusso, T. and Maffei, L. The visual physiology of the wild type mouse determined with patterns VEPs, 39: 3071
MAGUIRE, A.M.
Dudus, L., Anand, V., Acland, G.M., Chen, S.-J., Wilson, J.M., Fisher, K.J., Maguire, A.M. and Bennett, J. Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV, 39: 2545
MAKOUS, W.
Bex, P.J., Metha, A.B. and Makous, W. Enhanced motion aftereffect for complex motions, 39: 2229
MALJKOVIC, V.
McPeek, R.M., Maljkovic, V. and Nakayama, K. Saccades require focal attention and are facilitated by a short-term memory system, 39: 1555
MALONE, J.F.
Bolger, C., Bojanic, S., Sheahan, N.F., Coakley, D. and Malone, J.F. Dominant frequency content of ocular microtremor from normal subjects, 39: 1911
MAPP, A.P.
Mapp, A.P. and Ono, H. Wondering about the wandering cyclopean eye, 39: 2381
MARCOS, S.
Marcos, S., Moreno, E. and Navarro, R. The depth-of-field of the human eye from objective and subjective measurements, 39: 2039
Marcos, S., Burns, S.A., Moreno-Barriusop, E. and Navarro, R. A new approach to the study of ocular chromatic aberrations, 39: 4309
MARTI, A.

Hafezi, F., Marti, A., Grimm C., Wenzel, A. and Remé, C.E. Differential DNA binding activities of the transcription factors AP-1 and Oct-1 during light-induced apoptosis of photoreceptors, 39: 2511
MARUIWA, F.
Maruiwa, F., Nao-i, N., Nakazaki, S. and Sawada, A. Effects of bicarbonate ion on chick retinal pigment epithelium: membrane potentials and light-evoked responses, 39: 159
MASSON, G.S.
Masson, G.S., Mestre, D.R. and Stone, L.S. Speed tuning of motion segmentation and discrimination, 39: 4297
MATHER, G.
Mather, G. and Murdoch, L. Second-order processing of four-stroke apparent motion, 39: 1795
MATIN, L.
Matin, L. and Li W. Averaging and summation of influences on visually perceived eye level between two long lines differing in pitch or roll-tilt, 39: 307
MATTHEWS, G.
Matthews, G. Synaptic mechanisms of bipolar cell terminals, 39: 2469
MATTHEWS, N.
Matthews, N. and Qian, N. Axis-of-motion affects direction discrimination, not speed discrimination, 39: 2205
Matthews, N. Liu, Z., Geesaman, B.J. and Qian, N. Perceptual learning on orientation and direction discrimination, 39: 3692
MAURER, D.
Ellemberg, D., Lewis T.L., Liu, C.H. and Maurer, D. Development of spatial and temporal vision during childhood, 39: 2325
Ellemberg, D., Lewis, T.L., Maurer, D., Liu, C.H. and Brent, H.P. Spatial and temporal vision in patients treated for bilateral congenital cataracts, 39: 3480
MAXWELL, J.S.
Maxwell, J.S. and Schor, C.M. Adaptation of torsional eye alignment in relation to head roll, 39: 4192
MAY, J.G.
May, J.G., Brown, J.M. and Roberts, S. Afterimages, grating induction and illusory phantoms, 39: 3025
MAYNARD, E.M.
Normann, R.A., Maynard, E.M., Rousche, P.J. and Warren, D.J. A neural interface for a cortical vision prosthesis, 39: 2577
MCARTHUR, J.A.
McArthur, J.A. and Moulden, B. A two-dimensional model of brightness perception based on spatial filtering consistent with retinal processing, 39: 1199
MCCARLEY, J.S.
Sinai, M.J., Essock, E.A. and McCarley, J.S. Spatial sensitization of increments and decrements: a border-contrast process and a net-excitation process, 39: 1847
MCCOURT, M.E.
Blakeslee, B. and McCourt, M.E. A multiscale spatial filtering account of the White effect, simultaneous brightness contrast and grating induction, 39: 4361
MCCULLOCH, D.L.
McCulloch, D.L., Orbach, H. and Skarf, B. Maturation of the pattern-reversal VEP in human infants: a theoretical framework, 39: 3673
MCDONALD, C.G.
McDonald, C.G. and Hawryshyn, C.W. Latencies and discharge patterns of color-opponent neurons in the rainbow trout optic tectum, 39: 2795
MCGRAW, P.V.
Akutsu, H., and McGraw, P.V. and Levi, D.M. Alignment of separated patches: multiple location tags, 39: 789
Whitaker, D., McGraw, P.V. and Pearson, S. Non-veridical size perception of expanding and contracting objects, 39: 2999
MCGWIN, G. JR.
Jackson, G.R., Owsley, C. and McGwin, G. Jr. Aging and dark adaptation, 39: 3975
MCILHAGGA, W.
McIlhagga, W. and Pääkkönen, A. Noisy templates explain area summation, 39: 367

MCKEE, S.P.
Verghese, P., Watamaniuk, S.N.J., McKee, S.P. and Grzywacz, N.M. Local motion detectors cannot account for the detectability of an extended trajectory in noise, 39: 19
Glennerster, A. and McKee, S.P. Bias and sensitivity of stereo judgements in the presence of a slanted reference plane, 39: 3057
MCPEEK, R.M.
McPeek, R.M., Maljkovic, V. and Nakayama, K. Saccades require focal attention and are facilitated by a short-term memory system, 39: 1555
MEIERKORD, S.
Kremers, J. and Meierkord, S. Rod-cone-interactions in deuteranopic observers: models and dynamics, 39: 3372
MELCHER, D.
Melcher, D. and Kowler, E. Shapes, surfaces and saccades, 39: 2929
MELMOTH, D.
Kukkonen, H., Rovamo, J. and Melmoth, D. Spatial integration and effective spectral density of one-dimensional noise masks, 39: 1775
MERMOUND, C.
Tschopp, C., Viviani, P., Reicherts, M., Bullinger, A., Rudaz, N., Mermoud, C. and Safran, A.B. Does visual sensitivity improve between 5 and 8 years? A study of automated visual field examination, 39: 1107
MESTRE, D.R.
Masson, G.S., Mestre, D.R. and Stone, L.S. Speed tuning of motion segmentation and discrimination, 39: 4297
METHA, A.B.
Bex, P.J., Metha, A.B. and Makous, W. Enhanced motion aftereffect for complex motions, 39: 2229
MIHAYLOVA, M.
Mihaylova, M., Stomonyakov, V. and Vassilev, A. Peripheral and central delay in processing high spatial frequencies: reaction time and VEP latency studies, 39: 699
MILICZEK, K.-D.
Zrenner, E., Stett, A., Weiss, S., Aramant, R.B., Guenther, E., Kohler, K., Miliczek, K.-D., Seiler, M.J. and Haemmerle, H. Can subretinal microphotodiodes successfully replace degenerated photoreceptors?, 39: 2555
MILLER, J.M.
Bockisch, C.J. and Miller, J.M. Different motor systems use similar damped extraretinal eye position information, 39: 1025
MIYAKE, Y.
Shimazu, K., Miyake, Y. and Watanabe, S. Retinal ganglion cell response properties in the transcorneal electrically evoked response of the visual system, 39: 2251
MIZUNO, S.
Arikawa, K., Mizuno, S., Scholten, D.G.W., Kinoshita, M., Seki, T., Kitamoto, J. and Stavenga, D.G. An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio,* 39: 1
MORENO, E.
Marcos, S., Moreno, E. and Navarro, R. The depth-of-field of the human eye from objective and subjective measurements, 39: 2039
MORENO-BARRIUSOP, E.
Marcos, S., Burns, S.A., Moreno-Barriusop, E. and Navarro, R. A new approach to the study of ocular chromatic aberrations, 39: 4309
MORGAN, I.G.
Fisher, A.J., Morgan, I.G. and Stell, W.K. Colchicine causes excessive ocular growth and myopia in chicks, 39: 685
MORGAN, M.J.
Solomon, J.A., Watson, A.B. and Morgan, M.J. Transducer model produces facilitation from opposite-sign flanks, 39: 987
Solomon, J.A. and Morgan, M.J. Dichoptically cancelled motion, 39: 2293

Morgan, M.J. The Poggendorff illusion: a bias in the estimation of the orientation of virtual lines by second-stage filters, 39: 2361
Johnston, A., Benton, C.P. and Morgan, M.J. Concurrent measurement of perceived speed and speed discrimination threshold using the method of single stimuli, 39: 3849
Morgan, M.J. and Chubb, C. Contrast facilitation in motion detection: evidence for a Reichardt detector in human vision, 39: 4217
MORRONE, M.C.
Porciatti, V., Fiorentini, A., Morrone, M.C. and Burr, D.C. The effects of ageing on reaction times to motion onset, 39: 2157
MOTOYOSHI, I.
Motoyoshi, I. Texture filling-in and texture segregation revealed by transient masking, 39: 1285
Nishida, S., Motoyoshi, I. and Takeuchi, T. Is the size aftereffect direction selective?, 39: 3592
MOTULSKY, A.G.
Crognale, M.A., Teller, D.Y., Yamaguchi, T., Motulsky, A.G. and Deeb, S.S. Analysis of red/green color discrimination in subjects with a single X-linked photopigment gene, 39: 707
MOULDEN, B.
McArthur, J.A. and Moulden, B. A two-dimensional model of brightness perception based on spatial filtering consistent with retinal processing, 39: 1199
MOVSHON, J.A.
Kiorpes, L., Tang, C. and Movshon, J.A. Factors limiting contrast sensitivity in experimentally amblyopic macaque monkeys, 39: 4152
MOWELL, T.A.
Fogt, N. and Mowell, T.A. The effect of slant on visuomotor localization, 39: 3083
MULLEN, K.T.
Mullen, K.T. and Losada, M.A. The spatial tuning of color and luminance peripheral vision measured with notch filtered noise masking, 39: 721
Mullen, K.T. and Sankeralli, M.J. Evidence for the stochastic independence of the blue-yellow, red-green and luminance detection mechanisms revealed by subthreshold summation, 39: 733
MULLINEAUX, C.W.
Douglas, R.H., Partridge, J.C., Dulai, K.S., Hunt, D.M., Mullineaux, C.W. and Hynninen, P.H. Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger,* a deep-sea dragon fish with far red bioluminescence, 39: 2817
MUNOZ, P.
Munoz, P., Semmlow, J.L., Yuan, W. and Alvarez, T.L. Short term modification of disparity vergence eye movements, 39: 1695
MURAKAMI, I.
Murakami, I. Motion-transparent inducers have different effects on induced motion and motion capture, 39: 1671
MURATA, A.
Tsumura, T., Murata A., Yamaguchi, F., Sugimoto, K., Hasegawa, E., Hatase, O., Nairn, A.C. and Tokuda, M. The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation, 39: 3165
MURDOCH, L.
Mather, G. and Murdoch, L. Second-order processing of four-stroke apparent motion, 39: 1795
MURRAY, I.J.
Parry, N.R.A., Murray, I.J. and Hadjizenonos, C. Spatio-temporal tuning of VEPs: effect of mode stimulation, 39: 3491
MUSSAP, A.J.
Mussap, A.J. and Levi, D.M. Orientation-based texture segmentation in strabismic amblyopia, 39: 411
Tripathy, S.P., Mussap, A.J. and Barlow, H.B. Detecting collinear dots in noise, 39: 4161

NACHMIAS, J.
Nachmias, J. How is a grating detected on a narrowband noise masker?, 39: 1133
NAGY, A.L.

Nagy, A.L. Interactions between achromatic and chromatic mechanisms in visual search, 39: 3253
NAIRN, A.C.
Tsumura, T., Murata A., Yamaguchi, F., Sugimoto, K., Hasegawa, E., Hatase, O., Nairn, A.C. and Tokuda, M. The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation, 39: 3165
NAKAYAMA, K.
Gillam, B. and Nakayama, K. Quantitative depth for a phantom surface can be based on cyclopean occlusion cues alone, 39: 109
Joseph, J.S. and Nakayama, K. Amodal representation depends on the object seen before partial occlusion, 39: 283
Gillam, B., Blackburn, S. and Nakayama, K. Stereopsis based on monocular gaps: metrical encoding of depth and slant without matching contours, 39: 493
McPeek, R.M., Maljkovic, V. and Nakayama, K. Saccades require focal attention and are facilitated by a short-term memory system, 39: 1555
NAKAZAKI, S.
Maruiwa, F., Nao-i, N., Nakazaki, S. and Sawada, A. Effects of bicarbonate ion on chick retinal pigment epithelium: membrane potentials and light-evoked responses, 39: 159
NAO-I, N.
Maruiwa, F., Nao-i, N., Nakazaki, S. and Sawada, A. Effects of bicarbonate ion on chick retinal pigment epithelium: membrane potentials and light-evoked responses, 39: 159
NÄSÄNEN, R.
Tiippana, K. and Näsänen, R. Spatial-frequency bandwidth of perceived contrast, 39: 3399
Näsänen, R. Spatial frequency bandwidth used in the recognition of facial images, 39: 3824
NASH, M.S.
Osborne, N.N., Safa, R. and Nash, M.S. Photoreceptors are preferentially affected in the rat retina following permanent occlusion of the carotid arteries, 39: 3995
NATHANS, J.
Sharpe, L.T., Stockman, A., Jägle, H., Knau, H. and Nathans, J. L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities, 39: 3513
NAVARRO, R.
Marcos, S., Moreno, E. and Navarro, R. The depth-of-field of the human eye from objective and subjective measurements, 39: 2039
Marcos, S., Burns, S.A., Moreno-Barriusop, E. and Navarro, R. A new approach to the study of ocular chromatic aberrations, 39: 4309
NAWROT, M.
Thompson, A.M. and Nawrot, M. Abnormal depth perception from motion parallax in amblyopic observers, 39: 1407
NEU, A.
Kurtenbach, A., Schiefer, U., Neu, A. and Zrenner, E. Development of brightness matching and colour vision deficits in juvenile diabetics, 39: 1221
NEUENSCHWANDER, S.
Neuenschwander, S., Castelo-Branco, M. and Singer, W. Synchronous oscillations in the cat retina, 39: 2485
NIEMANN, T.
Niemann, T., Lappe, M., Büscher, A. and Hoffman, K.-P. Ocular responses to radial optic flow and single accelerated targets in humans, 39: 1359
NIEMEYER, G.
Kaelin-Lang, A., Jurklies, B. and Niemeyer, G. Effects of adenosinergic agents on the vascular resistance and on the optic nerve response in the perfused cat eye, 39: 1059
NISHIDA, S.
Edwards, M. and Nishida, S. Global-motion detection with transparent-motion signals, 39: 2239
Nishida, S., Motoyoshi, I. and Takeuchi, T. Is the size aftereffect direction selective?, 39: 3592
NORCIA, A.M.
Shea, S.J. Chandna, A. and Norcia, A.M. Oscillatory motion but not pattern reversal elicits monocular motion VEP biases in infantile esotropia, 39: 1803
NORMANN, R.A.

Normann, R.A., Maynard, E.M., Rousche, P.J. and Warren, D.J. A neural interface for a cortical vision prosthesis, 39: 2577
VAN NORREN, D.
Busch, E.M., Gorgels, T.G.M.F. and van Norren, D. Temporal sequence of changes in rat retina after UV-A and blue light exposure, 39: 1233
NORTON, T.T.
Siegwart, J.T. and Norton, T.T. Regulation of the mechanical properties of tree shrew sclera by the visual environment, 39: 387
NOTHDURFT, H.-C.
Ziebell, O. and Nothdurft, H.-C. Cueing and pop-out, 39: 2113
Nothdurft, H.-C. Focal attention in visual search, 39: 2305
VAN NUNEN, A.
Vleugels, L., Charlier, M., van Nunen, A., Lafosse, C., Vogels, R., Ketelaer, P. and Vandenbussche, E. Temporal resolution deficits in the visual fields of MS patients, 39: 2429

OBERMAYER, K.
Bauer, U., Scholz, M. Levitt, J.B., Obermayer, K. and Lund, J.S. A model for the depth-dependence of receptive field size and contrast sensitivity of cells in layer 4C of macaque striate cortex, 39: 613
O'CARROLL, D.C.
Harris, R.A., O'Carroll, D.C. and Laughlin, S.B. Adaptation and the temporal delay filter of fly motion detectors, 39: 2603
ODAJIMA, K.
Okamoto, H., Kawakami, S., Saito, H., Hida, E., Odajima, K., Tamanoi, D. and Ohno, H. MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection, 39: 3465
OFFEN, S.
Graham, N., Rico, M., Offen, S. and Scott, W. Texture segregation shows only a very small lower-hemifield advantage, 39: 1171
OHNO, H.
Okamoto, H., Kawakami, S., Saito, H., Hida, E., Odajima, K., Tamanoi, D. and Ohno, H. MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection, 39: 3465
OHTSUBO H.
Kawabata, H., Gyoba, J., Inoue, H. and Ohtsubo H. Visual completion of partly occluded grating in infants under 1 month of age, 39: 3586
OKAMOTO, H.
Okamoto, H., Kawakami, S., Saito, H., Hida, E., Odajima, K., Tamanoi, D. and Ohno, H. MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection, 39: 3465
OLSSON, V.
Sjöstrand, D., Olsson, V., Popovic, Z. and Conradi, N. Quantitative estimations of foveal and extra-foveal retinal circuitry in humans, 39: 2987
OLZAK, L.A.
Olzak, L.A. and Thomas, J.P. Neural recoding in human pattern vision: model and mechanisms, 39: 231
Olzak, L.A. and Laurinen, P.I. Multiple gain control processes in contrast-contrast phenomena, 39: 3983
O'MULLANE, G.
O'Mullane, G. and Knox, P.C. Modification of smooth pursuit initiation by target contrast, 39: 3459
O'NEILL, M.C.
Robinson, P.R., Griffith, K., Gross, J.M. and O'Neill, M.C. A back-propagation neural network predicts absorption maxima of chimeric human red/green visual pigments, 39: 1707
ONO, H.
Mapp, A.P. and Ono, H. Wondering about the wandering cyclopean eye, 39: 2381
ORBACH, H.S.

Löffler, G. and Orbach, H.S. Computing feature motion without feature detectors: a model for terminator motion without end-stopped cells, 39: 859
McCulloch, D.L., Orbach, H. and Skarf, B. Maturation of the pattern-reversal VEP in human infants: a theoretical framework, 39: 3673
O'REGAN, J.K.
Clark, J.J. and O'Regan, J.K. Word ambiguity and the optimal viewing position in reading, 39: 843
OSBORNE, N.N.
Osborne, N.N., Safa, R. and Nash, M.S. Photoreceptors are preferentially affected in the rat retina following permanent occlusion of the carotid arteries, 39: 3995
O'SHEA, R.P.
Broerse, J., Vladusich, T. and O'Shea, R.P. Colour at edges and colour spreading in McCollough effects, 39: 1305
Galvin, S.J., O'Shea, R.P., Squire, A.M. and Hailstone, D.S. Sharpness overconstancy: the roles of visibility and current context, 39: 2649
O'TOOLE, A.J.
O'Toole, A.J., Vetter, T. and Blanz, V. Three-dimensional shape and two-dimensional surface reflectance contributions to face recognition: an application of three-dimensional morphing, 39: 3145
OWSLEY, C.
Jackson, G.R., Owsley, C. and McGwin, G. Jr. Aging and dark adaptation, 39: 3975

PÄÄKKÖNEN, A
McIlhagga, W. and Pääkkönen, A. Noisy templates explain area summation, 39: 367
PACK, C.
Lidén, L. and Pack, C. The role of terminators and occlusion cues in motion integration and segmentation: a neural network model, 39: 3301
PADNICK, L.B.
Padnick, L.B. and Linsenmeier, R.A. Properties of the flash visual evoked potential recorded in the cat primary visual cortex, 39: 2833
PALMER, J.
Lia, B., Dobkins, K.R., Palmer, J. and Teller, D.Y. Infants code the direction of chromatic quadrature motion, 39: 1783
PARKYN, D.C.
Parkyn, D.C. and Hawryshyn, C.W. Ethambutol affects the spectral and polarisation sensitivity of on-responses in the optic nerve of rainbow trout, 39: 4145
PARRY, N.R.A.
Parry, N.R.A., Murray, I.J. and Hadjizenonos, C. Spatio-temporal tuning of VEPs: effect of mode stimulation, 39: 3491
PARTRIDGE, J.C.
Douglas, R.H., Partridge, J.C., Dulai, K.S., Hunt, D.M., Mullineaux, C.W. and Hynninen, P.H. Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger,* a deep-sea dragon fish with far red bioluminescence, 39: 2817
Hart, N.S., Partridge, J.C. and Cuthill, I.C. Visual pigments, cone oil droplets, ocular media and predicted spectral sensitivity in the domestic turkey *(Meleagris gallopavo),* 39: 3321
PATEL, S.S.
Patel, S.S., Bedell, H.E. and Ukwade, M.T. Vernier judgments in the absence of regular shape information, 39: 2349
PATTERSON, R.
Becker, S., Bowd, C., Shorter S., King, K. and Patterson, R. Occlusion contributes to temporal processing differences between crossed and uncrossed stereopsis in random-dot displays, 39: 331
Patterson, R. Stereoscopic (cyclopean) motion sensing, 39: 3329
Shorter, S., Bowd, C., Donnelly, M. and Patterson, R. The stereoscopic (cyclopean) motion aftereffect is selective for spatial frequency and orientation of disparity modulation, 39: 3745

PEARSON, S.
Whitaker, D., McGraw, P.V. and Pearson, S. Non-veridical size perception of expanding and contracting objects, 39: 2999
PETERSON, B.B.
Verweij, J, Dacey, D.M., Peterson, B.B. and Buck, S.L. Sensitivity and dynamics of rod signals in H1 horizontal cells of the macaque monkey retina, 39: 3662
PETTET, M.W.
Pettet, M.W. Shape and contour detection, 39: 551
PIZZORUSSO, T.
Porciatti, V., Pizzorusso, T. and Maffei, L. The visual physiology of the wild type mouse determined with patterns VEPs, 39: 3071
PÖDER, E.
Põder, E. Search for feature and for relative position: measurement of capacity limitations, 39: 1321
PODUGOLNIKOVA, T.A.
Cook, J.E., Podugolnikova, T.A. and Kondrashev, S.L. Species-dependent variation in the dendritic stratification of apparently homologous retinal ganglion cell mosaics in two neoteleost fishes, 39: 2615
POLAT, U.
Polat, U. and Tyler, C.W. What pattern the eye sees best, 39: 887
POLLATSEK, A.
Reichle, E.D., Rayner, K. and Pollatsek, A. Eye movement control in reading: accounting for initial fixation locations and refixations within the E-Z Reader model, 39: 4403
POPE, D.R.
Pope, D.R., Edwards, M. and Schor, C.M. Orientation and luminance polarity tuning of the transient-vergence system, 39: 575
Edwards, M., Pope, D.R. and Schor, C.M. Orientation tuning of the transient-stereopsis system, 39: 2717
Schor, C.M., Lott, L.A., Pope, D. and Graham, A.D. Saccades reduce latency and increase velocity of ocular accommodation, 39: 3769
Pope, D.R., Edwards, M. and Schor, C.S. Extraction of depth from opposite-contrast stimuli: transient system can, sustained system can't, 39: 4010
POPOVIC, Z.
Sjöstrand, D., Olsson, V., Popovic, Z. and Conradi, N. Quantitative estimations of foveal and extra-foveal retinal circuitry in humans, 39: 2987
PORCIATTI, V.
Porciatti, V., Fiorentini, A., Morrone, M.C. and Burr, D.C. The effects of ageing on reaction times to motion onset, 39: 2157
Porciatti, V., Pizzorusso, T. and Maffei, L. The visual physiology of the wild type mouse determined with patterns VEPs, 39: 3071
PORRELLO, G.
Porrello, G. and Falsini, B. Retinal ganglion cell dysfunction in humans following post-geniculate lesions: specific spatio-temporal losses revealed by pattern ERG, 39: 1739
PORRILL, J.
Frisby, J.P., Buckley, D., Grant, H., Gårding, J., Horsman, J.M., Hippisley-Cox, S.D. and Porrill, J. An orientation anisotropy in the effects of scaling vertical disparities, 39: 481
Ivins, J.P., Porrill, J. and Frisby, J.P. Instability of torsion during smooth asymmetric vergence, 39: 993
Porrill, J., Ivins, J.P. and Frisby, J.P. The variation of torsion with vergence and elevation, 39: 3934
POTESER, M.
Srinivasan, M.V., Poteser, M. and Kral, K. Motion detection in insect orientation and navigation, 39: 2749
PRIDMORE, R.W.
Pridmore, R.W. Bezold-Brucke hue-shift as functions of luminance level, luminance ratio, interstimulus interval and adapting white for aperture and object colors, 39: 3873
Pridmore, R.W. Unique and binary hues as functions of luminance and illuminant color temperature, and relations with invariant hues, 39: 3892
PTITO, A.

Faubert, J., Diaconu, V., Ptito, M. and Ptito A. Residual vision in the blind field of hemidecorticated humans predicted by a diffusion scatter model and selective spectral absorption of the human eye, 39: 149

PTITO, M.

Faubert, J., Diaconu, V., Ptito, M. and Ptito A. Residual vision in the blind field of hemidecorticated humans predicted by a diffusion scatter model and selective spectral absorption of the human eye, 39: 149

QIAN, N.

Matthews, N. and Qian, N. Axis-of-motion affects direction discrimination, not speed discrimination, 39: 2205

Matthews, N. Liu, Z., Geesaman, B.J. and Qian, N. Perceptual learning on orientation and direction discrimination, 39: 3692

RAINVILLE, S.

Kingdom, F.A.A., Simmons, D.R. and Rainville, S. On the apparent collapse of stereopsis in random-dot-stereograms at isoluminance, 39: 2127

RAJSKA, D.

von Grünau, M.W., Faubert, J., Iordanova, M. and Rajska, D. Flicker and the efficiency of cues for capturing attention, 39: 3241

RAMÍREZ, A.I.

Ramírez, J.M., Triviño, A., De Hoz, R., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Immunohistochemical study of rabbit choroidal innervation, 39: 1249

RAMIREZ, D.

Torriente, I., Valdes-Sosa, M., Ramirez, D. and Bobes, M.A. Visual evoked potentials related to motion-onset are modulated by attention, 39: 4122

RAMÍREZ, J.M.

Ramírez, J.M., Triviño, A., De Hoz, R., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Immunohistochemical study of rabbit choroidal innervation, 39: 1249

RANINEN, A.

Rovamo, J. Raninen, A. and Donner, K. The effects of temporal noise and retinal illuminance on foveal flicker sensitivity, 39: 533

RAO, R.P.N.

Rao, R.P.N. An optimal estimation approach to visual perception and learning, 39: 1963

RAUBER, H.-J.

Rauber, H.-J. and Treue, S. Revisiting motion repulsion: evidence for a general phenomenon?, 39: 3187

RAYNER, K.

Reichle, E.D., Rayner, K. and Pollatsek, A. Eye movement control in reading: accounting for initial fixation locations and refixations within the E-Z Reader model, 39: 4403

REED, P.E.

Stevenson, S.B., Reed, P.E. and Yang, J. The effect of target size and eccentricity on reflex disparity vergence, 39: 823

REESE, G.J.

Cannon, M.W., Reese, G.J. and Fullenkamp, S.C. Target detection against narrow band noise backgrounds, 39: 2191

REGAN, D.

Kohly, R.P. and Regan D. Evidence for a mechanism sensitive to the speed of cyclopean form, 39: 1011

Gray, R. and Regan, D. Adapting to expansion increases perceived time-to-collision, 39: 3602

REICHERTS, M.

Tschopp, C., Viviani, P., Reicherts, M., Bullinger, A., Rudaz, N., Mermoud, C. and Safran, A.B. Does visual sensitivity improve between 5 and 8 years? A study of automated visual field examination, 39: 1107
REICHLE, E.D.
Reichle, E.D., Rayner, K. and Pollatsek, A. Eye movement control in reading: accounting for initial fixation locations and refixations within the E-Z Reader model, 39: 4403
REIFF, D.
Guenther, E., Schmid, S., Reiff, D. and Zrenner, E. Maturation of intrinsic membrane properties in rat retinal ganglion cells, 39: 2477
REISBECK, T.E.
Reisbeck, T.E. and Gegenfurtner, K.R. Velocity tuned mechanisms in human motion processing, 39: 3267
REMÉ, C.E.
Hafezi, F., Marti, A., Grimm C., Wenzel, A. and Remé, C.E. Differential DNA binding activities of the transcription factors AP-1 and Oct-1 during light-induced apoptosis of photoreceptors, 39: 2511
RICO, M.
Graham, N., Rico, M., Offen, S. and Scott, W. Texture segregation shows only a very small lower-hemifield advantage, 39: 1171
ROBERTS, S.
May, J.G., Brown, J.M. and Roberts, S. Afterimages, grating induction and illusory phantoms, 39: 3025
ROBINSON, D.A.
Arnold, D.B., Robinson, D.A. and Leigh, R.J. Nystagmus induced by pharmacological inactivation of the brainstem ocular motor integrator in monkey, 39: 4286
ROBINSON, P.R.
Robinson, P.R., Griffith, K., Gross, J.M. and O'Neill, M.C. A back-propagation neural network predicts absorption maxima of chimeric human red/green visual pigments, 39: 1707
ROBSON, J.G.
Hood, D.C., Greenstein, V., Frishman, L., Holopigian, K., Viswanathan, S., Seiple, W., Ahmed, J. and Robson, J.G. Identifying inner retinal contributions to the human multifocal ERG, 39: 2285
ROELFSEMA, P.R.
Roelfsema, P.R., Scholte, H.S. and Spekreijse, H. Temporal constraints on the grouping of contour segments into spatially extended objects, 39: 1509
ROGERS, B.J.
Bradshaw, M.F. and Rogers, B.J. Sensitivity to horizontal and vertical corrugations defined by binocular disparity, 39: 3049
ROHALY, A.M.
Rohaly, A.M. and Wilson, H.R. The effects of contrast on perceived depth and depth discrimination, 39: 9
ROMANI, A.
Caputo, G., Romani, A., Callieco, R., Gaspari, D. and Cosi, V. Amodal completion in texture visual evoked potentials, 39: 31
ROSENHOLTZ, R.
Rosenholtz, R. A simple saliency model predicts a number of motion popout phenomena, 39: 3157
ROSS, J.
Forte, J., Hogben, J.H. and Ross, J. Spatial limitations of temporal segmentation, 39: 4052
ROTH, S.
Ghiardi, G.J., Gidday, J.M. and Roth, S. The purine nucleoside adenosine in retinal ischemia-reperfusion injury, 39: 2519
ROUSCHE, P.J.
Normann, R.A., Maynard, E.M., Rousche, P.J. and Warren, D.J. A neural interface for a cortical vision prosthesis, 39: 2577
ROVAMO, J.M.
Rovamo, J. Raninen, A. and Donner, K. The effects of temporal noise and retinal illuminance on foveal flicker sensitivity, 39: 533
Kukkonen, H., Rovamo, J. and Melmoth, D. Spatial integration and effective spectral density of one-dimensional noise masks, 39: 1775

Rovamo, J.M., Kankaanpää, M.I. and Kukkonen, H. Modelling spatial contrast sensitivity functions for chromatic and luminance-modulated gratings, 39: 2387
ROWAN CANDY, T.
Rowan Candy, T. and Banks, M.S. Use of an early nonlinearity to measure optical and receptor resolution in the human infant, 39: 3386
RUBIN, G.S.
Fine, E.M. and Rubin, G.S. Reading with central field loss: number of letters masked is more important than the size of the mask in degrees, 39: 747
Fine, E.M. and Rubin, G.S. Reading with simulated scotomas: attending to the right is better than attending to the left, 39: 1039
Fine, E.M. and Rubin, G.S. Corrigendum, 39: 1049
Fine, E.M. and Rubin, G.S. The effects of simulated cataract on reading with normal vision and simulated central scotoma, 39: 4274
RUDAZ, N.
Tschopp, C., Viviani, P., Reicherts, M., Bullinger, A., Rudaz, N., Mermoud, C. and Safran, A.B. Does visual sensitivity improve between 5 and 8 years? A study of automated visual field examination, 39: 1107
RYAN, J.F.
Slaghuis, W.L. and Ryan, J.F. Spatio-temporal contrast sensitivity, coherent motion, and visible persistence in developmental dyslexia, 39: 651

SAFA, R.
Osborne, N.N., Safa, R. and Nash, M.S. Photoreceptors are preferentially affected in the rat retina following permanent occlusion of the carotid arteries, 39: 3995
SAFRAN, A.B.
Duret, F., Issenhuth, M. and Safran, A.B. Combined use of several preferred retinal loci in patients with macular disorders when reading single words, 39: 873
Tschopp, C., Viviani, P., Reicherts, M., Bullinger, A., Rudaz, N., Mermoud, C. and Safran, A.B. Does visual sensitivity improve between 5 and 8 years? A study of automated visual field examination, 39: 1107
Duret, F., Safran, A.B. and Issenhuth, M. Combined use of several preferred retinal loci in patients with macular disorders when reading single words. *Vision Research* 39:873 Errata, 39: 2793
SAGI, D.
Bonneh, Y. and Sagi D. Configuration saliency revealed in short duration binocular rivalry, 39: 271
Bonneh, Y. and Sagi, D. Contrast integration across space, 39: 2597
SAITO, H.
Okamoto, H., Kawakami, S., Saito, H., Hida, E., Odajima, K., Tamanoi, D. and Ohno, H. MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection, 39: 3465
SALAZAR, J.J.
Ramírez, J.M., Triviño, A., De Hoz, R., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Immunohistochemical study of rabbit choroidal innervation, 39: 1249
SANDS, P.J.
Jagger, W.S. and Sands, P.J. A wide-angle gradient index optical model of the crystalline lens and eye of the octopus, 39: 2841
SANKERALLI, M.J.
Mullen, K.T. and Sankeralli, M.J. Evidence for the stochastic independence of the blue-yellow, red-green and luminance detection mechanisms revealed by subthreshold summation, 39: 733
SASTRY, P.S.
Sastry, P.S., Shah, S., Singh S. and Unnikrishnan, K.P. Role of feedback in mammalian vision: a new hypothesis and a computational model, 39: 131
SASZIK, S.
Saszik, S. and Bilotta, J. The effects of temperature on the dark-adapted spectral sensitivity function of the adult zebrafish, 39: 1051

SATO, M.
Sato, M. and Uchikawa, K. Increment-threshold spectral sensitivity during saccadic eye movements in uniform visual field, 39: 3951
SAWADA, A.
Maruiwa, F., Nao-i, N., Nakazaki, S. and Sawada, A. Effects of bicarbonate ion on chick retinal pigment epithelium: membrane potentials and light-evoked responses, 39: 159
SCHAEFFEL, F.
Schaeffel, F. and Diether, S. The growing eye: an autofocus system that works on very poor images, 39: 1585
Diether, S. and Schaeffel, F. Long-term changes in retinal contrast sensitivity in chicks from frosted occluders and drugs: relations to myopia?, 39: 2499
SCHEFRIN, B.E.
Schefrin, B.E., Tregear, S.J., Harvey, L.O. Jr., and Werner, J.S. Senescent changes in scotopic contrast sensitivity, 39: 3728
Schefrin, B.E., Tregear, S.J., Harvey, L.O. Jr., and Herbert, A.M. Discriminating mirror symmetry in foveal and extra-foveal vision, 39: 3737
SCHIEFER, U.
Kurtenbach, A., Schiefer, U., Neu, A. and Zrenner, E. Development of brightness matching and colour vision deficits in juvenile diabetics, 39: 1221
Benda, N., Dietrich, T. and Schiefer, U. Models for the description of angioscotomas, 39: 1889
Schiefer, U., Benda, N., Dietrich, T.J., Selig, B., Hofmann, C. and Schiller, J. Angioscotoma detection with fundus-oriented perimetry. A study with dark and bright stimuli of different sizes, 39: 1897
SCHILLER, J.
Schiefer, U., Benda, N., Dietrich, T.J., Selig, B., Hofmann, C. and Schiller, J. Angioscotoma detection with fundus-oriented perimetry. A study with dark and bright stimuli of different size, 39: 1897
SCHILLER, P.H.
Chou, I-h., Sommer, M.A. and Schiller, P.H. Express averaging saccades in monkeys, 39: 4200
SCHLOSSHAUER, B.
Guenther, E., Tröger, B., Schlosshauer, B. and Zrenner, E. Long-term survival of retinal cell cultures on retinal implant materials, 39: 3988
SCHMID, S.
Guenther, E., Schmid, S., Reiff, D. and Zrenner, E. Maturation of intrinsic membrane properties in rat retinal ganglion cells, 39: 2477
SCHOFIELD, A.J.
Schofield, A.J. and Georgeson, M.A. Sensitivity to modulations of luminance and contrast in visual white noise: separate mechanisms with similar behaviour, 39: 2697
SCHOLTE, H.S.
Roelfsema, P.R., Scholte, H.S. and Spekreijse, H. Temporal constraints on the grouping of contour segments into spatially extended objects, 39: 1509
SCHOLTEN, D.G.W.
Arikawa, K., Mizuno, S., Scholten, D.G.W., Kinoshita, M., Seki, T., Kitamoto, J. and Stavenga, D.G. An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio,* 39: 1
SCHOLZ, M.
Bauer, U., Scholz, M. Levitt, J.B., Obermayer, K. and Lund, J.S. A model for the depth-dependence of receptive field size and contrast sensitivity of cells in layer 4C of macaque striate cortex, 39: 613
SCHOR, C.M.
Pope, D.R., Edwards, M. and Schor, C.M. Orientation and luminance polarity tuning of the transient-vergence system, 39: 575
Edwards, M., Pope, D.R. and Schor, C.M. Orientation tuning of the transient-stereopsis system, 39: 2717
Schor, C.M., Lott, L.A., Pope, D. and Graham, A.D. Saccades reduce latency and increase velocity of ocular accommodation, 39: 3769
Pope, D.R., Edwards, M. and Schor, C.M. Extraction of depth from opposite-contrast stimuli: transient system can, sustained system can't, 39: 4010
Maxwell, J.S. and Schor, C.M. Adaptation of torsional eye alignment in relation to head roll, 39: 4192

Edwards, M. and Schor, C.M. Depth aliasing by the transient-stereopsis system, 39: 4333
SCHWARTZ, M.
Lazarov-Spiegler, O., Solomon, A.S. and Schwartz, M. Link between optic nerve regrowth failure and macrophage stimulation in mammals, 39: 169
SCOTT, W.
Graham, N., Rico, M., Offen, S. and Scott, W. Texture segregation shows only a very small lower-hemifield advantage, 39: 1171
SCOTT-SAMUEL, N.E.
Scott-Samuel, N.E. and Georgeson, M.A. Does early non-linearity account for second-order motion?, 39: 2853
Georgeson, M.A. and Scott-Samuel, N.E. Motion contrast: a new metric for direction discrimination, 39: 4393
SEAKS, J.
Banton, T., Bertenthal, B.I. and Seaks, J. Infants' sensitivity to statistical distribution of motion direction and speed, 39: 3417
SEIFFERT, A.E.
Seiffert, A.E. and Cavanagh, P. Position-based motion perception for color texture stimuli: effects of contrast and speed, 39: 4172
SEILER, M.J.
Zrenner, E., Stett, A., Weiss, S., Aramant, R.B., Guenther, E., Kohler, K., Miliczek, K.-D., Seiler, M.J. and Haemmerle, H. Can subretinal microphotodiodes successfully replace degenerated photoreceptors?, 39: 2555
Seiler, M.J., Aramant, R.B. and Ball, S.L. Photoreceptor function of retinal transplants implicated by light-dark shift of S-antigen and rod transducin, 39: 2589
SEIPLE, W.
Hood, D.C., Greenstein, V., Frishman, L., Holopigian, K., Viswanathan, S., Seiple, W., Ahmed, J. and Robson, J.G. Identifying inner retinal contributions to the human multifocal ERG, 39: 2285
SEKI, T.
Arikawa, K., Mizuno, S., Scholten, D.G.W., Kinoshita, M., Seki, T., Kitamoto, J. and Stavenga, D.G. An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio,* 39: 1
SEKULER, A.B.
Gold, J., Bennett, P.J. and Sekuler, A.B. Identification of band-pass filtered letters and faces by human and ideal observers, 39: 3537
SELIG, B.
Schiefer, U., Benda, N., Dietrich, T.J., Selig, B., Hofmann, C. and Schiller, J. Angioscotoma detection with fundus-oriented perimetry. A study with dark and bright stimuli of different size, 39: 1897
SEMMLOW, J.L.
Munoz, P., Semmlow, J.L., Yuan, W. and Alvarez, T.L. Short term modification of disparity vergence eye movements, 39: 1695
SHAH, S.
Sastry, P.S., Shah, S., Singh S. and Unnikrishnan, K.P. Role of feedback in mammalian vision: a new hypothesis and a computational model, 39: 131
SHAND, J.
Shand, J., Døving, K.B. and Collin, S.P. Optics of the developing fish eye: comparisons of Matthiessen's ratio and the focal length of the lens in the black bream *Acanthopagrus butcheri* (Sparidae, Teleostei), 39: 1071
SHARMA, V.
Levi, D.M., Klein, S.A. and Sharma, V. Position jitter and undersampling in pattern perception, 39: 445
Sharma, V., Levi, D.M. and Coletta, N.J. Sparse-sampling of gratings in the visual cortex of strabismic amblyopes, 39: 3526
SHARPE, L.T.
Stockman, A., Sharpe, L.T. and Fach, C. The spectral sensitivity of the human short-wavelength sensitive cones derived from thresholds and color matches, 39: 2901
Sharpe, L.T., Stockman, A., Jägle, H., Knau, H. and Nathans, J. L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities, 39: 3513

SHEA, S.J.
Shea, S.J. Chandna, A. and Norcia, A.M. Oscillatory motion but not pattern reversal elicits monocular motion VEP biases in infantile esotropia, 39: 1803
SHEAHAN, N.F.
Bolger, C., Bojanic, S., Sheahan, N.F., Coakley, D. and Malone, J.F. Dominant frequency content of ocular microtremor from normal subjects, 39: 1911
SHEPHERD, A.J.
Shepherd, A.J. Remodelling colour contrast: implications for visual processing and colour representation, 39: 1329
SHEVELL, S.K.
Barnes, C.S. Wei, J. and Shevell, S.K. Chromatic induction with remote chromatic contrast varied in magnitude, spatial frequency, and chromaticity, 39: 3561
SHIMAZU, K.
Shimazu, K., Miyake, Y. and Watanabe, S. Retinal ganglion cell response properties in the transcorneal electrically evoked response of the visual system, 39: 2251
SHINOMORI, K.
Shinomori, K., Spillmann, L. and Werner, J.S. S-cone signals to temporal OFF-channels: asymmetrical connections to postreceptoral chromatic mechanisms, 39: 39
SHORTER, S.
Becker, S., Bowd, C., Shorter S., King, K. and Patterson, R. Occlusion contributes to temporal processing differences between crossed and uncrossed stereopsis in random-dot displays, 39: 331
Shorter, S., Bowd, C., Donnelly, M. and Patterson, R. The stereoscopic (cyclopean) motion aftereffect is selective for spatial frequency and orientation of disparity modulation, 39: 3745
SHROYER, N.F.
Shroyer, N.F., Lewis, R.A., Allikmets, R., Singh, N., Dean, M., Leppert, M. and Lupski, J.R. The rod photoreceptor ATP-binding cassette transporter gene, *ABCR,* and retinal disease: from monogenic to multifactorial, 39: 2537
SHULMAN, E.P.
Wolfe, J.M., Klempen, N.L. and Shulman, E.P. Which end is up? Two representation of orientation in visual search, 39: 2075
SIDEROV, J.
Siderov, J., Harwerth, R.S. and Bedell, H.E. Stereopsis, cyclovergence and the backwards tilt of the vertical horopter, 39: 1347
SIEGWART, J.T.
Siegwart, J.T. and Norton, T.T. Regulation of the mechanical properties of tree shrew sclera by the visual environment, 39: 387
SIMMONS, D.R.
Kingdom, F.A.A., Simmons, D.R. and Rainville, S. On the apparent collapse of stereopsis in random-dot-stereograms at isoluminance, 39: 2127
SINAI, M.J.
Sinai, M.J., Essock, E.A. and McCarley, J.S. Spatial sensitization of increments and decrements: a border-contrast process and a net-excitation process, 39: 1847
SINGER, W.
Neuenschwander, S., Castelo-Branco, M. and Singer, W. Synchronous oscillations in the cat retina, 39: 2485
SINGH, N.
Shroyer, N.F., Lewis, R.A., Allikmets, R., Singh, N., Dean, M., Leppert, M. and Lupski, J.R. The rod photoreceptor ATP-binding cassette transporter gene, *ABCR,* and retinal disease: from monogenic to multifactorial, 39: 2537
SINGH, S.
Sastry, P.S., Shah, S., Singh S. and Unnikrishnan, K.P. Role of feedback in mammalian vision: a new hypothesis and a computational model, 39: 131
SJOERDSMA, T.
Sjoerdsma, T., Kamermans, M. and Spekreijse, H. Effect of the tuberculostaticum ethambutol and stimulus intensity on chromatic discrimination in man, 39: 2955

SJÖSTRAND, J.
Sjöstrand, J., Olsson, V., Popovic, Z. and Conradi, N. Quantitative estimations of foveal and extra-foveal retinal circuitry in humans, 39: 2987
SKARF, B.
McCulloch, D.L., Orbach, H. and Skarf, B. Maturation of the pattern-reversal VEP in human infants: a theoretical framework, 39: 3673
SKOTTUN, B.C.
Skottun, B.C. Neuronal responses to plaids, 39: 2151
SLAGHUIS, W.L.
Slaghuis, W.L. and Ryan, J.F. Spatio-temporal contrast sensitivity, coherent motion, and visible persistence in developmental dyslexia, 39: 651
VAN DER SMAGT, M.J.
Verstraten, F.A.J., van der Smagt, M.J., Fredericksen, R.E. and van de Grind, W. Integration after adaptation to transparent motion: static and dynamic test patterns result in different aftereffect directions, 39: 803
van der Smagt, M.J. and van de Grind, W. Integration and segregation of local motion signals: the role of contrast polarity, 39: 811
SMITH, A.T.
Smith, A.T., Curran, W. and Braddick, O.J. What motion distributions yield global transparency and spatial segmentation?, 39: 1121
SMITH, E.L. III
Smith E.L. III and Hung, L.-F. The role of optical defocus in regulating refractive development in infant monkeys, 39: 1415
SMITH, S.
Smith, S. and Wenderoth, P. Large repulsion, but not attraction, tilt illusions occur when stimulus parameters selectively favour either transient (M-like) or sustained (P-like) mechanisms, 39: 4113
SNOWDEN, R.J.
Snowden, R.J. and Edmunds, R. Colour and polarity contributions to global motion perception, 39: 1813
SOLOMON, A.S.
Lazarov-Spiegler, O., Solomon, A.S. and Schwartz, M. Link between optic nerve regrowth failure and macrophage stimulation in mammals, 39: 169
SOLOMON, J.A.
Solomon, J.A., Watson, A.B. and Morgan, M.J. Transducer model produces facilitation from opposite-sign flanks, 39: 987
Solomon, J.A. and Morgan, M.J. Dichoptically cancelled motion, 39: 2293
SOMMER, M.A.
Chou, I-h., Sommer, M.A. and Schiller, P.H. Express averaging saccades in monkeys, 39: 4200
SPEKREIJSE, H.
van den Berg, T.J.T.P. and Spekreijse, H. Light scattering model for donor lenses as a function of depth, 39: 1437
Roelfsema, P.R., Scholte, H.S. and Spekreijse, H. Temporal constraints on the grouping of contour segments into spatially extended objects, 39: 1509
Baehr, W., Spekreijse, H. and Zrenner, E. Editorial, 39: 2439
Kamermans, M. and Spekreijse, H. The feedback pathway from horizontal cells to cones: a mini review with a look ahead, 39: 2449
Sjoerdsma, T., Kamermans, M. and Spekreijse, H. Effect of the tuberculostaticum ethambutol and stimulus intensity on chromatic discrimination in man, 39: 2955
SPILLMANN, L.
Shinomori, K., Spillmann, L. and Werner, J.S. S-cone signals to temporal OFF-channels: asymmetrical connections to postreceptoral chromatic mechanisms, 39: 39
Anstis, S., Stürzel, F. and Spillmann, L. Spatial distortions in rotating radial figures, 39: 1455
SPINELLI, D.
Di Russo, F., Spinelli, D. Electrophysiological evidence for an early attentional mechanism in visual processing in humans, 39: 2975
SQUIRE, A.M.

Galvin, S.J., O'Shea, R.P., Squire, A.M. and Hailstone, D.S. Sharpness overconstancy: the roles of visibility and current context, 39: 2649
SRINIVASAN, M.V.
Srinivasan, M.V., Poteser, M. and Kral, K. Motion detection in insect orientation and navigation, 39: 2749
STAVENGA, D.G.
Arikawa, K., Mizuno, S., Scholten, D.G.W., Kinoshita, M., Seki, T., Kitamoto, J. and Stavenga, D.G. An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio,* 39: 1
VAN DER STEEN, J.
von Leeuwen, A.F., Westen, M.J., van der Steen, J., de Faber, J.-T.H.N. and Collewijn, H. Gaze-shift dynamics in subject with and without symptoms of convergence insufficiency: influence of monocular preference and the effect of training, 39: 3095
STELL, W.K.
Fisher, A.J., Morgan, I.G. and Stell, W.K. Colchicine causes excessive ocular growth and myopia in chicks, 39: 685
STEPHENSON, R.S.
Giovannucci, D.R. and Stephenson, R.S. Identification and distribution of dietary precursors of the *Drosophila* visual pigment chromophore: analysis of carotenoids in wild type and *ninaD* mutants by HPLC, 39: 219
STETT, A.
Zrenner, E., Stett, A., Weiss, S., Aramant, R.B., Guenther, E., Kohler, K., Miliczek, K.-D., Seiler, M.J. and Haemmerle, H. Can subretinal microphotodiodes successfully replace degenerated photoreceptors?, 39: 2555
STEVENSON, S.B.
Stevenson, S.B., Reed, P.E. and Yang, J. The effect of target size and eccentricity on reflex disparity vergence, 39: 823
Yang, J. and Stevenson, S.B. Post-retinal processing of background luminance, 39: 4045
STILLING, R.
Tornow, R.P., Stilling, R. and Zrenner, E. Scanning laser densitometry and color perimetry demonstrate reduced photopigment density and sensitivity in two patients with retinal degeneration, 39: 3630
STOCKMAN, A.
Stockman, A., Sharpe, L.T. and Fach, C. The spectral sensitivity of the human short-wavelength sensitive cones derived from thresholds and color matches, 39: 2901
Sharpe, L.T., Stockman, A., Jägle, H., Knau, H. and Nathans, J. L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities, 39: 3513
STOERIG, P.
Cowey, A., Stoerig, P. and Williams, C. Variance in transneuronal retrograde ganglion cell degeneration in monkeys after removal of striate cortex: effects of size of the cortical lesion, 39: 3642
STOMONYAKOV, V.
Mihaylova, M., Stomonyakov, V. and Vassilev, A. Peripheral and central delay in processing high spatial frequencies: reaction time and VEP latency studies, 39: 699
STONE, J.V.
Stone, J.V. Object recognition: view-specificity and motion-specificity, 39: 4032
STONE, L.S.
Masson, G.S., Mestre, D.R. and Stone, L.S. Speed tuning of motion segmentation and discrimination, 39: 4297
STROMEYER, C.F. III
Stromeyer, C.F. III, Thabet, R., Chaparro, A. and Kronauer, R.E. Spatial masking does not reveal mechanisms selective to combined luminance and red-green color, 39: 2099
Stromeyer, C.F. III, Gowdy, P.D., Chaparro, A. and Kronauer, R.E. Second-site adaptation in the red-green detection pathway: only elicited by low-spatial-frequency test stimuli, 39: 3011
Gowdy, P.D., Stromeyer, C.F. III and Kronauer, R.E. Facilitation between the luminance and red-green detection mechanisms: enhancing contrast differences across edges, 39: 4098
Gowdy, P.D., Stromeyer, C.F. III and Kronauer, R.E. Detection of flickering edges: absence of a red-green edge detector, 39: 4186

Zemany, L., Stromeyer, C.F. III, Chaparro, A. and Kronauer, R.E. Motion detection on flashed, stationary pedestal gratings: evidence for an opponent-motion mechanism. *Vision Research* 38:795 Erratum, 39: 4419

STÜRZEL, F.

Anstis, S., Stürzel, F. and Spillmann, L. Spatial distortions in rotating radial figures, 39: 1455

SUGIMOTO, K.

Tsumura, T., Murata A., Yamaguchi, F., Sugimoto, K., Hasegawa, E., Hatase, O., Nairn, A.C. and Tokuda, M. The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation, 39: 3165

SUTTER, A.

Sutter, A. and Hwang, D. A comparison of the dynamics of simple (Fourier) and complex (non-Fourier) mechanisms in texture segregation, 39: 1943

SUTTER, E.E.

Sutter, E.E. and Bearse, M.A. Jr. The optic nerve head component of the human ERG, 39: 419

SUTTLE, C.M.

Suttle, C.M. and Harding, G.F.A. Morphology of transient VEPs to luminance and chromatic pattern onset and offset, 39: 1577

SUZUKI, S.

Humayun, M.S., de Juan, E. Jr., Weiland, J.D., Dagnelie, G., Katona, S., Greenberg, R. and Suzuki, S. Pattern electrical stimulation of the human retina, 39: 2569

SWITKES, E.

Switkes, E. and Crognale, M.A. Comparison of color and luminance contrast: apples *versus* oranges?, 39: 1823

TAKEDA, T.

Takeda, T., Hashimoto, K., Hiruma, N. and Fukui, Y. Characteristics of accommodation toward apparent depth, 39: 2087

TAKEUCHI, T.

Nishida, S., Motoyoshi, I. and Takeuchi, T. Is the size aftereffect direction selective?, 39: 3592

TAMANOI, D.

Okamoto, H., Kawakami, S., Saito, H., Hida, E., Odajima, K., Tamanoi, D. and Ohno, H. MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection, 39: 3465

TANAKA, H.

Uka, T., Tanaka, H., Kato, M. and Fujita, I. Behavioral evidence for visual perception of 3-dimensional surface structures in monkeys, 39: 2399

TANG, C.

Kiorpes, L., Tang, C. and Movshon, J.A. Factors limiting contrast sensitivity in experimentally amblyopic macaque monkeys, 39: 4152

TARR, M.J.

Tarr, M.J., Kersten, D. and Bülthoff, H.H. Why the visual recognition system might encode the effects of illumination. *Vision Research* 38:2259 Errata, 39: 409

TELLER, D.Y.

Crognale, M.A., Teller, D.Y., Yamaguchi, T., Motulsky, A.G. and Deeb, S.S. Analysis of red/green color discrimination in subjects with a single X-linked photopigment gene, 39: 707

Lia, B., Dobkins, K.R., Palmer, J. and Teller, D.Y. Infants code the direction of chromatic quadrature motion, 39: 1783

THABET, R.

Stromeyer, C.F. III, Thabet, R., Chaparro, A. and Kronauer, R.E. Spatial masking does not reveal mechanisms selective to combined luminance and red-green color, 39: 2099

THIER, P.

Ilg, U.J. and Thier, P. Eye movements of rhesus monkeys directed towards *imaginary* targets, 39: 2143

THOMAS, J.P.

Olzak, L.A. and Thomas, J.P. Neural recoding in human pattern vision: model and mechanisms, 39: 231
Thomas, J.P., Fagerholm, P. and Bonnet, C. One spatial filter limits speed of detecting low and middle frequency gratings, 39: 1683
THOMPSON, A.M.
Thompson, A.M. and Nawrot, M. Abnormal depth perception from motion parallax in amblyopic observers, 39: 1407
TIIPPANA, K.
Tiippana, K. and Näsänen, R. Spatial-frequency bandwidth of perceived contrast, 39: 3399
TIMNEY, B.
Timney, B. and Keil, K. Local and global stereopsis in the horse, 39: 1861
TOKUDA, M.
Tsumura, T., Murata A., Yamaguchi, F., Sugimoto, K., Hasegawa, E., Hatase, O., Nairn, A.C. and Tokuda, M. The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation, 39: 3165
TOMMASI, L.
Tommasi, L. and Vallortigara, G. Figure ground segregation modulates perceived direction of ambiguous moving gratings and plaids, 39: 777
TORNOW, R.P.
Tornow, R.P., Stilling, R. and Zrenner, E. Scanning laser densitometry and color perimetry demonstrate reduced photopigment density and sensitivity in two patients with retinal degeneration, 39: 3630
TORRIENTE, I.
Torriente, I., Valdes-Sosa, M., Ramirez, D. and Bobes, M.A. Visual evoked potentials related to motion-onset are modulated by attention, 39: 4122
TREGEAR, S.J.
Schefrin, B.E., Tregear, S.J., Harvey, L.O. Jr., and Werner, J.S. Senescent changes in scotopic contrast sensitivity, 39: 3728
Schefrin, B.E., Tregear, S.J., Harvey, L.O. Jr., and Herbert, A.M. Discriminating mirror symmetry in foveal and extra-foveal vision, 39: 3737
TREUE, S.
Rauber, H.-J. and Treue, S. Revisiting motion repulsion: evidence for a general phenomenon?, 39: 3187
TRIPATHY, S.P.
Tripathy, S.P. and Levi, D.M. Looking behind a pathological blind spot in human retina, 39: 1917
Tripathy, S.P., Mussap, A.J. and Barlow, H.B. Detecting collinear dots in noise, 39: 4161
TRIVIÑO, A.
Ramírez, J.M., Triviño, A., De Hoz, R., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Immunohistochemical study of rabbit choroidal innervation, 39: 1249
TRÖGER, B.
Guenther, E., Tröger, B., Schlosshauer, B. and Zrenner, E. Long-term survival of retinal cell cultures on retinal implant materials, 39: 3988
TROJE, N.F.
Troje, N.F., Huber, L., Loidolt, M., Aust, U. and Fieder, M. Categorical learning in pigeons: the role of texture and shape in complex static stimuli, 39: 353
TSCHOPP, C.
Tschopp, C., Viviani, P., Reicherts, M., Bullinger, A., Rudaz, N., Mermoud, C. and Safran, A.B. Does visual sensitivity improve between 5 and 8 years? A study of automated visual field examination, 39: 1107
TSUMURA, T.
Tsumura, T., Murata A., Yamaguchi, F., Sugimoto, K., Hasegawa, E., Hatase, O., Nairn, A.C. and Tokuda, M. The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation, 39: 3165
TURANO, K.A.
Turano, K.A. and Heidenreich, S.M. Eye movements affect the perceived speed of visual motion, 39: 1177

Kim, J. and Turano, K.A. Optimal spatial frequencies for discrimination of motion direction in optic flow patterns, 39: 3175
TYLER, C.W.
Polat, U. and Tyler, C.W. What pattern the eye sees best, 39: 887
Kontsevich, L.L and Tyler, C.W. Nonlinearities of near-threshold contrast transduction, 39: 1869
Kontsevich, L.L. and Tyler, C.W. Bayesian adaptive estimation of psychometric slope and threshold, 39: 2729
TZEKOV, R.
Arden, G., Wolf, J., Berninger, T., Hogg, C.R., Tzekov, R. and Holder, G.E. S-cone ERGs elicited by a simple technique in normals and in tritanopes, 39: 641

UCHIKAWA, K.
Sato, M. and Uchikawa, K. Increment-threshold spectral sensitivity during saccadic eye movements in uniform visual field, 39: 3951
UKA, T.
Uka, T., Tanaka, H., Kato, M. and Fujita, I. Behavioral evidence for visual perception of 3-dimensional surface structures in monkeys, 39: 2399
UKKONEN, O.I.
Derrington, A.M. and Ukkonen, O.I. Second-order motion discrimination by feature-tracking, 39: 1465
UKWADE, M.T.
Patel, S.S., Bedell, H.E. and Ukwade, M.T. Vernier judgments in the absence of regular shape information, 39: 2349
Ukwade, M.T. and Bedell, H.E. Stereothresholds in persons with congenital nystagmus and in normal observers during comparable retinal image motion, 39: 2963
UNNIKRISHNAN, K.P.
Sastry, P.S., Shah, S., Singh S. and Unnikrishnan, K.P. Role of feedback in mammalian vision: a new hypothesis and a computational model, 39: 131

VAINA, L.M.
Clifford, C.W.G. and Vaina, L.M. A computational model of selective deficits in first and second-order motion processing, 39: 113
Clifford, C.W.G., Beardsley, S.A. and Vaina, L.M. The perception and discrimination of speed in complex motion, 39: 2213
VALDES-SOSA, M.
Torriente, I., Valdes-Sosa, M., Ramirez, D. and Bobes, M.A. Visual evoked potentials related to motion-onset are modulated by attention, 39: 4122
VALLORTIGARA, G.
Tommasi, L. and Vallortigara, G. Figure ground segregation modulates perceived direction of ambiguous moving gratings and plaids, 39: 777
VANDENBUSSCHE, E.
Vleugels, L., Charlier, M., van Nunen, A., Lafosse, C., Vogels, R., Ketelaer, P. and Vandenbussche, E. Temporal resolution deficits in the visual fields of MS patients, 39: 2429
VASSILEV, A.
Mihaylova, M., Stomonyakov, V. and Vassilev, A. Peripheral and central delay in processing high spatial frequencies: reaction time and VEP latency studies, 39: 699
VERDON, W.A.
Haegerstrom-Portnoy, G. and Verdon, W.A. Rods induce transient tritanopia in blue cone monochromats, 39: 2275
VERGHESE, P.
Verghese, P., Watamaniuk, S.N.J., McKee, S.P. and Grzywacz, N.M. Local motion detectors cannot account for the detectability of an extended trajectory in noise, 39: 19
VERSTRATEN, F.A.J.

Verstraten, F.A.J., van der Smagt, M.J., Fredericksen, R.E. and van de Grind, W. Integration after adaptation to transparent motion: static and dynamic test patterns result in different aftereffect directions, 39: 803
VERWEIJ, J.
Verweij, J, Dacey, D.M., Peterson, B.B. and Buck, S.L. Sensitivity and dynamics of rod signals in H1 horizontal cells of the macaque monkey retina, 39: 3662
VETTER, T.
O'Toole, A.J., Vetter, T. and Blanz, V. Three-dimensional shape and two-dimensional surface reflectance contributions to face recognition: an application of three-dimensional morphing, 39: 3145
VICTOR, J.D.
Victor, J.D. and Conte, M.M. Short-range vernier acuity: interactions of temporal frequency, temporal phase, and stimulus polarity, 39: 3351
VISWANATHAN, S.
Hood, D.C., Greenstein, V., Frishman, L., Holopigian, K., Viswanathan, S., Seiple, W., Ahmed, J. and Robson, J.G. Identifying inner retinal contributions to the human multifocal ERG, 39: 2285
VITAL-DURAND, F.
Distler, C., Vital-Durand, F., Korte, R., Korbmacher, H. and Hoffmann, K.-P. Development of the optokinetic system in macaque monkeys, 39: 3909
VIVIANI, P.
Tschopp, C., Viviani, P., Reicherts, M., Bullinger, A., Rudaz, N., Mermoud, C. and Safran, A.B. Does visual sensitivity improve between 5 and 8 years? A study of automated visual field examination, 39: 1107
VLADUSICH, T.
Broerse, J., Vladusich, T. and O'Shea, R.P. Colour at edges and colour spreading in McCollough effects, 39: 1305
VLEUGELS, L.
Vleugels, L., Charlier, M., van Nunen, A., Lafosse, C., Vogels, R., Ketelaer, P. and Vandenbussche, E. Temporal resolution deficits in the visual fields of MS patients, 39: 2429
VOGELS, R.
Vleugels, L., Charlier, M., van Nunen, A., Lafosse, C., Vogels, R., Ketelaer, P. and Vandenbussche, E. Temporal resolution deficits in the visual fields of MS patients, 39: 2429
VOS, P.G.
van Assen, M.A. and Vos, P.G. Evidence for curvilinear interpolation from dot alignment judgements, 39: 4378

WAGNER, H.J.
Kröger, R.H.H., Bowmaker, J.K. and Wagner, H.J. Morphological changes in the retina of *Aequidens pulcher* (Cichlidae) after rearing in monochromatic light, 39: 2441
WAINWRIGHT, M.J.
Wainwright, M.J. Visual adaptation as optimal information transmission, 39: 3960
WANDELL, B.A.
Chichilnisky, E.J. and Wandell, B.A. Trichromatic opponent color classification, 39: 3444
WANG, H.-H.
Yang, C.-Y. and Wang, H.-H. Anatomical and electrophysiological evidence for GABAergic bipolar cells in tiger salamander retina, 39: 3653
WANG, R.F
Cutting, J.E., Wang, R.F., Flückiger, M. and Baumberger, B. Human heading judgments and object-based motion information, 39: 1079
WANG, Y.-Z.
Hess, R.F., Wang, Y.-Z., Demanins, R., Wilkinson, F. and Wilson, H.R. A deficit in strabismic amblyopia for global shape detection, 39: 901
Demanins, R., Wang, Y.-Z. and Hess, R.F. The neural deficit in strabismic amblyopia: sampling considerations, 39: 3575

Hess, R.F., Wang, Y.-Z. and Dakin, S.C. Are judgements of circularity local or global?, 39: 4354
WARRANT, E.J.
Warrant, E.J. Seeing better at night: life style, eye design and the optimum strategy of spatial and temporal summation, 39: 1611
WARREN, D.J.
Normann, R.A., Maynard, E.M., Rousche, P.J. and Warren, D.J. A neural interface for a cortical vision prosthesis, 39: 2577
WATAMANIUK, S.N.J.
Verghese, P., Watamaniuk, S.N.J., McKee, S.P. and Grzywacz, N.M. Local motion detectors cannot account for the detectability of an extended trajectory in noise, 39: 19
Watamaniuk, S.N.J. and Heinen, S.J. Human smooth pursuit direction discrimination, 39: 59
WATANABE, S.
Shimazu, K., Miyake, Y. and Watanabe, S. Retinal ganglion cell response properties in the transcorneal electrically evoked response of the visual system, 39: 2251
WATSON, A.B.
Solomon, J.A., Watson, A.B. and Morgan, M.J. Transducer model produces facilitation from opposite-sign flanks, 39: 987
WEALE, R.A.
Weale, R.A. On potential causes of presbyopia, 39: 1263
WEHRHAHN, C.
Westheimer, G., Brincat, S. and Wehrhahn, C. Contrast dependency of foveal spatial functions: orientation, vernier, separation, blur and displacement discrimination and the tilt and Poggendorff illusions, 39: 1631
WEI, J.
Barnes, C.S. Wei, J. and Shevell, S.K. Chromatic induction with remote chromatic contrast varied in magnitude, spatial frequency, and chromaticity, 39: 3561
WEILAND, J.D.
Humayun, M.S., de Juan, E. Jr., Weiland, J.D., Dagnelie, G., Katona, S., Greenberg, R. and Suzuki, S. Pattern electrical stimulation of the human retina, 39: 2569
WEISS, S.
Zrenner, E., Stett, A., Weiss, S., Aramant, R.B., Guenther, E., Kohler, K., Miliczek, K.-D., Seiler, M.J. and Haemmerle, H. Can subretinal microphotodiodes successfully replace degenerated photoreceptors?, 39: 2555
WELLS, S.G.
Wells, S.G. and Barnes, G.R. Predictive smooth pursuit eye movements during identification of moving acuity targets, 39: 2767
WELSH, A.H.
Maddess, T., Goldberg, I., Dobinson, J., Wine, S., Welsh, A.H. and James, A.C. Testing for glaucoma with the spatial frequency doubling illusion, 39: 4258
WENDEROTH, P.
Smith, S. and Wenderoth, P. Large repulsion, but not attraction, tilt illusions occur when stimulus parameters selectively favour either transient (M-like) or sustained (P-like) mechanisms, 39: 4113
Clifford, C.W.G. and Wenderoth, P. Adaptation to temporal modulation can enhance differential speed sensitivity, 39: 4324
WENZEL, A.
Hafezi, F., Marti, A., Grimm C., Wenzel, A. and Remé, C.E. Differential DNA binding activities of the transcription factors AP-1 and Oct-1 during light-induced apoptosis of photoreceptors, 39: 2511
WERNER, J.S.
Shinomori, K., Spillmann, L. and Werner, J.S. S-cone signals to temporal OFF-channels: asymmetrical connections to postreceptoral chromatic mechanisms, 39: 39
Bieber, M.L., Kraft, J.M. and Werner, J.S. Effects of known variations in photopigments on *L/M* cone ratios estimated from luminous efficiency functions. *Vision Research* 38:1961 Errata, 39: 410
Schefrin, B.E., Tregear, S.J., Harvey, L.O. Jr., and Werner, J.S. Senescent changes in scotopic contrast sensitivity, 39: 3728
WESTCOTT, M.C.

Westcott, M.C., Fitzke, F.W., Crabb, D.P. and Hitchings, R.A. Characteristics of frequency-of-seeing curves for a motion stimulus in glaucoma eyes, glaucoma suspect eyes, and normal eyes, 39: 631
WESTEN, M.J.
von Leeuwen, A.F., Westen, M.J., van der Steen, J., de Faber, J.-T.H.N. and Collewijn, H. Gaze-shift dynamics in subject with and without symptoms of convergence insufficiency: influence of monocular preference and the effect of training, 39: 3095
WESTHEIMER, G.
Westheimer, G., Brincat, S. and Wehrhahn, C. Contrast dependency of foveal spatial functions: orientation, vernier, separation, blur and displacement discrimination and the tilt and Poggendorff illusions, 39: 1631
WHITAKER, D.
Whitaker, D., McGraw, P.V. and Pearson, S. Non-veridical size perception of expanding and contracting objects, 39: 2999
Barrett, B.T., Whitaker, D. and Bradley, A. Vernier acuity with compound gratings: the whole is equal to the better of its parts, 39: 3681
WILCOX, L.M.
Wilcox, L.M. First and second-order contributions to surface interpolation, 39: 2335
WILKIE, S.E.
Das, D., Wilkie, S.E., Hunt, D.M. and Bowmaker, J.K. Visual pigments and oil droplets in the retina of a passerine bird, the canary *Serinus canaria:* microspectrophotometry and opsin sequences, 39: 2801
WILKINSON, F.
Hess, R.F., Wang, Y.-Z., Demanins, R., Wilkinson, F. and Wilson, H.R. A deficit in strabismic amblyopia for global shape detection, 39: 901
WILLIAMS, C.
Cowey, A., Stoerig, P. and Williams, C. Variance in transneuronal retrograde ganglion cell degeneration in monkeys after removal of striate cortex: effects of size of the cortical lesion, 39: 3642
WILLIAMS, C.B.
Dakin, S.C., Williams, C.B. and Hess, R.F. The interaction of first- and second-order cues to orientation, 39: 2867
Demanins, R., Hess, R.F., Williams, C.B. and Keeble, D.R.T. The orientation discrimination deficit in strabismic amblyopia depends upon stimulus bandwidth, 39: 4018
WILLIAMSON, J.R.
Grossberg, S. and Williamson, J.R. A self-organizing neural system for learning to recognize textured scenes, 39: 1385
WILSON, H.R.
Rohaly, A.M. and Wilson, H.R. The effects of contrast on perceived depth and depth discrimination, 39: 9
Wilson, H.R. and Kim, J. Dynamics of a divisive gain control in human vision. *Vision Research* 38:2735 Errata, 39: 409
Hess, R.F., Wang, Y.-Z., Demanins, R., Wilkinson, F. and Wilson, H.R. A deficit in strabismic amblyopia for global shape detection, 39: 901
WILSON, J.M.
Dudus, L., Anand, V., Acland, G.M., Chen, S.-J., Wilson, J.M., Fisher, K.J., Maguire, A.M. and Bennett, J. Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV, 39: 2545
WINE, S.
Maddess, T., Goldberg, I., Dobinson, J., Wine, S., Welsh, A.H. and James, A.C. Testing for glaucoma with the spatial frequency doubling illusion, 39: 4258
WOLF, J.
Arden, G., Wolf, J., Berninger, T., Hogg, C.R., Tzekov, R. and Holder, G.E. S-cone ERGs elicited by a simple technique in normals and in tritanopes, 39: 641
WOLFE, J.M.
Wolfe, J.M., Klempen, N.L. and Shulman, E.P. Which end is up? Two representation of orientation in visual search, 39: 2075
WOLFSON, S.S.

Wolfson, S.S. and Landy, M.S. Long range interactions between oriented texture elements, 39: 933
WRIGHT, M.J.
Wright, M.J. and Gurney, K.N. Visual discrimination of direction changes based upon two types of angular motion, 39: 1927

YAMAGUCHI, F.
Tsumura, T., Murata A., Yamaguchi, F., Sugimoto, K., Hasegawa, E., Hatase, O., Nairn, A.C. and Tokuda, M. The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation, 39: 3165
YAMAGUCHI, T.
Crognale, M.A., Teller, D.Y., Yamaguchi, T., Motulsky, A.G. and Deeb, S.S. Analysis of red/green color discrimination in subjects with a single X-linked photopigment gene, 39: 707
YANG, C.-Y.
Yang, C.-Y. and Wang, H.-H. Anatomical and electrophysiological evidence for GABAergic bipolar cells in tiger salamander retina, 39: 3653
YANG, J.
Stevenson, S.B., Reed, P.E. and Yang, J. The effect of target size and eccentricity on reflex disparity vergence, 39: 823
Yang, J. and Stevenson, S.B. Post-retinal processing of background luminance, 39: 4045
YESHURUN, Y.
Yeshurun, Y. and Carrasco, M. Spatial attention improves performance in spatial resolution tasks, 39: 293
YOUNG, R.S.L.
Kimura, E. and Young, R.S.L. S-cone contribution to pupillary responses evoked by chromatic flash offset, 39: 1189
YU, C.
Yu, C. and Levi, D.M. The time course of psychophysical end-stopping, 39: 2063
YUAN, W.
Munoz, P., Semmlow, J.L., Yuan, W. and Alvarez, T.L. Short term modification of disparity vergence eye movements, 39: 1695

ZANKER, J.M.
Zanker, J.M. Perceptual learning in primary and secondary motion vision, 39: 1293
Zanker, J.M. and Braddick, O.J. How does noise influence the estimation of speed?, 39: 2411
ZEE, D.S.
Averbuch-Heller, L., Lewis, R.F. and Zee, D.S. Disconjugate adaptation of saccades: contribution of binocular and monocular mechanisms, 39: 341
ZEMANY, L.
Zemany, L., Stromeyer, C.F. III, Chaparro, A. and Kronauer, R.E. Motion detection on flashed, stationary pedestal gratings: evidence for an opponent-motion mechanism. *Vision Research* 38:795 Erratum, 39: 4419
ZIEBELL, O.
Ziebell, O. and Nothdurft, H.-C. Cueing and pop-out, 39: 2113
ZIEGLER, L.R.
Hess, R.F., Kingdom, F.A.A. and Ziegler, L.R. On the relationship between the spatial channels for luminance and disparity processing, 39: 559
Ziegler, L.R. and Hess, R.F. Stereoscopic depth but not shape perception from second-order stimuli, 39: 1491
ZRENNER, E.
Kurtenbach, A., Schiefer, U., Neu, A. and Zrenner, E. Development of brightness matching and colour vision deficits in juvenile diabetics, 39: 1221
Eckstein, A. and Zrenner, E. Reply to Dr. Kashani, 39: 2028

Baehr, W., Spekreijse, H. and Zrenner, E. Editorial, 39: 2439
Guenther, E., Schmid, S., Reiff, D. and Zrenner, E. Maturation of intrinsic membrane properties in rat retinal ganglion cells, 39: 2477
Zrenner, E., Stett, A., Weiss, S., Aramant, R.B., Guenther, E., Kohler, K., Miliczek, K.-D., Seiler, M.J. and Haemmerle, H. Can subretinal microphotodiodes successfully replace degenerated photoreceptors?, 39: 2555
Tornow, R.P., Stilling, R. and Zrenner, E. Scanning laser densitometry and color perimetry demonstrate reduced photopigment density and sensitivity in two patients with retinal degeneration, 39: 3630
Guenther, E., Tröger, B., Schlosshauer, B. and Zrenner, E. Long-term survival of retinal cell cultures on retinal implant materials, 39: 3988

SUBJECT INDEX

ABERRATION
Residual vision in the blind field of hemidecorticated humans predicted by a diffusion scatter model and selective spectral absorption of the human eye 39: 149
Off-axis monochromatic aberrations estimated from double pass measurements in the human eye 39: 207
Regulation of the mechanical properties of tree shrew sclera by the visual environment 39: 387
Colour at edges and colour spreading in McCollough effects 39: 1305
The refractive development of untreated eyes of rhesus monkeys varies according to the treatment received by their fellow eyes 39: 1749
Biometric, optimal and physical changes in the isolated human crystalline lens with age in relation to presbyopia 39: 1991
Measurement of the eye's near infrared wave-front aberration using the objective crossed-cylinder aberroscope technique 39: 2031
The depth-of-field of the human eye from objective and subjective measurements 39: 2039
A wide-angle gradient index optical model of the crystalline lens and eye of the octopus 39: 2841
Nystagmus induced by pharmacological inactivation of the brainstem ocular motor integrator in monkey 39: 4286
A new approach to the study of ocular chromatic aberrations 39: 4309

ABSOLUTE THRESHOLD (*see* DETECTION THRESHOLD)

ACCOMMODATION
Mechanics of accommodation of the human eye 39: 1591
Biometric, optimal and physical changes in the isolated human crystalline lens with age in relation to presbyopia 39: 1991
Characteristics of accommodation toward apparent depth 39: 2087
Saccades reduce latency and increase velocity of ocular accommodation 39: 3769

ACUITY (*see also* HYPERACUITY; STEREOPSIS)
Behavioural visual acuity of wild type and *bcl2* transgenic mouse 39: 569
Coherence and the judgment of spatial displacements in retinitis pigmentosa 39: 2267
Predictive smooth pursuit eye movements during identification of moving acuity targets 39: 2767
Use of an early nonlinearity to measure optical and receptor resolution in the human infant 39: 3386
Foveal and peripheral thresholds for detection and resolution of vanishing optotype tumbling Es 39: 4141

ADAPTATION
Orientation discrimination and tilt aftereffects with luminance and illusory contours 39: 765
Integration after adaptation to transparent motion: static and dynamic test patterns result in different aftereffect directions 39: 803
Short term modification of disparity vergence eye movements 39: 1695
Spatial sensitization of increments and decrements: a border-contrast process and a net-excitation process 39: 1847
Enhanced motion aftereffect for complex motions 39: 2229
Long-term changes in retinal contrast sensitivity in chicks from frosted occluders and drugs: relations to myopia? 39: 2499
Adaptation and the temporal delay filter of fly motion detectors 39: 2603
A neural model of saccadic eye movement control explains task-specific adaptation 39: 3123
Revisiting motion repulsion: evidence for a general phenomenon? 39: 3187
Visual completion of partly occluded grating in infants under 1 month of age 39: 3586
Is the size aftereffect direction selective? 39: 3592
Adapting to expansion increases perceived time-to-collision 39: 3602
Bezold-Brucke hue-shift as functions of luminance level, luminance ratio, interstimulus interval and adapting white for aperture and object colors 39: 3873

PII: S0042-6989(99)00232-1

Unique and binary hues as functions of luminance and illuminant color temperature, and relations with invariant hues 39: 3892
Visual adaptation as optimal information transmission 39: 3960
Adaptation of torsional eye alignment in relation to head roll 39: 4192
Adaptation to temporal modulation can enhance differential speed sensitivity 39: 4324

ADAPTATION, DARK
The effects of temperature on the dark-adapted spectral sensitivity function of the adult zebrafish 39: 1051
Aging and dark adaptation 39: 3975

ADAPTATION, LIGHT
The effects of temporal noise and retinal illuminance on foveal flicker sensitivity 39: 533
Post-retinal processing of background luminance 39: 4045

ADAPTATION, MOTION
Time course of motion adaptation: motion-onset visual evoked potentials and subjective estimates 39: 437

ADAPTATION, SPATIAL
Disconjugate adaptation of saccades: contribution of binocular and monocular mechanisms 39: 341
Second-site adaptation in the red-green detection pathway: only elicited by low-spatial-frequency test stimuli 39: 3011

AFTEREFFECTS (*see also* ILLUSION; PERSISTENCE)
Time course of motion adaptation: motion-onset visual evoked potentials and subjective estimates 39: 437
Orientation discrimination and tilt aftereffects with luminance and illusory contours 39: 765
Integration after adaptation to transparent motion: static and dynamic test patterns result in different aftereffect directions 39: 803
Colour at edges and colour spreading in McCollough effects 39: 1305
Enhanced motion aftereffect for complex motions 39: 2229
Non-veridical size perception of expanding and contracting objects 39: 2999
Afterimages, grating induction and illusory phantoms 39: 3025
Is the size aftereffect direction selective? 39: 3592
The stereoscopic (cyclopean) motion aftereffect is selective for spatial frequency and orientation of disparity modulation 39: 3745
Visual adaptation as optimal information transmission 39: 3960

AFTERIMAGES (*see* AFTEREFFECTS)

AGING
Biometric, optimal and physical changes in the isolated human crystalline lens with age in relation to presbyopia 39: 1991
The effects of ageing on reaction times to motion onset 39: 2157
Pattern electrical stimulation of the human retina 39: 2569
Senescent changes in scotopic contrast sensitivity 39: 3728
Aging and dark adaptation 39: 3975

ALIASING
Sparse-sampling of gratings in the visual cortex of strabismic amblyopes 39: 3526
Foveal and peripheral thresholds for detection and resolution of vanishing optotype tumbling Es 39: 4141
Depth aliasing by the transient-stereopsis system 39: 4333

ALIGNMENT (*see* HYPERACUITY)

AMACRINE CELLS
Colchicine causes excessive ocular growth and myopia in chicks 39: 685
Quantitative estimations of foveal and extra-foveal retinal circuitry in humans 39: 2987

AMBLYOPIA
Orientation-based texture segmentation in strabismic amblyopia 39: 411
Position jitter and undersampling in pattern perception 39: 445
A deficit in strabismic amblyopia for global shape detection 39: 901
Abnormal depth perception from motion parallax in amblyopic observers 39: 1407
Assessment of cortical dysfunction in human strabismic amblyopia using magnetoencephalography (MEG) 39: 1723
A comment on 'photoreceptor function in unilateral amblyopia' 39: 2311
Sparse-sampling of gratings in the visual cortex of strabismic amblyopes 39: 3526
The neural deficit in strabismic amblyopia: sampling considerations 39: 3575
The orientation discrimination deficit in strabismic amblyopia depends upon stimulus bandwidth 39: 4018
Factors limiting contrast sensitivity in experimentally amblyopic macaque monkeys 39: 4152

ANTIBODIES (*see* IMMUNOCHEMISTRY)

APPARENT MOTION (*see* MOTION PERCEPTION (APPARENT MOTION))

ATTENTION
Attentional interference at small spatial separations 39: 71
Spatial attention improves performance in spatial resolution tasks 39: 293
Spatial attention and latencies of saccadic eye movements 39: 585
Search for feature and for relative position: measurement of capacity limitations 39: 1321
Stereoscopic depth but not shape perception from second-order stimuli 39: 1491
Temporal constraints on the grouping of contour segments into spatially extended objects 39: 1509
Visual attention modifies spectral sensitivity of nystagmic eye movements 39: 1551
Saccades require focal attention and are facilitated by a short-term memory system 39: 1555
An optimal estimation approach to visual perception and learning 39: 1963
Focal attention in visual search 39: 2305
Predictive smooth pursuit eye movements during identification of moving acuity targets 39: 2767
Shapes, surfaces and saccades 39: 2929
Electrophysiological evidence for an early attentional mechanism in visual processing in humans 39: 2975
Flicker and the efficiency of cues for capturing attention 39: 3241
Spatial facilitation by color and luminance edges: boundary, surface, and attentional factors 39: 3431
Modification of smooth pursuit initiation by target contrast 39: 3459
The Fröhlich effect: a consequence of the interaction of visual focal attention and metacontrast 39: 3702
Visual evoked potentials related to motion-onset are modulated by attention 39: 4122

BINOCULAR RIVALRY (*see also* SUPPRESSION)
Configuration saliency revealed in short duration binocular rivalry 39: 271
Rival ideas about binocular rivalry 39: 1447
Grouping visual features during binocular rivalry 39: 4341

BINOCULAR VISION
Disconjugate adaptation of saccades: contribution of binocular and monocular mechanisms 39: 341

The influence of large scanning eye movements on stereoscopic slant estimation of large surfaces 39: 467
An orientation anisotropy in the effects of scaling vertical disparities 39: 481
Stereopsis based on monocular gaps: metrical encoding of depth and slant without matching contours 39: 493
On the relationship between the spatial channels for luminance and disparity processing 39: 559
Orientation and luminance polarity tuning of the transient-vergence system 39: 575
Fixation disparity and nonius bias 39: 669
The effect of target size and eccentricity on reflex disparity vergence 39: 823
Global motion processing is not tuned for binocular disparity 39: 961
Instability of torsion during smooth asymmetric vergence 39: 993
Evidence for a mechanism sensitive to the speed of cyclopean form 39: 1011
Horizontal and vertical disparity, eye position, and stereoscopic slant perception 39: 1143
Remodelling colour contrast: implications for visual processing and colour representation 39: 1329
Stereopsis, cyclovergence and the backwards tilt of the vertical horopter 39: 1347
Computational analysis of disparity modulation sensitivity: an explanation in terms of a Bayesian surface reconstruction 39: 1881
Dichoptically cancelled motion 39: 2293
Wondering about the wandering cyclopean eye 39: 2381
Sensitivity to horizontal and vertical corrugations defined by binocular disparity 39: 3049
Bias and sensitivity of stereo judgements in the presence of a slanted reference plane 39: 3057
Gaze-shift dynamics in subject with and without symptoms of convergence insufficiency: influence of monocular preference and the effect of training 39: 3095
Adapting to expansion increases perceived time-to-collision 39: 3602
The stereoscopic (cyclopean) motion aftereffect is selective for spatial frequency and orientation of disparity modulation 39: 3745
Neural dynamics of binocular brightness perception 39: 3796
Post-retinal processing of background luminance 39: 4045
Perceived visual direction near an occluder 39: 4085

BIPOLAR CELLS
Analysis of pharmacologically isolated components of the ERG 39: 1759
The feedback pathway from horizontal cells to cones: a mini review with a look ahead 39: 2449
Synaptic mechanisms of bipolar cell terminals 39: 2469
Anatomical and electrophysiological evidence for GABAergic bipolar cells in tiger salamander retina 39: 3653

BRIGHTNESS PERCEPTION
A two-dimensional model of brightness perception based on spatial filtering consistent with retinal processing 39: 1199
Development of brightness matching and colour vision deficits in juvenile diabetics 39: 1221
Neural dynamics of binocular brightness perception 39: 3796
A multiscale spatial filtering account of the White effect, simultaneous brightness contrast and grating induction 39: 4361

BROCA-SULZER EFFECT (*see* BRIGHTNESS PERCEPTION)

CHANNELS
S-cone signals to temporal OFF-channels: asymmetrical connections to postreceptoral chromatic mechanisms 39: 39
On the relationship between the spatial channels for luminance and disparity processing 39: 559
A model for the depth-dependence of receptive field size and contrast sensitivity of cells in layer 4C of macaque striate cortex 39: 613

One spatial filter limits speed of detecting low and middle frequency gratings 39: 1683
A comparison of the dynamics of simple (Fourier) and complex (non-Fourier) mechanisms in texture segregation 39: 1943
Apparent fineness of stationary compound gratings 39: 3404

CHROMATIC ABERRATION (*see* ABERRATION)

CHROMATIC ADAPTATION (*see* ADAPTATION)

CHROMATIC CONTRAST (*see* COLOR CONTRAST)

CHROMATIC INDUCTION (*see* COLOR CONTRAST)

CLINICAL APPLICATIONS
The optic nerve head component of the human ERG 39: 419
Spatio-temporal contrast sensitivity, coherent motion, and visible persistence in developmental dyslexia 39: 651
Reading with central field loss: number of letters masked is more important than the size of the mask in degrees 39: 747
Word ambiguity and the optimal viewing position in reading 39: 843
Combined use of several preferred retinal loci in patients with macular disorders when reading single words 39: 873
Reading with simulated scotomas: attending to the right is better than attending to the left 39: 1039
Retinal ganglion cell dysfunction in humans following post-geniculate lesions: specific spatio-temporal losses revealed by pattern ERG 39: 1739
Models for the description of angioscotomas 39: 1889
Angioscotoma detection with fundus-oriented perimetry. A study with dark and bright stimuli of different size 39: 1897
Dominant frequency content of ocular microtremor from normal subjects 39: 1911
Identifying inner retinal contributions to the human multifocal ERG 39: 2285
Maturation of the pattern-reversal VEP in human infants: a theoretical framework 39: 3673
Long-term survival of retinal cell cultures on retinal implant materials 39: 3988
Testing for glaucoma with the spatial frequency doubling illusion 39: 4258
The effects of simulated cataract on reading with normal vision and simulated central scotoma 39: 4274
Eye movement control in reading: accounting for initial fixation locations and refixations within the E-Z Reader model 39: 4403

COGNITION
Amodal representation depends on the object seen before partial occlusion 39: 283
Early visual impairment is independent of the visuocognitive and memory disturbances in Alzheimer's disease 39: 2261
Idiosyncratic characteristics of saccadic eye movements when viewing different visual environments 39: 2947
Eye and head coordination in reading: roles of head movement and cognitive control 39: 3761

COLOR APPEARANCE
S-cone signals to temporal OFF-channels: asymmetrical connections to postreceptoral chromatic mechanisms 39: 39
Colour at edges and colour spreading in McCollough effects 39: 1305
Simultaneous color constancy: how surface color perception varies with the illuminant 39: 1531
A back-propagation neural network predicts absorption maxima of chimeric human red/green visual pigments 39: 1707
Chromatic induction with remote chromatic contrast varied in magnitude, spatial frequency, and chromaticity 39: 3561

Bezold-Brucke hue-shift as functions of luminance level, luminance ratio, interstimulus interval and adapting white for aperture and object colors 39: 3873
Unique and binary hues as functions of luminance and illuminant color temperature, and relations with invariant hues 39: 3892

COLOR BLINDNESS (*see* MONOCHROMACY)

COLOR CONTRAST
Evidence for the stochastic independence of the blue-yellow, red-green and luminance detection mechanisms revealed by subthreshold summation 39: 733
The oblique effect with colour defined motion throughout the visual field 39: 757
Remodelling colour contrast: implications for visual processing and colour representation 39: 1329
Morphology of transient VEPs to luminance and chromatic pattern onset and offset 39: 1577
Assessment of cortical dysfunction in human strabismic amblyopia using magnetoencephalography (MEG) 39: 1723
Comparison of color and luminance contrast: apples *versus* oranges? 39: 1823
On the apparent collapse of stereopsis in random-dot-stereograms at isoluminance 39: 2127
The effects of ageing on reaction times to motion onset 39: 2157
Color and luminance in the perception of 1- and 2-dimensional motion 39: 2633
Velocity tuned mechanisms in human motion processing 39: 3267
Effect of contrast on detection of motion of chromatic and luminance targets: retina-relative and object-relative movement 39: 3346
Spatial facilitation by color and luminance edges: boundary, surface, and attentional factors 39: 3431
Chromatic induction with remote chromatic contrast varied in magnitude, spatial frequency, and chromaticity 39: 3561
Bezold-Brucke hue-shift as functions of luminance level, luminance ratio, interstimulus interval and adapting white for aperture and object colors 39: 3873
Unique and binary hues as functions of luminance and illuminant color temperature, and relations with invariant hues 39: 3892
Position-based motion perception for color texture stimuli: effects of contrast and speed 39: 4172

COLOR DISCRIMINATION
Development of brightness matching and colour vision deficits in juvenile diabetics 39: 1221
Infants code the direction of chromatic quadrature motion 39: 1783
Convex hull test of the linear separability hypothesis in visual search 39: 2681
Effect of the tuberculostaticum ethambutol and stimulus intensity on chromatic discrimination in man 39: 2955
Infant temporal contrast sensitivity functions (tCSFs) mature earlier for luminance than for chromatic stimuli: evidence for precocious magnocellular development? 39: 3223

COLOR MATCHING
The spectral sensitivity of the human short-wavelength sensitive cones derived from thresholds and color matches 39: 2901
L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities 39: 3513

COLOR OPPONENCY
Analysis of red/green color discrimination in subjects with a single X-linked photopigment gene 39: 707
The spatial tuning of color and luminance peripheral vision measured with notch filtered noise masking 39: 721
Evidence for the stochastic independence of the blue-yellow, red-green and luminance detection mechanisms revealed by subthreshold summation 39: 733
S-cone contribution to pupillary responses evoked by chromatic flash offset 39: 1189
Development of brightness matching and colour vision deficits in juvenile diabetics 39: 1221
Spatial masking does not reveal mechanisms selective to combined luminance and red-green color 39: 2099

Modelling spatial contrast sensitivity functions for chromatic and luminance-modulated gratings 39: 2387
Morphological changes in the retina of *Aequidens pulcher* (Cichlidae) after rearing in monochromatic light 39: 2441
Latencies and discharge patterns of color-opponent neurons in the rainbow trout optic tectum 39: 2795
Second-site adaptation in the red-green detection pathway: only elicited by low-spatial-frequency test stimuli 39: 3011
Interactions between achromatic and chromatic mechanisms in visual search 39: 3253
Trichromatic opponent color classification 39: 3444
Unique and binary hues as functions of luminance and illuminant color temperature, and relations with invariant hues 39: 3892
Facilitation between the luminance and red-green detection mechanisms: enhancing contrast differences across edges 39: 4098

COLOR SELECTIVITY
Saccades require focal attention and are facilitated by a short-term memory system 39: 1555

CONES
S-cone signals to temporal OFF-channels: asymmetrical connections to postreceptoral chromatic mechanisms 39: 39
S-cone ERGs elicited by a simple technique in normals and in tritanopes 39: 641
S-cone contribution to pupillary responses evoked by chromatic flash offset 39: 1189
Remodelling colour contrast: implications for visual processing and colour representation 39: 1329
Simultaneous color constancy: how surface color perception varies with the illuminant 39: 1531
Visual attention modifies spectral sensitivity of nystagmic eye movements 39: 1551
Comparison of color and luminance contrast: apples *versus* oranges? 39: 1823
Spatial masking does not reveal mechanisms selective to combined luminance and red-green color 39: 2099
Rods induce transient tritanopia in blue cone monochromats 39: 2275
The feedback pathway from horizontal cells to cones: a mini review with a look ahead 39: 2449
Visual pigments and oil droplets in the retina of a passerine bird, the canary *Serinus canaria:* microspectrophotometry and opsin sequences 39: 2801
The spectral sensitivity of the human short-wavelength sensitive cones derived from thresholds and color matches 39: 2901
Quantitative estimations of foveal and extra-foveal retinal circuitry in humans 39: 2987
Second-site adaptation in the red-green detection pathway: only elicited by low-spatial-frequency test stimuli 39: 3011
Visual pigments, cone oil droplets, ocular media and predicted spectral sensitivity in the domestic turkey *(Meleagris gallopavo)* 39: 3321
Rod-cone-interactions in deuteranopic observers: models and dynamics 39: 3372
Trichromatic opponent color classification 39: 3444
L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities 39: 3513
Chromatic induction with remote chromatic contrast varied in magnitude, spatial frequency, and chromaticity 39: 3561
Sensitivity and dynamics of rod signals in H1 horizontal cells of the macaque monkey retina 39: 3662

CONTOUR PERCEPTION
Amodal completion in texture visual evoked potentials 39: 31
Quantitative depth for a phantom surface can be based on cyclopean occlusion cues alone 39: 109
Role of feedback in mammalian vision: a new hypothesis and a computational model 39: 131
Shape and contour detection 39: 551
Orientation discrimination and tilt aftereffects with luminance and illusory contours 39: 765
Contour integration in the peripheral field 39: 947
Stereoscopic occlusion and the aperture problem for motion: a new solution 39: 1273
Colour at edges and colour spreading in McCollough effects 39: 1305

Temporal constraints on the grouping of contour segments into spatially extended objects 39: 1509
Spatial sensitization of increments and decrements: a border-contrast process and a net-excitation process 39: 1847
Sharpness overconstancy: the roles of visibility and current context 39: 2649
The interaction of first- and second-order cues to orientation 39: 2867
Discriminating local continuity in curved figures 39: 3287
Spatial facilitation by color and luminance edges: boundary, surface, and attentional factors 39: 3431
Spatial limitations of temporal segmentation 39: 4052
Facilitation between the luminance and red-green detection mechanisms: enhancing contrast differences across edges 39: 4098
Detection of flickering edges: absence of a red-green edge detector 39: 4186
Evidence for curvilinear interpolation from dot alignment judgements 39: 4378

CONTRAST DISCRIMINATION
The effects of contrast on perceived depth and depth discrimination 39: 9
Neural recoding in human pattern vision: model and mechanisms 39: 231
Neuronal basis of contrast discrimination 39: 257
Noisy templates explain area summation 39: 367
A deficit in strabismic amblyopia for global shape detection 39: 901
How is a grating detected on a narrowband noise masker? 39: 1133
Second-order motion discrimination by feature-tracking 39: 1465
Comparison of color and luminance contrast: apples *versus* oranges? 39: 1823
Nonlinearities of near-threshold contrast transduction 39: 1869
Contrast integration across space 39: 2597
Contrast facilitation in motion detection: evidence for a Reichardt detector in human vision 39: 4217
Testing for glaucoma with the spatial frequency doubling illusion 39: 4258

CONTRAST FLASH (*see* MASKING)

CONTRAST PERCEPTION
Configuration saliency revealed in short duration binocular rivalry 39: 271
Spatial-frequency bandwidth of perceived contrast 39: 3399
Multiple gain control processes in contrast-contrast phenomena 39: 3983
Contrast inconstancy across changes in polarity 39: 4076
Facilitation between the luminance and red-green detection mechanisms: enhancing contrast differences across edges 39: 4098

CONTRAST REVERSAL
Spatio-temporal tuning of VEPs: effect of mode stimulation 39: 3491

CONTRAST SENSITIVITY
Optimal spatial localization is limited by contrast sensitivity 39: 503
Localization and identification tasks rely on different temporal frequencies 39: 513
A model for the depth-dependence of receptive field size and contrast sensitivity of cells in layer 4C of macaque striate cortex 39: 613
Spatio-temporal contrast sensitivity, coherent motion, and visible persistence in developmental dyslexia 39: 651
What pattern the eye sees best 39: 887
Transducer model produces facilitation from opposite-sign flanks 39: 987
Does visual sensitivity improve between 5 and 8 years? A study of automated visual field examination 39: 1107
Seeing better at night: life style, eye design and the optimum strategy of spatial and temporal summation 39: 1611
Contrast dependency of foveal spatial functions: orientation, vernier, separation, blur and displacement discrimination and the tilt and Poggendorff illusions 39: 1631

Temporal sensitivity of human luminance pattern mechanisms determined by masking with temporally modulated stimuli 39: 1641
Context-dependent changes in visual sensitivity induced by Müller-Lyer stimuli 39: 1657
Models for the description of angioscotomas 39: 1889
Angioscotoma detection with fundus-oriented perimetry. A study with dark and bright stimuli of different size 39: 1897
Early visual impairment is independent of the visuocognitive and memory disturbances in Alzheimer's disease 39: 2261
Coherence and the judgment of spatial displacements in retinitis pigmentosa 39: 2267
Development of spatial and temporal vision during childhood 39: 2325
Modelling spatial contrast sensitivity functions for chromatic and luminance-modulated gratings 39: 2387
Long-term changes in retinal contrast sensitivity in chicks from frosted occluders and drugs: relations to myopia? 39: 2499
Sensitivity to modulations of luminance and contrast in visual white noise: separate mechanisms with similar behaviour 39: 2697
Orientation tuning of the transient-stereopsis system 39: 2717
Does early non-linearity account for second-order motion? 39: 2853
Detection of temporal structure depends on spatial structure 39: 3033
Sensitivity to horizontal and vertical corrugations defined by binocular disparity 39: 3049
Infant temporal contrast sensitivity functions (tCSFs) mature earlier for luminance than for chromatic stimuli: evidence for precocious magnocellular development? 39: 3223
Interactions between achromatic and chromatic mechanisms in visual search 39: 3253
Use of an early nonlinearity to measure optical and receptor resolution in the human infant 39: 3386
Modification of smooth pursuit initiation by target contrast 39: 3459
Spatial and temporal vision in patients treated for bilateral congenital cataracts 39: 3480
Sensitivity and dynamics of rod signals in H1 horizontal cells of the macaque monkey retina 39: 3662
Senescent changes in scotopic contrast sensitivity 39: 3728
Concurrent measurement of perceived speed and speed discrimination threshold using the method of single stimuli 39: 3849
Visual adaptation as optimal information transmission 39: 3960
Factors limiting contrast sensitivity in experimentally amblyopic macaque monkeys 39: 4152
Motion contrast: a new metric for direction discrimination 39: 4393

CORTEX
A computational model of selective deficits in first and second-order motion processing 39: 113
Neuronal basis of contrast discrimination 39: 257
Time course of motion adaptation: motion-onset visual evoked potentials and subjective estimates 39: 437
A model for the depth-dependence of receptive field size and contrast sensitivity of cells in layer 4C of macaque striate cortex 39: 613
Texture segregation shows only a very small lower-hemifield advantage 39: 1171
Context-dependent changes in visual sensitivity induced by Müller-Lyer stimuli 39: 1657
Assessment of cortical dysfunction in human strabismic amblyopia using magnetoencephalography (MEG) 39: 1723
Neuronal responses to plaids 39: 2151
Uneven mapping of magnocellular and parvocellular projections from the lateral geniculate nucleus to the striate cortex in the macaque monkey 39: 2179
The perception and discrimination of speed in complex motion 39: 2213
A neural interface for a cortical vision prosthesis 39: 2577
Properties of the flash visual evoked potential recorded in the cat primary visual cortex 39: 2833
The visual physiology of the wild type mouse determined with patterns VEPs 39: 3071
MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection 39: 3465
Sparse-sampling of gratings in the visual cortex of strabismic amblyopes 39: 3526

Variance in transneuronal retrograde ganglion cell degeneration in monkeys after removal of striate cortex: effects of size of the cortical lesion 39: 3642
Post-retinal processing of background luminance 39: 4045

CURVATURE
Shape and contour detection 39: 551
Temporal constraints on the grouping of contour segments into spatially extended objects 39: 1509
Optimal spatial frequencies for discrimination of motion direction in optic flow patterns 39: 3175
Discriminating local continuity in curved figures 39: 3287
The role of convexity in perceptual completion: beyond good continuation 39: 4244
Are judgements of circularity local or global? 39: 4354

DEPTH PERCEPTION
The effects of contrast on perceived depth and depth discrimination 39: 9
Quantitative depth for a phantom surface can be based on cyclopean occlusion cues alone 39: 109
Occlusion contributes to temporal processing differences between crossed and uncrossed stereopsis in random-dot displays 39: 331
An orientation anisotropy in the effects of scaling vertical disparities 39: 481
Stereopsis based on monocular gaps: metrical encoding of depth and slant without matching contours 39: 493
Feature specific segmentation in perceived structure-from-motion 39: 881
Global motion processing is not tuned for binocular disparity 39: 961
Perceived distance, shape and size 39: 975
Evidence for a mechanism sensitive to the speed of cyclopean form 39: 1011
Abnormal depth perception from motion parallax in amblyopic observers 39: 1407
Stereoscopic depth but not shape perception from second-order stimuli 39: 1491
The role of perspective information in the recovery of 3D structure-from-motion 39: 1713
Local and global stereopsis in the horse 39: 1861
Computational analysis of disparity modulation sensitivity: an explanation in terms of a Bayesian surface reconstruction 39: 1881
Characteristics of accommodation toward apparent depth 39: 2087
Stereopsis from contrast envelopes 39: 2313
Behavioral evidence for visual perception of 3-dimensional surface structures in monkeys 39: 2399
Bias and sensitivity of stereo judgements in the presence of a slanted reference plane 39: 3057
Optimal integration of texture and motion cues to depth 39: 3621
Interaction between the perceived shape of two objects 39: 3834
Extraction of depth from opposite-contrast stimuli: transient system can, sustained system can't 39: 4010
Experience-dependent integration of texture and motion cues to depth 39: 4062
The role of convexity in perceptual completion: beyond good continuation 39: 4244

DETECTION THRESHOLD
S-cone signals to temporal OFF-channels: asymmetrical connections to postreceptoral chromatic mechanisms 39: 39
Noisy templates explain area summation 39: 367
What pattern the eye sees best 39: 887
A deficit in strabismic amblyopia for global shape detection 39: 901
How is a grating detected on a narrowband noise masker? 39: 1133
Search for feature and for relative position: measurement of capacity limitations 39: 1321
Local and global stereopsis in the horse 39: 1861
Spatial masking does not reveal mechanisms selective to combined luminance and red-green color 39: 2099
Global-motion detection with transparent-motion signals 39: 2239

Bayesian adaptive estimation of psychometric slope and threshold 39: 2729
Pattern detection in the presence of maskers that differ in spatial phase and temporal offset: threshold measurements and a model 39: 3855
Contrast inconstancy across changes in polarity 39: 4076
Foveal and peripheral thresholds for detection and resolution of vanishing optotype tumbling Es 39: 4141
Contrast facilitation in motion detection: evidence for a Reichardt detector in human vision 39: 4217
Testing for glaucoma with the spatial frequency doubling illusion 39: 4258

DEVELOPMENT
Normal development of refractive state and ocular component dimensions in the marmoset *(Callithrix jacchus)* 39: 177
The effects of spectacle wear in infancy on eye growth and refractive error in the marmoset *(Callithrix jacchus)* 39: 189
Identification and distribution of dietary precursors of the *Drosophila* visual pigment chromophore: analysis of carotenoids in wild type and *ninaD* mutants by HPLC 39: 219
Regulation of the mechanical properties of tree shrew sclera by the visual environment 39: 387
Colchicine causes excessive ocular growth and myopia in chicks 39: 685
Optics of the developing fish eye: comparisons of Matthiessen's ratio and the focal length of the lens in the black bream *Acanthopagrus butcheri* (Sparidae, Teleostei) 39: 1071
Does visual sensitivity improve between 5 and 8 years? A study of automated visual field examination 39: 1107
Development of brightness matching and colour vision deficits in juvenile diabetics 39: 1221
The role of optical defocus in regulating refractive development in infant monkeys 39: 1415
The growing eye: an autofocus system that works on very poor images 39: 1585
The refractive development of untreated eyes of rhesus monkeys varies according to the treatment received by their fellow eyes 39: 1749
Infants code the direction of chromatic quadrature motion 39: 1783
Oscillatory motion but not pattern reversal elicits monocular motion VEP biases in infantile esotropia 39: 1803
Development of spatial and temporal vision during childhood 39: 2325
Maturation of intrinsic membrane properties in rat retinal ganglion cells 39: 2477
The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation 39: 3165
Infant temporal contrast sensitivity functions (tCSFs) mature earlier for luminance than for chromatic stimuli: evidence for precocious magnocellular development? 39: 3223
Use of an early nonlinearity to measure optical and receptor resolution in the human infant 39: 3386
Infants' sensitivity to statistical distribution of motion direction and speed 39: 3417
Spatial and temporal vision in patients treated for bilateral congenital cataracts 39: 3480
Visual completion of partly occluded grating in infants under 1 month of age 39: 3586
Maturation of the pattern-reversal VEP in human infants: a theoretical framework 39: 3673
Development of the optokinetic system in macaque monkeys 39: 3909

DICHROMACY
S-cone ERGs elicited by a simple technique in normals and in tritanopes 39: 641
Rod-cone-interactions in deuteranopic observers: models and dynamics 39: 3372
L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities 39: 3513

DIPLOPIA (*see* BINOCULAR VISION)

DIRECTIONAL SENSITIVITY (MOTION) (*see* MOTION PERCEPTION (DIRECTIONAL SENSITIVITY))

DISPARITY (*see* BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (*see* PERIPHERAL VISION)

ELECTRORETINOGRAM
The optic nerve head component of the human ERG 39: 419
S-cone ERGs elicited by a simple technique in normals and in tritanopes 39: 641
Analysis of red/green color discrimination in subjects with a single X-linked photopigment gene 39: 707
The effects of temperature on the dark-adapted spectral sensitivity function of the adult zebrafish 39: 1051
Reproducibility of ERG responses obtained with the DTL electrode 39: 1069
Retinal ganglion cell dysfunction in humans following post-geniculate lesions: specific spatio-temporal losses revealed by pattern ERG 39: 1739
Analysis of pharmacologically isolated components of the ERG 39: 1759
Effects of blocking the hyperpolarization-activated current (I_h) on the cat electroretinogram 39: 1767
Hepatic retinopathia: changes in retinal function (letter) 39: 2027
Electrophysiological properties of a new isolated rat retina preparation 39: 2165
Identifying inner retinal contributions to the human multifocal ERG 39: 2285
Effects of sodium pentobarbital on the components of electroretinogram in the isolated rat retina 39: 3498
Photoreceptors are preferentially affected in the rat retina following permanent occlusion of the carotid arteries 39: 3995

EVOKED POTENTIALS
Amodal completion in texture visual evoked potentials 39: 31
Effects of bicarbonate ion on chick retinal pigment epithelium: membrane potentials and light-evoked responses 39: 159
Time course of motion adaptation: motion-onset visual evoked potentials and subjective estimates 39: 437
Peripheral and central delay in processing high spatial frequencies: reaction time and VEP latency studies 39: 699
Effects of adenosinergic agents on the vascular resistance and on the optic nerve response in the perfused cat eye 39: 1059
Morphology of transient VEPs to luminance and chromatic pattern onset and offset 39: 1577
A visual evoked potential correlate of global figure-ground segmentation 39: 1597
Oscillatory motion but not pattern reversal elicits monocular motion VEP biases in infantile esotropia 39: 1803
Retinal ganglion cell response properties in the transcorneal electrically evoked response of the visual system 39: 2251
Temporal resolution deficits in the visual fields of MS patients 39: 2429
Properties of the flash visual evoked potential recorded in the cat primary visual cortex 39: 2833
Electrophysiological evidence for an early attentional mechanism in visual processing in humans 39: 2975
The visual physiology of the wild type mouse determined with patterns VEPs 39: 3071
Use of an early nonlinearity to measure optical and receptor resolution in the human infant 39: 3386
Spatio-temporal tuning of VEPs: effect of mode stimulation 39: 3491
Maturation of the pattern-reversal VEP in human infants: a theoretical framework 39: 3673
Visual evoked potentials related to motion-onset are modulated by attention 39: 4122

EYE-MOVEMENTS
The influence of large scanning eye movements on stereoscopic slant estimation of large surfaces 39: 467
The effect of slant on visuomotor localization 39: 3083
The effects of simulated cataract on reading with normal vision and simulated central scotoma 39: 4274

Eye movement control in reading: accounting for initial fixation locations and refixations within the E-Z Reader model 39: 4403

EYE-MOVEMENTS, OPTOKINETIC
Ocular responses to radial optic flow and single accelerated targets in humans 39: 1359
Visual attention modifies spectral sensitivity of nystagmic eye movements 39: 1551
Stereothresholds in persons with congenital nystagmus and in normal observers during comparable retinal image motion 39: 2963
Development of the optokinetic system in macaque monkeys 39: 3909
Nystagmus induced by pharmacological inactivation of the brainstem ocular motor integrator in monkey 39: 4286

EYE-MOVEMENTS, SACCADIC
Modification of saccade-contingent visual mislocalization by the presence of a visual frame of reference 39: 51
Disconjugate adaptation of saccades: contribution of binocular and monocular mechanisms 39: 341
Spatial attention and latencies of saccadic eye movements 39: 585
Reading with central field loss: number of letters masked is more important than the size of the mask in degrees 39: 747
The oculomotor gap effect without a foveal fixation point 39: 833
Word ambiguity and the optimal viewing position in reading 39: 843
Different motor systems use similar damped extraretinal eye position information 39: 1025
Reading with simulated scotomas: attending to the right is better than attending to the left 39: 1039
Saccade selection in visual search: evidence for spatial frequency specific between-item interactions 39: 1373
Saccades require focal attention and are facilitated by a short-term memory system 39: 1555
Peripheral vision and oculomotor control during visual search 39: 1567
Eye movements of rhesus monkeys directed towards *imaginary* targets 39: 2143
Countermanding saccades in humans 39: 2777
Shapes, surfaces and saccades 39: 2929
Idiosyncratic characteristics of saccadic eye movements when viewing different visual environments 39: 2947
Saccade amplitude disconjugacy induced by aniseikonia: role of monocular depth cues 39: 3109
A neural model of saccadic eye movement control explains task-specific adaptation 39: 3123
Eye and head coordination in reading: roles of head movement and cognitive control 39: 3761
Saccades reduce latency and increase velocity of ocular accommodation 39: 3769
Increment-threshold spectral sensitivity during saccadic eye movements in uniform visual field 39: 3951
Express averaging saccades in monkeys 39: 4200

EYE-MOVEMENTS, SMOOTH PURSUIT
Modification of saccade-contingent visual mislocalization by the presence of a visual frame of reference 39: 59
Eye movements affect the perceived speed of visual motion 39: 1177
Ocular responses to radial optic flow and single accelerated targets in humans 39: 1359
Visual attention modifies spectral sensitivity of nystagmic eye movements 39: 1551
Eye movements of rhesus monkeys directed towards *imaginary* targets 39: 2143
Path perception and Filehne illusion compared: model and data 39: 2659
Predictive smooth pursuit eye movements during identification of moving acuity targets 39: 2767
Modification of smooth pursuit initiation by target contrast 39: 3459

EYE-MOVEMENTS, TORSIONAL
Instability of torsion during smooth asymmetric vergence 39: 993
Stereopsis, cyclovergence and the backwards tilt of the vertical horopter 39: 1347
The variation of torsion with vergence and elevation 39: 3934
Adaptation of torsional eye alignment in relation to head roll 39: 4192

EYE-MOVEMENTS, VERGENCE
Disconjugate adaptation of saccades: contribution of binocular and monocular mechanisms 39: 341
Orientation and luminance polarity tuning of the transient-vergence system 39: 575
Fixation disparity and nonius bias 39: 669
The effect of target size and eccentricity on reflex disparity vergence 39: 823
Instability of torsion during smooth asymmetric vergence 39: 993
Horizontal and vertical disparity, eye position, and stereoscopic slant perception 39: 1143
Short term modification of disparity vergence eye movements 39: 1695
Characteristics of accommodation toward apparent depth 39: 2087
Stereothresholds in persons with congenital nystagmus and in normal observers during comparable retinal image motion 39: 2963
Gaze-shift dynamics in subject with and without symptoms of convergence insufficiency: influence of monocular preference and the effect of training 39: 3095
Saccades reduce latency and increase velocity of ocular accommodation 39: 3769
The variation of torsion with vergence and elevation 39: 3934
Perceived visual direction near an occluder 39: 4085
Adaptation of torsional eye alignment in relation to head roll 39: 4192

FACE RECOGNITION
Three-dimensional shape and two-dimensional surface reflectance contributions to face recognition: an application of three-dimensional morphing 39: 3145
Identification of band-pass filtered letters and faces by human and ideal observers 39: 3537
Spatial frequency bandwidth used in the recognition of facial images 39: 3824
Lighting direction affects recognition of untextured faces in photographic positive and negative 39: 4003

FEATURE DETECTION
Computing feature motion without feature detectors: a model for terminator motion without end-stopped cells 39: 859
Second-order motion discrimination by feature-tracking 39: 1465
Target detection against narrow band noise backgrounds 39: 2191
Detection of flickering edges: absence of a red-green edge detector 39: 4186

FISH VISION
The effects of temperature on the dark-adapted spectral sensitivity function of the adult zebrafish 39: 1051
Optics of the developing fish eye: comparisons of Matthiessen's ratio and the focal length of the lens in the black bream *Acanthopagrus butcheri* (Sparidae, Teleostei) 39: 1071
Endothelial nitric oxide synthase (eNOS) is localized to Müller cells in all vertebrate retinas 39: 2299
Morphological changes in the retina of *Aequidens pulcher* (Cichlidae) after rearing in monochromatic light 39: 2441
Species-dependent variation in the dendritic stratification of apparently homologous retinal ganglion cell mosaics in two neoteleost fishes 39: 2615
Latencies and discharge patterns of color-opponent neurons in the rainbow trout optic tectum 39: 2795
Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger,* a deep-sea dragon fish with far red bioluminescence 39: 2817
A wide-angle gradient index optical model of the crystalline lens and eye of the octopus 39: 2841
Ethambutol affects the spectral and polarisation sensitivity of on-responses in the optic nerve of rainbow trout 39: 4145

FIXATION
Fixation disparity and nonius bias 39: 669

The oculomotor gap effect without a foveal fixation point 39: 833
Word ambiguity and the optimal viewing position in reading 39: 843
Peripheral vision and oculomotor control during visual search 39: 1567
Idiosyncratic characteristics of saccadic eye movements when viewing different visual environments 39: 2947
Eye movement control in reading: accounting for initial fixation locations and refixations within the E-Z Reader model 39: 4403

FLICKER
The effects of temporal noise and retinal illuminance on foveal flicker sensitivity 39: 533
Analysis of red/green color discrimination in subjects with a single X-linked photopigment gene 39: 707
Development of spatial and temporal vision during childhood 39: 2325
Pattern electrical stimulation of the human retina 39: 2569
Flicker and the efficiency of cues for capturing attention 39: 3241
Short-range vernier acuity: interactions of temporal frequency, temporal phase, and stimulus polarity 39: 3351
Spatial and temporal vision in patients treated for bilateral congenital cataracts 39: 3480
L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities 39: 3513
Spatial limitations of temporal segmentation 39: 4052
Detection of flickering edges: absence of a red-green edge detector 39: 4186
Motion contrast: a new metric for direction discrimination 39: 4393

FORM PERCEPTION
Categorical learning in pigeons: the role of texture and shape in complex static stimuli 39: 353
Does the visual system exploit projective geometry to help solve the motion correspondence problem? 39: 373
An orientation anisotropy in the effects of scaling vertical disparities 39: 481
Shape and contour detection 39: 551
A deficit in strabismic amblyopia for global shape detection 39: 901
Spatial distortions in rotating radial figures 39: 1455
Measuring perceived 3D shape at multiple spatial scales 39: 1833
Vernier judgments in the absence of regular shape information 39: 2349
Shapes, surfaces and saccades 39: 2929
Discriminating local continuity in curved figures 39: 3287
Perception of coherent motion, biological motion and form-from-motion under dim-light conditions 39: 3721
Interaction between the perceived shape of two objects 39: 3834
Are judgements of circularity local or global? 39: 4354

FOVEA
Position jitter and undersampling in pattern perception 39: 445
Localization and identification tasks rely on different temporal frequencies 39: 513
The effects of temporal noise and retinal illuminance on foveal flicker sensitivity 39: 533
Psychophysical observations concerned with a foveal lesion (macular hole) 39: 2421
Temporal resolution deficits in the visual fields of MS patients 39: 2429
Sharpness overconstancy: the roles of visibility and current context 39: 2649
Discriminating mirror symmetry in foveal and extra-foveal vision 39: 3737
Foveal and peripheral thresholds for detection and resolution of vanishing optotype tumbling Es 39: 4141

GAIN CONTROL

Spatial sensitization of increments and decrements: a border-contrast process and a net-excitation process 39: 1847
Chromatic induction with remote chromatic contrast varied in magnitude, spatial frequency, and chromaticity 39: 3561
Multiple gain control processes in contrast-contrast phenomena 39: 3983
Motion contrast: a new metric for direction discrimination 39: 4393

GANGLION CELLS
The optic nerve head component of the human ERG 39: 419
Colchicine causes excessive ocular growth and myopia in chicks 39: 685
Immunohistochemical study of rabbit choroidal innervation 39: 1249
Retinal ganglion cell dysfunction in humans following post-geniculate lesions: specific spatio-temporal losses revealed by pattern ERG 39: 1739
Retinal ganglion cell response properties in the transcorneal electrically evoked response of the visual system 39: 2251
Maturation of intrinsic membrane properties in rat retinal ganglion cells 39: 2477
Synchronous oscillations in the cat retina 39: 2485
Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV 39: 2545
Species-dependent variation in the dendritic stratification of apparently homologous retinal ganglion cell mosaics in two neoteleost fishes 39: 2615
Quantitative estimations of foveal and extra-foveal retinal circuitry in humans 39: 2987
Variance in transneuronal retrograde ganglion cell degeneration in monkeys after removal of striate cortex: effects of size of the cortical lesion 39: 3642

GENES
Identification and distribution of dietary precursors of the *Drosophila* visual pigment chromophore: analysis of carotenoids in wild type and *ninaD* mutants by HPLC 39: 219
Behavioural visual acuity of wild type and *bcl2* transgenic mouse 39: 569
Analysis of red/green color discrimination in subjects with a single X-linked photopigment gene 39: 707
Differential DNA binding activities of the transcription factors AP-1 and Oct-1 during light-induced apoptosis of photoreceptors 39: 2511
The rod photoreceptor ATP-binding cassette transporter gene, *ABCR*, and retinal disease: from monogenic to multifactorial 39: 2537
Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV 39: 2545
Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger*, a deep-sea dragon fish with far red bioluminescence 39: 2817
The visual physiology of the wild type mouse determined with patterns VEPs 39: 3071

GROUPING
Configuration saliency revealed in short duration binocular rivalry 39: 271
Temporal constraints on the grouping of contour segments into spatially extended objects 39: 1509
A visual evoked potential correlate of global figure-ground segmentation 39: 1597
Cueing and pop-out 39: 2113
Contrast integration across space 39: 2597
Detecting collinear dots in noise 39: 4161
The role of convexity in perceptual completion: beyond good continuation 39: 4244
Grouping visual features during binocular rivalry 39: 4341

HEAD MOVEMENTS
Eye and head coordination in reading: roles of head movement and cognitive control 39: 3761
Adaptation of torsional eye alignment in relation to head roll 39: 4192

HISTOCHEMISTRY (*see* NEUROCHEMISTRY)

HORIZONTAL CELLS
The feedback pathway from horizontal cells to cones: a mini review with a look ahead 39: 2449
Sensitivity and dynamics of rod signals in H1 horizontal cells of the macaque monkey retina 39: 3662

HYPERACUITY
Spatial attention improves performance in spatial resolution tasks 39: 293
Optimal spatial localization is limited by contrast sensitivity 39: 503
Alignment of separated patches: multiple location tags 39: 789
Contrast dependency of foveal spatial functions: orientation, vernier, separation, blur and displacement discrimination and the tilt and Poggendorff illusions 39: 1631
Learning of interpolation in 2 and 3 dimensions 39: 2051
Vernier judgments in the absence of regular shape information 39: 2349
Stereothresholds in persons with congenital nystagmus and in normal observers during comparable retinal image motion 39: 2963
Short-range vernier acuity: interactions of temporal frequency, temporal phase, and stimulus polarity 39: 3351
Vernier acuity with compound gratings: the whole is equal to the better of its parts 39: 3681
Effects of biased feedback on learning and deciding in a vernier discrimination task 39: 4232

ILLUSION (*see also* AFTEREFFECTS)
Averaging and summation of influences on visually perceived eye level between two long lines differing in pitch or roll-tilt 39: 307
Integration after adaptation to transparent motion: static and dynamic test patterns result in different aftereffect directions 39: 803
A two-dimensional model of brightness perception based on spatial filtering consistent with retinal processing 39: 1199
Spatial distortions in rotating radial figures 39: 1455
Contrast dependency of foveal spatial functions: orientation, vernier, separation, blur and displacement discrimination and the tilt and Poggendorff illusions 39: 1631
Context-dependent changes in visual sensitivity induced by Müller-Lyer stimuli 39: 1657
Motion-transparent inducers have different effects on induced motion and motion capture 39: 1671
The Poggendorff illusion: a bias in the estimation of the orientation of virtual lines by second-stage filters 39: 2361
Behavioral evidence for visual perception of 3-dimensional surface structures in monkeys 39: 2399
Path perception and Filehne illusion compared: model and data 39: 2659
Temporal recruitment along the trajectory of moving objects and the perception of position 39: 2669
The interaction of first- and second-order cues to orientation 39: 2867
Non-veridical size perception of expanding and contracting objects 39: 2999
Afterimages, grating induction and illusory phantoms 39: 3025
Revisiting motion repulsion: evidence for a general phenomenon? 39: 3187
Apparent fineness of stationary compound gratings 39: 3404
Spatial facilitation by color and luminance edges: boundary, surface, and attentional factors 39: 3431
Large repulsion, but not attraction, tilt illusions occur when stimulus parameters selectively favour either transient (M-like) or sustained (P-like) mechanisms 39: 4113
Testing for glaucoma with the spatial frequency doubling illusion 39: 4258

ILLUSORY CONTOURS (*see* ILLUSION)

IMMUNOCHEMISTRY
Immunohistochemical study of rabbit choroidal innervation 39: 1249
Endothelial nitric oxide synthase (eNOS) is localized to Müller cells in all vertebrate retinas 39: 2299
Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV 39: 2545

Photoreceptor function of retinal transplants implicated by light-dark shift of S-antigen and rod transducin 39: 2589
The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation 39: 3165
Photoreceptors are preferentially affected in the rat retina following permanent occlusion of the carotid arteries 39: 3995

INCREMENT THRESHOLD
Residual vision in the blind field of hemidecorticated humans predicted by a diffusion scatter model and selective spectral absorption of the human eye 39: 149
Neuronal basis of contrast discrimination 39: 257
Nonlinearities of near-threshold contrast transduction 39: 1869
Increment-threshold spectral sensitivity during saccadic eye movements in uniform visual field 39: 3951

INJURY
Link between optic nerve regrowth failure and macrophage stimulation in mammals 39: 169
The purine nucleoside adenosine in retinal ischemia-reperfusion injury 39: 2519

INSECT VISION
An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio* 39: 1
Identification and distribution of dietary precursors of the *Drosophila* visual pigment chromophore: analysis of carotenoids in wild type and *ninaD* mutants by HPLC 39: 219
Adaptation and the temporal delay filter of fly motion detectors 39: 2603
Motion detection in insect orientation and navigation 39: 2749
The memory template in *Drosophila* pattern vision at the flight simulator 39: 3920

INTEROCULAR TRANSFER (*see* AFTEREFFECTS)

LATENCY (*see* REACTION TIME)

LATERAL GENICULATE NUCLEUS
Role of feedback in mammalian vision: a new hypothesis and a computational model 39: 131
Uneven mapping of magnocellular and parvocellular projections from the lateral geniculate nucleus to the striate cortex in the macaque monkey 39: 2179
Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV 39: 2545
Variance in transneuronal retrograde ganglion cell degeneration in monkeys after removal of striate cortex: effects of size of the cortical lesion 39: 3642

LATERAL INHIBITION
The effects of temporal noise and retinal illuminance on foveal flicker sensitivity 39: 533
Transducer model produces facilitation from opposite-sign flanks 39: 987
Modelling spatial contrast sensitivity functions for chromatic and luminance-modulated gratings 39: 2387

LENS
Optics of the developing fish eye: comparisons of Matthiessen's ratio and the focal length of the lens in the black bream *Acanthopagrus butcheri* (Sparidae, Teleostei) 39: 1071
On potential causes of presbyopia 39: 1263
On the potential causes of presbyopia 39: 1267
The role of optical defocus in regulating refractive development in infant monkeys 39: 1415
Light scattering model for donor lenses as a function of depth 39: 1437

Mechanics of accommodation of the human eye 39: 1591
Biometric, optimal and physical changes in the isolated human crystalline lens with age in relation to presbyopia 39: 1991
A wide-angle gradient index optical model of the crystalline lens and eye of the octopus 39: 2841

LIGHT DAMAGE
Temporal sequence of changes in rat retina after UV-A and blue light exposure 39: 1233
Photoreceptor function of retinal transplants implicated by light-dark shift of S-antigen and rod transducin 39: 2589

LOW VISION
Elicited sequential presentation for low vision reading 39: 4412

LUMINANCE
Residual vision in the blind field of hemidecorticated humans predicted by a diffusion scatter model and selective spectral absorption of the human eye 39: 149
On the relationship between the spatial channels for luminance and disparity processing 39: 559
Orientation and luminance polarity tuning of the transient-vergence system 39: 575
The spatial tuning of color and luminance peripheral vision measured with notch filtered noise masking 39: 721
Evidence for the stochastic independence of the blue-yellow, red-green and luminance detection mechanisms revealed by subthreshold summation 39: 733
S-cone contribution to pupillary responses evoked by chromatic flash offset 39: 1189
Morphology of transient VEPs to luminance and chromatic pattern onset and offset 39: 1577
Comparison of color and luminance contrast: apples *versus* oranges? 39: 1823
Spatial masking does not reveal mechanisms selective to combined luminance and red-green color 39: 2099
Color and luminance in the perception of 1- and 2-dimensional motion 39: 2633
Convex hull test of the linear separability hypothesis in visual search 39: 2681
Sensitivity to modulations of luminance and contrast in visual white noise: separate mechanisms with similar behaviour 39: 2697
The interaction of first- and second-order cues to orientation 39: 2867
Infant temporal contrast sensitivity functions (tCSFs) mature earlier for luminance than for chromatic stimuli: evidence for precocious magnocellular development? 39: 3223
Interactions between achromatic and chromatic mechanisms in visual search 39: 3253
Effect of contrast on detection of motion of chromatic and luminance targets: retina-relative and object-relative movement 39: 3346
Spatial facilitation by color and luminance edges: boundary, surface, and attentional factors 39: 3431
Perception of coherent motion, biological motion and form-from-motion under dim-light conditions 39: 3721
Bezold-Brucke hue-shift as functions of luminance level, luminance ratio, interstimulus interval and adapting white for aperture and object colors 39: 3873
Unique and binary hues as functions of luminance and illuminant color temperature, and relations with invariant hues 39: 3892
Post-retinal processing of background luminance 39: 4045
Facilitation between the luminance and red-green detection mechanisms: enhancing contrast differences across edges 39: 4098
Detection of flickering edges: absence of a red-green edge detector 39: 4186

MACH BANDS (*see* CONTOUR PERCEPTION)

MACULAR PIGMENT

The spectral sensitivity of the human short-wavelength sensitive cones derived from thresholds and color matches 39: 2901
L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities 39: 3513

MASKING
Neural recoding in human pattern vision: model and mechanisms 39: 231
Neuronal basis of contrast discrimination 39: 257
Configuration saliency revealed in short duration binocular rivalry 39: 271
The spatial tuning of color and luminance peripheral vision measured with notch filtered noise masking 39: 721
Reading with central field loss: number of letters masked is more important than the size of the mask in degrees 39: 747
Transducer model produces facilitation from opposite-sign flanks 39: 987
How is a grating detected on a narrowband noise masker? 39: 1133
Texture filling-in and texture segregation revealed by transient masking 39: 1285
Temporal sensitivity of human luminance pattern mechanisms determined by masking with temporally modulated stimuli 39: 1641
Spatial integration and effective spectral density of one-dimensional noise masks 39: 1775
Nonlinearities of near-threshold contrast transduction 39: 1869
The time course of psychophysical end-stopping 39: 2063
Spatial masking does not reveal mechanisms selective to combined luminance and red-green color 39: 2099
Sensitivity to modulations of luminance and contrast in visual white noise: separate mechanisms with similar behaviour 39: 2697
The Fröhlich effect: a consequence of the interaction of visual focal attention and metacontrast 39: 3702
Pattern detection in the presence of maskers that differ in spatial phase and temporal offset: threshold measurements and a model 39: 3855
Increment-threshold spectral sensitivity during saccadic eye movements in uniform visual field 39: 3951
Post-retinal processing of background luminance 39: 4045

MCCOLLOUGH EFFECT (*see* AFTEREFFECTS)

MEMORY (*see* COGNITION)

METACONTRAST (*see* MASKING)

MONOCHROMACY
Rods induce transient tritanopia in blue cone monochromats 39: 2275

MONOCULAR VISION
Dichoptically cancelled motion 39: 2293
Saccade amplitude disconjugacy induced by aniseikonia: role of monocular depth cues 39: 3109

MORPHOLOGY (*see* NEUROANATOMY)

MOTION PERCEPTION
S-cone signals to temporal OFF-channels: asymmetrical connections to postreceptoral chromatic mechanisms 39: 39
Computational models of coherent and transparent plaid motion 39: 87
A computational model of selective deficits in first and second-order motion processing 39: 113
Does the visual system exploit projective geometry to help solve the motion correspondence problem? 39: 373

Time course of motion adaptation: motion-onset visual evoked potentials and subjective estimates 39: 437
Characteristics of frequency-of-seeing curves for a motion stimulus in glaucoma eyes, glaucoma suspect eyes, and normal eyes 39: 631
Spatio-temporal contrast sensitivity, coherent motion, and visible persistence in developmental dyslexia 39: 651
The oblique effect with colour defined motion throughout the visual field 39: 757
Integration after adaptation to transparent motion: static and dynamic test patterns result in different aftereffect directions 39: 803
Integration and segregation of local motion signals: the role of contrast polarity 39: 811
Feature specific segmentation in perceived structure-from-motion 39: 881
Global motion processing is not tuned for binocular disparity 39: 961
Perceived distance, shape and size 39: 975
Perceptual learning in primary and secondary motion vision 39: 1293
Abnormal depth perception from motion parallax in amblyopic observers 39: 1407
Spatial distortions in rotating radial figures 39: 1455
The role of perspective information in the recovery of 3D structure-from-motion 39: 1713
Infants code the direction of chromatic quadrature motion 39: 1783
Colour and polarity contributions to global motion perception 39: 1813
The effects of ageing on reaction times to motion onset 39: 2157
Dichoptically cancelled motion 39: 2293
Temporal recruitment along the trajectory of moving objects and the perception of position 39: 2669
Motion detection in insect orientation and navigation 39: 2749
Flicker and the efficiency of cues for capturing attention 39: 3241
The role of terminators and occlusion cues in motion integration and segmentation: a neural network model 39: 3301
Stereoscopic (cyclopean) motion sensing 39: 3329
Effect of contrast on detection of motion of chromatic and luminance targets: retina-relative and object-relative movement 39: 3346
The neural deficit in strabismic amblyopia: sampling considerations 39: 3575
Adapting to expansion increases perceived time-to-collision 39: 3602
Optimal integration of texture and motion cues to depth 39: 3621
The Fröhlich effect: a consequence of the interaction of visual focal attention and metacontrast 39: 3702
Perception of coherent motion, biological motion and form-from-motion under dim-light conditions 39: 3721
The stereoscopic (cyclopean) motion aftereffect is selective for spatial frequency and orientation of disparity modulation 39: 3745
Interaction between the perceived shape of two objects 39: 3834
Development of the optokinetic system in macaque monkeys 39: 3909
Object recognition: view-specificity and motion-specificity 39: 4032
Experience-dependent integration of texture and motion cues to depth 39: 4062
Visual evoked potentials related to motion-onset are modulated by attention 39: 4122

MOTION PERCEPTION (APERTURE PROBLEM)
Figure ground segregation modulates perceived direction of ambiguous moving gratings and plaids 39: 777
The extrinsic/intrinsic classification of two-dimensional motion signals with barber-pole stimuli 39: 915
Stereoscopic occlusion and the aperture problem for motion: a new solution 39: 1273
Effects of a benzodiazepine, lorazepam, on motion integration and segmentation: an effect on the processing of line-ends? 39: 2017

MOTION PERCEPTION (APPARENT MOTION)
Amodal representation depends on the object seen before partial occlusion 39: 283
Motion-transparent inducers have different effects on induced motion and motion capture 39: 1671
Second-order processing of four-stroke apparent motion 39: 1795

Two processes in stereoscopic apparent motion 39: 2739

MOTION PERCEPTION (DIRECTIONAL SENSITIVITY)
Local motion detectors cannot account for the detectability of an extended trajectory in noise 39: 19
Modification of saccade-contingent visual mislocalization by the presence of a visual frame of reference 39: 59
Computing feature motion without feature detectors: a model for terminator motion without end-stopped cells 39: 859
The extrinsic/intrinsic classification of two-dimensional motion signals with barber-pole stimuli 39: 915
What motion distributions yield global transparency and spatial segmentation? 39: 1121
Second-order motion discrimination by feature-tracking 39: 1465
Motion-transparent inducers have different effects on induced motion and motion capture 39: 1671
Oscillatory motion but not pattern reversal elicits monocular motion VEP biases in infantile esotropia 39: 1803
Visual discrimination of direction changes based upon two types of angular motion 39: 1927
Learning of interpolation in 2 and 3 dimensions 39: 2051
Axis-of-motion affects direction discrimination, not speed discrimination 39: 2205
Coherence and the judgment of spatial displacements in retinitis pigmentosa 39: 2267
Color and luminance in the perception of 1- and 2-dimensional motion 39: 2633
Does early non-linearity account for second-order motion? 39: 2853
Optimal spatial frequencies for discrimination of motion direction in optic flow patterns 39: 3175
Revisiting motion repulsion: evidence for a general phenomenon? 39: 3187
Infants' sensitivity to statistical distribution of motion direction and speed 39: 3417
MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection 39: 3465
Is the size aftereffect direction selective? 39: 3592
Perceptual learning on orientation and direction discrimination 39: 3692
Discrimination of the speed and direction of global second-order motion in stochastic displays 39: 3710
Contrast facilitation in motion detection: evidence for a Reichardt detector in human vision 39: 4217
Speed tuning of motion segmentation and discrimination 39: 4297
Motion contrast: a new metric for direction discrimination 39: 4393

MOTION PERCEPTION (OPTIC FLOW)
Human heading judgments and object-based motion information 39: 1079
Ocular responses to radial optic flow and single accelerated targets in humans 39: 1359
The perception and discrimination of speed in complex motion 39: 2213
Enhanced motion aftereffect for complex motions 39: 2229
Global-motion detection with transparent-motion signals 39: 2239
Path perception and Filehne illusion compared: model and data 39: 2659
Non-veridical size perception of expanding and contracting objects 39: 2999
Optimal spatial frequencies for discrimination of motion direction in optic flow patterns 39: 3175
Predicting the present direction of heading 39: 3608

MOTION PERCEPTION (SPEED SENSITIVITY)
Evidence for a mechanism sensitive to the speed of cyclopean form 39: 1011
Eye movements affect the perceived speed of visual motion 39: 1177
Visual discrimination of direction changes based upon two types of angular motion 39: 1927
Axis-of-motion affects direction discrimination, not speed discrimination 39: 2205
The perception and discrimination of speed in complex motion 39: 2213
How does noise influence the estimation of speed? 39: 2411
Adaptation and the temporal delay filter of fly motion detectors 39: 2603
Color and luminance in the perception of 1- and 2-dimensional motion 39: 2633
A simple saliency model predicts a number of motion popout phenomena 39: 3157
Velocity tuned mechanisms in human motion processing 39: 3267
Infants' sensitivity to statistical distribution of motion direction and speed 39: 3417

MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection 39: 3465
Predicting the present direction of heading 39: 3608
Discrimination of the speed and direction of global second-order motion in stochastic displays 39: 3710
Concurrent measurement of perceived speed and speed discrimination threshold using the method of single stimuli 39: 3849
Position-based motion perception for color texture stimuli: effects of contrast and speed 39: 4172
Speed tuning of motion segmentation and discrimination 39: 4297
Adaptation to temporal modulation can enhance differential speed sensitivity 39: 4324

MYOPIA
The effects of spectacle wear in infancy on eye growth and refractive error in the marmoset *(Callithrix jacchus)* 39: 189
Regulation of the mechanical properties of tree shrew sclera by the visual environment 39: 387
Colchicine causes excessive ocular growth and myopia in chicks 39: 685
The role of optical defocus in regulating refractive development in infant monkeys 39: 1415
The growing eye: an autofocus system that works on very poor images 39: 1585
Long-term changes in retinal contrast sensitivity in chicks from frosted occluders and drugs: relations to myopia? 39: 2499

NATURAL IMAGES
Visual adaptation as optimal information transmission 39: 3960

NEURAL NETWORKS
Computational models of coherent and transparent plaid motion 39: 87
Computing feature motion without feature detectors: a model for terminator motion without end-stopped cells 39: 859
A self-organizing neural system for learning to recognize textured scenes 39: 1385
A back-propagation neural network predicts absorption maxima of chimeric human red/green visual pigments 39: 1707
The role of terminators and occlusion cues in motion integration and segmentation: a neural network model 39: 3301
Spatial facilitation by color and luminance edges: boundary, surface, and attentional factors 39: 3431
MT neurons in the macaque exhibited two types of bimodal direction tuning as predicted by a model for visual motion detection 39: 3465
Neural dynamics of binocular brightness perception 39: 3796
Effects of biased feedback on learning and deciding in a vernier discrimination task 39: 4232

NEUROANATOMY
Link between optic nerve regrowth failure and macrophage stimulation in mammals 39: 169
Immunohistochemical study of rabbit choroidal innervation 39: 1249
Uneven mapping of magnocellular and parvocellular projections from the lateral geniculate nucleus to the striate cortex in the macaque monkey 39: 2179
Morphological changes in the retina of *Aequidens pulcher* (Cichlidae) after rearing in monochromatic light 39: 2441

NEUROCHEMISTRY
Effects of adenosinergic agents on the vascular resistance and on the optic nerve response in the perfused cat eye 39: 1059
Immunohistochemical study of rabbit choroidal innervation 39: 1249
Electrophysiological properties of a new isolated rat retina preparation 39: 2165
The feedback pathway from horizontal cells to cones: a mini review with a look ahead 39: 2449
Synaptic mechanisms of bipolar cell terminals 39: 2469

Maturation of intrinsic membrane properties in rat retinal ganglion cells 39: 2477
The purine nucleoside adenosine in retinal ischemia-reperfusion injury 39: 2519
Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV 39: 2545
Anatomical and electrophysiological evidence for GABAergic bipolar cells in tiger salamander retina 39: 3653
$_{L}$-Arginine transport in retinas from streptozotocin diabetic rats: correlation with the level of IL-1ß and NO synthase activity 39: 3817
Nystagmus induced by pharmacological inactivation of the brainstem ocular motor integrator in monkey 39: 4286

NEUROTRANSMITTER (*see* NEUROCHEMISTRY)

NOISE
Local motion detectors cannot account for the detectability of an extended trajectory in noise 39: 19
Noisy templates explain area summation 39: 367
The effects of temporal noise and retinal illuminance on foveal flicker sensitivity 39: 533
The spatial tuning of color and luminance peripheral vision measured with notch filtered noise masking 39: 721
How is a grating detected on a narrowband noise masker? 39: 1133
The role of perspective information in the recovery of 3D structure-from-motion 39: 1713
Spatial integration and effective spectral density of one-dimensional noise masks 39: 1775
Colour and polarity contributions to global motion perception 39: 1813
Target detection against narrow band noise backgrounds 39: 2191
How does noise influence the estimation of speed? 39: 2411
Sensitivity to modulations of luminance and contrast in visual white noise: separate mechanisms with similar behaviour 39: 2697
Mechanisms of perceptual learning 39: 3197
Velocity tuned mechanisms in human motion processing 39: 3267
Spatial-frequency bandwidth of perceived contrast 39: 3399
Spatial frequency bandwidth used in the recognition of facial images 39: 3824
Visual adaptation as optimal information transmission 39: 3960
Factors limiting contrast sensitivity in experimentally amblyopic macaque monkeys 39: 4152
Detecting collinear dots in noise 39: 4161

OBITUARY
Dartnall, Herbert 39: 679

OBJECT RECOGNITION
Role of feedback in mammalian vision: a new hypothesis and a computational model 39: 131
Dissociating stimulus information from internal representation - a case study in object recognition 39: 603
Word ambiguity and the optimal viewing position in reading 39: 843
Long range interactions between oriented texture elements 39: 933
An optimal estimation approach to visual perception and learning 39: 1963
One-shot viewpoint invariance in matching novel objects 39: 2885
Visual compassion of partly occluded grating in infants under 1 month of age 39: 3586
Object recognition: view-specificity and motion-specificity 39: 4032

OCCLUSION
Quantitative depth for a phantom surface can be based on cyclopean occlusion cues alone 39: 109
Amodal representation depends on the object seen before partial occlusion 39: 283
Occlusion contributes to temporal processing differences between crossed and uncrossed stereopsis in random-dot displays 39: 331

Stereopsis based on monocular gaps: metrical encoding of depth and slant without matching contours 39: 493
Figure ground segregation modulates perceived direction of ambiguous moving gratings and plaids 39: 777
The extrinsic/intrinsic classification of two-dimensional motion signals with barber-pole stimuli 39: 915
Stereoscopic occlusion and the aperture problem for motion: a new solution 39: 1273
The role of terminators and occlusion cues in motion integration and segmentation: a neural network model 39: 3301
Perceived visual direction near an occluder 39: 4085

OCULAR DIMENSIONS
Normal development of refractive state and ocular component dimensions in the marmoset *(Callithrix jacchus)* 39: 177
The effects of spectacle wear in infancy on eye growth and refractive error in the marmoset *(Callithrix jacchus)* 39: 189
The refractive development of untreated eyes of rhesus monkeys varies according to the treatment received by their fellow eyes 39: 1749

OCULAR MEDIA
Visual pigments, cone oil droplets, ocular media and predicted spectral sensitivity in the domestic turkey *(Meleagris gallopavo)* 39: 3321

OPTIC FLOW (*see* MOTION PERCEPTION (OPTIC FLOW))

OPTIC TECTUM
Latencies and discharge patterns of color-opponent neurons in the rainbow trout optic tectum 39: 2795

OPTICAL QUALITY
Light scattering model for donor lenses as a function of depth 39: 1437
Biometric, optimal and physical changes in the isolated human crystalline lens with age in relation to presbyopia 39: 1991
The depth-of-field of the human eye from objective and subjective measurements 39: 2039
A new approach to the study of ocular chromatic aberrations 39: 4309

ORIENTATION PERCEPTION
Neural recoding in human pattern vision: model and mechanisms 39: 231
Spatial attention improves performance in spatial resolution tasks 39: 293
Orientation-based texture segmentation in strabismic amblyopia 39: 411
The influence of large scanning eye movements on stereoscopic slant estimation of large surfaces 39: 467
Stereopsis based on monocular gaps: metrical encoding of depth and slant without matching contours 39: 493
Orientation and luminance polarity tuning of the transient-vergence system 39: 575
Orientation discrimination and tilt aftereffects with luminance and illusory contours 39: 765
Long range interactions between oriented texture elements 39: 933
Horizontal and vertical disparity, eye position, and stereoscopic slant perception 39: 1143
Stereopsis, cyclovergence and the backwards tilt of the vertical horopter 39: 1347
On the mechanism for scale invariance in orientation-defined textures 39: 1477
Contrast dependency of foveal spatial functions: orientation, vernier, separation, blur and displacement discrimination and the tilt and Poggendorff illusions 39: 1631
Visual discrimination of direction changes based upon two types of angular motion 39: 1927
Which end is up? Two representation of orientation in visual search 39: 2075
Cueing and pop-out 39: 2113
Neuronal responses to plaids 39: 2151
Vernier judgments in the absence of regular shape information 39: 2349

The Poggendorff illusion: a bias in the estimation of the orientation of virtual lines by second-stage filters 39: 2361
Orientation tuning of the transient-stereopsis system 39: 2717
The interaction of first- and second-order cues to orientation 39: 2867
The effect of slant on visuomotor localization 39: 3083
Sparse-sampling of gratings in the visual cortex of strabismic amblyopes 39: 3526
The neural deficit in strabismic amblyopia: sampling considerations 39: 3575
Perceptual learning on orientation and direction discrimination 39: 3692
The stereoscopic (cyclopean) motion aftereffect is selective for spatial frequency and orientation of disparity modulation 39: 3745
The orientation discrimination deficit in strabismic amblyopia depends upon stimulus bandwidth 39: 4018
Large repulsion, but not attraction, tilt illusions occur when stimulus parameters selectively favour either transient (M-like) or sustained (P-like) mechanisms 39: 4113
Are judgements of circularity local or global? 39: 4354

PATHOLOGY

Characteristics of frequency-of-seeing curves for a motion stimulus in glaucoma eyes, glaucoma suspect eyes, and normal eyes 39: 631
Combined use of several preferred retinal loci in patients with macular disorders when reading single words 39: 873
Reading with simulated scotomas: attending to the right is better than attending to the left 39: 1039
Development of brightness matching and colour vision deficits in juvenile diabetics 39: 1221
On potential causes of presbyopia 39: 1263
On the potential causes of presbyopia 39: 1267
Light scattering model for donor lenses as a function of depth 39: 1437
The growing eye: an autofocus system that works on very poor images 39: 1585
Retinal ganglion cell dysfunction in humans following post-geniculate lesions: specific spatio-temporal losses revealed by pattern ERG 39: 1739
Oscillatory motion but not pattern reversal elicits monocular motion VEP biases in infantile esotropia 39: 1803
Models for the description of angioscotomas 39: 1889
Angioscotoma detection with fundus-oriented perimetry. A study with dark and bright stimuli of different size 39: 1897
Dominant frequency content of ocular microtremor from normal subjects 39: 1911
Looking behind a pathological blind spot in human retina 39: 1917
Biometric, optimal and physical changes in the isolated human crystalline lens with age in relation to presbyopia 39: 1991
Hepatic retinopathia: changes in retinal function (letter) 39: 2027
Early visual impairment is independent of the visuocognitive and memory disturbances in Alzheimer's disease 39: 2261
Coherence and the judgment of spatial displacements in retinitis pigmentosa 39: 2267
Identifying inner retinal contributions to the human multifocal ERG 39: 2285
Psychophysical observations concerned with a foveal lesion (macular hole) 39: 2421
Temporal resolution deficits in the visual fields of MS patients 39: 2429
The rod photoreceptor ATP-binding cassette transporter gene, *ABCR*, and retinal disease: from monogenic to multifactorial 39: 2537
Can subretinal microphotodiodes successfully replace degenerated photoreceptors? 39: 2555
Pattern electrical stimulation of the human retina 39: 2569
Effect of the tuberculostaticum ethambutol and stimulus intensity on chromatic discrimination in man 39: 2955
Stereothresholds in persons with congenital nystagmus and in normal observers during comparable retinal image motion 39: 2963

Gaze-shift dynamics in subject with and without symptoms of convergence insufficiency: influence of monocular preference and the effect of training 39: 3095
Spatial and temporal vision in patients treated for bilateral congenital cataracts 39: 3480
Scanning laser densitometry and color perimetry demonstrate reduced photopigment density and sensitivity in two patients with retinal degeneration 39: 3630
$_{L}$-Arginine transport in retinas from streptozotocin diabetic rats: correlation with the level of IL-1ß and NO synthase activity 39: 3817
Long-term survival of retinal cell cultures on retinal implant materials 39: 3988
Testing for glaucoma with the spatial frequency doubling illusion 39: 4258
The effects of simulated cataract on reading with normal vision and simulated central scotoma 39: 4274

PATHWAYS, MAGNOCELLULAR AND PARVOCELLULAR
A model for the depth-dependence of receptive field size and contrast sensitivity of cells in layer 4C of macaque striate cortex 39: 613
Uneven mapping of magnocellular and parvocellular projections from the lateral geniculate nucleus to the striate cortex in the macaque monkey 39: 2179
Early visual impairment is independent of the visuocognitive and memory disturbances in Alzheimer's disease 39: 2261
Infant temporal contrast sensitivity functions (tCSFs) mature earlier for luminance than for chromatic stimuli: evidence for precocious magnocellular development? 39: 3223
Increment-threshold spectral sensitivity during saccadic eye movements in uniform visual field 39: 3951
Large repulsion, but not attraction, tilt illusions occur when stimulus parameters selectively favour either transient (M-like) or sustained (P-like) mechanisms 39: 4113

PATHWAYS, ON-OFF
S-cone signals to temporal OFF-channels: asymmetrical connections to postreceptoral chromatic mechanisms 39: 39
Integration and segregation of local motion signals: the role of contrast polarity 39: 811
Spatial sensitization of increments and decrements: a border-contrast process and a net-excitation process 39: 1847
Nonlinearities of near-threshold contrast transduction 39: 1869
Short-range vernier acuity: interactions of temporal frequency, temporal phase, and stimulus polarity 39: 3351

PATTERN RECOGNITION
Categorical learning in pigeons: the role of texture and shape in complex static stimuli 39: 353
Position jitter and undersampling in pattern perception 39: 445
What pattern the eye sees best 39: 887
A self-organizing neural system for learning to recognize textured scenes 39: 1385
Neuronal responses to plaids 39: 2151
Identification of band-pass filtered letters and faces by human and ideal observers 39: 3537
Is the size aftereffect direction selective? 39: 3592
Display symmetry affects positional specificity in *same-different* judgment of pairs of novel visual patterns 39: 3752
Pattern detection in the presence of maskers that differ in spatial phase and temporal offset: threshold measurements and a model 39: 3855
The memory template in *Drosophila* pattern vision at the flight simulator 39: 3920

PERIPHERAL VISION
Off-axis monochromatic aberrations estimated from double pass measurements in the human eye 39: 207
Position jitter and undersampling in pattern perception 39: 445
Localization and identification tasks rely on different temporal frequencies 39: 513

The spatial tuning of color and luminance peripheral vision measured with notch filtered noise masking 39: 721
The oblique effect with colour defined motion throughout the visual field 39: 757
Contour integration in the peripheral field 39: 947
Peripheral vision and oculomotor control during visual search 39: 1567
Temporal resolution deficits in the visual fields of MS patients 39: 2429
Sharpness overconstancy: the roles of visibility and current context 39: 2649
Rod-cone-interactions in deuteranopic observers: models and dynamics 39: 3372
Discriminating mirror symmetry in foveal and extra-foveal vision 39: 3737
Foveal and peripheral thresholds for detection and resolution of vanishing optotype tumbling Es 39: 4141

PERSISTENCE (*see also* AFTEREFFECTS)
Spatio-temporal contrast sensitivity, coherent motion, and visible persistence in developmental dyslexia 39: 651

PHASE SENSITIVITY
Afterimages, grating induction and illusory phantoms 39: 3025
Detection of temporal structure depends on spatial structure 39: 3033
Short-range vernier acuity: interactions of temporal frequency, temporal phase, and stimulus polarity 39: 3351
Apparent fineness of stationary compound gratings 39: 3404
Pattern detection in the presence of maskers that differ in spatial phase and temporal offset: threshold measurements and a model 39: 3855
Spatial limitations of temporal segmentation 39: 4052
A multiscale spatial filtering account of the White effect, simultaneous brightness contrast and grating induction 39: 4361

PHOTOCHEMISTRY
Identification and distribution of dietary precursors of the *Drosophila* visual pigment chromophore: analysis of carotenoids in wild type and *ninaD* mutants by HPLC 39: 219
A back-propagation neural network predicts absorption maxima of chimeric human red/green visual pigments 39: 1707
Analysis of pharmacologically isolated components of the ERG 39: 1759
Effects of blocking the hyperpolarization-activated current (I_h) on the cat electroretinogram 39: 1767
Retinal ganglion cell response properties in the transcorneal electrically evoked response of the visual system 39: 2251
Differential DNA binding activities of the transcription factors AP-1 and Oct-1 during light-induced apoptosis of photoreceptors 39: 2511
The rod photoreceptor ATP-binding cassette transporter gene, *ABCR*, and retinal disease: from monogenic to multifactorial 39: 2537
Effects of sodium pentobarbital on the components of electroretinogram in the isolated rat retina 39: 3498
Ethambutol affects the spectral and polarisation sensitivity of on-responses in the optic nerve of rainbow trout 39: 4145

PHOTOPIGMENTS
An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio* 39: 1
Analysis of red/green color discrimination in subjects with a single X-linked photopigment gene 39: 707
A back-propagation neural network predicts absorption maxima of chimeric human red/green visual pigments 39: 1707
Morphological changes in the retina of *Aequidens pulcher* (Cichlidae) after rearing in monochromatic light 39: 2441
Visual pigments and oil droplets in the retina of a passerine bird, the canary *Serinus canaria:* microspectrophotometry and opsin sequences 39: 2801

Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger*, a deep-sea dragon fish with far red bioluminescence 39: 2817
The spectral sensitivity of the human short-wavelength sensitive cones derived from thresholds and color matches 39: 2901
Visual pigments, cone oil droplets, ocular media and predicted spectral sensitivity in the domestic turkey *(Meleagris gallopavo)* 39: 3321
L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities 39: 3513
Scanning laser densitometry and color perimetry demonstrate reduced photopigment density and sensitivity in two patients with retinal degeneration 39: 3630
Aging and dark adaptation 39: 3975

PHOTORECEPTORS (*see also* CONES; RODS)
An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio* 39: 1
S-cone signals to temporal OFF-channels: asymmetrical connections to postreceptoral chromatic mechanisms 39: 39
The effects of temporal noise and retinal illuminance on foveal flicker sensitivity 39: 533
Temporal sequence of changes in rat retina after UV-A and blue light exposure 39: 1233
A back-propagation neural network predicts absorption maxima of chimeric human red/green visual pigments 39: 1707
Analysis of pharmacologically isolated components of the ERG 39: 1759
Effects of blocking the hyperpolarization-activated current (I_h) on the cat electroretinogram 39: 1767
A comment on 'photoreceptor function in unilateral amblyopia' 39: 2311
Morphological changes in the retina of *Aequidens pulcher* (Cichlidae) after rearing in monochromatic light 39: 2441
Differential DNA binding activities of the transcription factors AP-1 and Oct-1 during light-induced apoptosis of photoreceptors 39: 2511
The rod photoreceptor ATP-binding cassette transporter gene, *ABCR*, and retinal disease: from monogenic to multifactorial 39: 2537
Can subretinal microphotodiodes successfully replace degenerated photoreceptors? 39: 2555
Photoreceptor function of retinal transplants implicated by light-dark shift of S-antigen and rod transducin 39: 2589
Visual pigments and oil droplets in the retina of a passerine bird, the canary *Serinus canaria:* microspectrophotometry and opsin sequences 39: 2801
Visual pigments, cone oil droplets, ocular media and predicted spectral sensitivity in the domestic turkey *(Meleagris gallopavo)* 39: 3321
Use of an early nonlinearity to measure optical and receptor resolution in the human infant 39: 3386
Photoreceptors are preferentially affected in the rat retina following permanent occlusion of the carotid arteries 39: 3995

PIGMENT EPITHELIUM
Effects of bicarbonate ion on chick retinal pigment epithelium: membrane potentials and light-evoked responses 39: 159
Temporal sequence of changes in rat retina after UV-A and blue light exposure 39: 1233

PLASTICITY
Psychophysical observations concerned with a foveal lesion (macular hole) 39: 2421
Morphological changes in the retina of *Aequidens pulcher* (Cichlidae) after rearing in monochromatic light 39: 2441

POLARIZED LIGHT
Ethambutol affects the spectral and polarisation sensitivity of on-responses in the optic nerve of rainbow trout 39: 4145

PROSTHESIS

Can subretinal microphotodiodes successfully replace degenerated photoreceptors? 39: 2555
Pattern electrical stimulation of the human retina 39: 2569
A neural interface for a cortical vision prosthesis 39: 2577
Long-term survival of retinal cell cultures on retinal implant materials 39: 3988

PUPILS
A true neuronal consensual pupillary reflex in chicks 39: 897
S-cone contribution to pupillary responses evoked by chromatic flash offset 39: 1189

REACTION TIME
Spatial attention and latencies of saccadic eye movements 39: 585
Peripheral and central delay in processing high spatial frequencies: reaction time and VEP latency studies 39: 699
The oculomotor gap effect without a foveal fixation point 39: 833
One spatial filter limits speed of detecting low and middle frequency gratings 39: 1683
The effects of ageing on reaction times to motion onset 39: 2157
Latencies and discharge patterns of color-opponent neurons in the rainbow trout optic tectum 39: 2795
Electrophysiological evidence for an early attentional mechanism in visual processing in humans 39: 2975
Express averaging saccades in monkeys 39: 4200

READING
Spatio-temporal contrast sensitivity, coherent motion, and visible persistence in developmental dyslexia 39: 651
Reading with central field loss: number of letters masked is more important than the size of the mask in degrees 39: 747
Word ambiguity and the optimal viewing position in reading 39: 843
Combined use of several preferred retinal loci in patients with macular disorders when reading single words 39: 873
Reading with simulated scotomas: attending to the right is better than attending to the left 39: 1039
Idiosyncratic characteristics of saccadic eye movements when viewing different visual environments 39: 2947
Gaze-shift dynamics in subject with and without symptoms of convergence insufficiency: influence of monocular preference and the effect of training 39: 3095
Eye and head coordination in reading: roles of head movement and cognitive control 39: 3761
The effects of simulated cataract on reading with normal vision and simulated central scotoma 39: 4274
Eye movement control in reading: accounting for initial fixation locations and refixations within the E-Z Reader model 39: 4403
Elicited sequential presentation for low vision reading 39: 4412

RECEPTIVE FIELDS (*see also individual cell types)*
A model for the depth-dependence of receptive field size and contrast sensitivity of cells in layer 4C of macaque striate cortex 39: 613
Species-dependent variation in the dendritic stratification of apparently homologous retinal ganglion cell mosaics in two neoteleost fishes 39: 2615
Sensitivity and dynamics of rod signals in H1 horizontal cells of the macaque monkey retina 39: 3662

RECEPTOR POTENTIAL (*see* CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

REFRACTION
Normal development of refractive state and ocular component dimensions in the marmoset *(Callithrix jacchus)* 39: 177

The effects of spectacle wear in infancy on eye growth and refractive error in the marmoset *(Callithrix jacchus)* 39: 189
Off-axis monochromatic aberrations estimated from double pass measurements in the human eye 39: 207
The role of optical defocus in regulating refractive development in infant monkeys 39: 1415
The growing eye: an autofocus system that works on very poor images 39: 1585
The refractive development of untreated eyes of rhesus monkeys varies according to the treatment received by their fellow eyes 39: 1749

RETINA

An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio* 39: 1
Effects of bicarbonate ion on chick retinal pigment epithelium: membrane potentials and light-evoked responses 39: 159
Combined use of several preferred retinal loci in patients with macular disorders when reading single words 39: 873
A true neuronal consensual pupillary reflex in chicks 39: 897
Effects of adenosinergic agents on the vascular resistance and on the optic nerve response in the perfused cat eye 39: 1059
A two-dimensional model of brightness perception based on spatial filtering consistent with retinal processing 39: 1199
Temporal sequence of changes in rat retina after UV-A and blue light exposure 39: 1233
The growing eye: an autofocus system that works on very poor images 39: 1585
Retinal ganglion cell dysfunction in humans following post-geniculate lesions: specific spatio-temporal losses revealed by pattern ERG 39: 1739
Analysis of pharmacologically isolated components of the ERG 39: 1759
Effects of blocking the hyperpolarization-activated current (I_h) on the cat electroretinogram 39: 1767
Looking behind a pathological blind spot in human retina 39: 1917
Hepatic retinopathia: changes in retinal function (letter) 39: 2027
Electrophysiological properties of a new isolated rat retina preparation 39: 2165
Retinal ganglion cell response properties in the transcorneal electrically evoked response of the visual system 39: 2251
Identifying inner retinal contributions to the human multifocal ERG 39: 2285
Endothelial nitric oxide synthase (eNOS) is localized to Müller cells in all vertebrate retinas 39: 2299
Retinal development, degeneration and functional restitution (editorial) 39: 2439
Morphological changes in the retina of *Aequidens pulcher* (Cichlidae) after rearing in monochromatic light 39: 2441
The feedback pathway from horizontal cells to cones: a mini review with a look ahead 39: 2449
Maturation of intrinsic membrane properties in rat retinal ganglion cells 39: 2477
Synchronous oscillations in the cat retina 39: 2485
Long-term changes in retinal contrast sensitivity in chicks from frosted occluders and drugs: relations to myopia? 39: 2499
Differential DNA binding activities of the transcription factors AP-1 and Oct-1 during light-induced apoptosis of photoreceptors 39: 2511
The purine nucleoside adenosine in retinal ischemia-reperfusion injury 39: 2519
Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV 39: 2545
Can subretinal microphotodiodes successfully replace degenerated photoreceptors? 39: 2555
Pattern electrical stimulation of the human retina 39: 2569
Photoreceptor function of retinal transplants implicated by light-dark shift of S-antigen and rod transducin 39: 2589
Species-dependent variation in the dendritic stratification of apparently homologous retinal ganglion cell mosaics in two neoteleost fishes 39: 2615
Visual pigments and oil droplets in the retina of a passerine bird, the canary *Serinus canaria:* microspectrophotometry and opsin sequences 39: 2801
Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger,* a deep-sea dragon fish with far red bioluminescence 39: 2817

Quantitative estimations of foveal and extra-foveal retinal circuitry in humans 39: 2987
The expression of Ca^{2+} /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation 39: 3165
Effects of sodium pentobarbital on the components of electroretinogram in the isolated rat retina 39: 3498
Scanning laser densitometry and color perimetry demonstrate reduced photopigment density and sensitivity in two patients with retinal degeneration 39: 3630
Variance in transneuronal retrograde ganglion cell degeneration in monkeys after removal of striate cortex: effects of size of the cortical lesion 39: 3642
Anatomical and electrophysiological evidence for GABAergic bipolar cells in tiger salamander retina 39: 3653
$_L$-Arginine transport in retinas from streptozotocin diabetic rats: correlation with the level of IL-1ß and NO synthase activity 39: 3817
The memory template in *Drosophila* pattern vision at the flight simulator 39: 3920
Long-term survival of retinal cell cultures on retinal implant materials 39: 3988
Photoreceptors are preferentially affected in the rat retina following permanent occlusion of the carotid arteries 39: 3995
Post-retinal processing of background luminance 39: 4045

RETINAL DISEASE (*see* PATHOLOGY)

ROD-CONE INTERACTION (*see* CONES; RODS)

RODS
Effects of blocking the hyperpolarization-activated current (I_h) on the cat electroretinogram 39: 1767
Rods induce transient tritanopia in blue cone monochromats 39: 2275
The rod photoreceptor ATP-binding cassette transporter gene, *ABCR*, and retinal disease: from monogenic to multifactorial 39: 2537
Rod-cone-interactions in deuteranopic observers: models and dynamics 39: 3372
Sensitivity and dynamics of rod signals in H1 horizontal cells of the macaque monkey retina 39: 3662
Aging and dark adaptation 39: 3975

SACCADES (*see* EYE-MOVEMENTS, SACCADIC)

SACCADIC SUPPRESSION (*see* SUPPRESSION)

SCOTOMA
Combined use of several preferred retinal loci in patients with macular disorders when reading single words 39: 873
Reading with simulated scotomas: attending to the right is better than attending to the left 39: 1039
Models for the description of angioscotomas 39: 1889
Angioscotoma detection with fundus-oriented perimetry. A study with dark and bright stimuli of different size 39: 1897
Looking behind a pathological blind spot in human retina 39: 1917
Psychophysical observations concerned with a foveal lesion (macular hole) 39: 2421
The effects of simulated cataract on reading with normal vision and simulated central scotoma 39: 4274

SCOTOPIC VISION
Seeing better at night: life style, eye design and the optimum strategy of spatial and temporal summation 39: 1611
Sensitivity and dynamics of rod signals in H1 horizontal cells of the macaque monkey retina 39: 3662

Perception of coherent motion, biological motion and form-from-motion under dim-light conditions 39: 3721
Senescent changes in scotopic contrast sensitivity 39: 3728
Aging and dark adaptation 39: 3975

SEGMENTATION
Amodal completion in texture visual evoked potentials 39: 31
Stereoscopic depth but not shape perception from second-order stimuli 39: 1491
The role of convexity in perceptual completion: beyond good continuation 39: 4244
Speed tuning of motion segmentation and discrimination 39: 4297

SIZE PERCEPTION
Non-veridical size perception of expanding and contracting objects 39: 2999

SPATIAL FREQUENCY (*see also* PHASE SENSITIVITY)
Neural recoding in human pattern vision: model and mechanisms 39: 231
On the relationship between the spatial channels for luminance and disparity processing 39: 559
Orientation and luminance polarity tuning of the transient-vergence system 39: 575
Peripheral and central delay in processing high spatial frequencies: reaction time and VEP latency studies 39: 699
Saccade selection in visual search: evidence for spatial frequency specific between-item interactions 39: 1373
Rival ideas about binocular rivalry 39: 1447
Morphology of transient VEPs to luminance and chromatic pattern onset and offset 39: 1577
Temporal sensitivity of human luminance pattern mechanisms determined by masking with temporally modulated stimuli 39: 1641
One spatial filter limits speed of detecting low and middle frequency gratings 39: 1683
Spatial integration and effective spectral density of one-dimensional noise masks 39: 1775
Second-order processing of four-stroke apparent motion 39: 1795
Target detection against narrow band noise backgrounds 39: 2191
Early visual impairment is independent of the visuocognitive and memory disturbances in Alzheimer's disease 39: 2261
Development of spatial and temporal vision during childhood 39: 2325
Modelling spatial contrast sensitivity functions for chromatic and luminance-modulated gratings 39: 2387
Orientation tuning of the transient-stereopsis system 39: 2717
Second-site adaptation in the red-green detection pathway: only elicited by low-spatial-frequency test stimuli 39: 3011
Detection of temporal structure depends on spatial structure 39: 3033
Optimal spatial frequencies for discrimination of motion direction in optic flow patterns 39: 3175
Velocity tuned mechanisms in human motion processing 39: 3267
Use of an early nonlinearity to measure optical and receptor resolution in the human infant 39: 3386
Spatial-frequency bandwidth of perceived contrast 39: 3399, 39: 3404
Spatial and temporal vision in patients treated for bilateral congenital cataracts 39: 3480
Spatio-temporal tuning of VEPs: effect of mode stimulation 39: 3491
Identification of band-pass filtered letters and faces by human and ideal observers 39: 3537
Chromatic induction with remote chromatic contrast varied in magnitude, spatial frequency, and chromaticity 39: 3561
The neural deficit in strabismic amblyopia: sampling considerations 39: 3575
Visual compassion of partly occluded grating in infants under 1 month of age 39: 3586
Is the size aftereffect direction selective? 39: 3592
The stereoscopic (cyclopean) motion aftereffect is selective for spatial frequency and orientation of disparity modulation 39: 3745
Spatial frequency bandwidth used in the recognition of facial images 39: 3824
The orientation discrimination deficit in strabismic amblyopia depends upon stimulus bandwidth 39: 4018

Facilitation between the luminance and red-green detection mechanisms: enhancing contrast differences across edges 39: 4098
Large repulsion, but not attraction, tilt illusions occur when stimulus parameters selectively favour either transient (M-like) or sustained (P-like) mechanisms 39: 4113
Testing for glaucoma with the spatial frequency doubling illusion 39: 4258

SPATIAL VISION (*see also* PHASE SENSITIVITY)
Attentional interference at small spatial separations 39: 71
Spatial attention improves performance in spatial resolution tasks 39: 293
Averaging and summation of influences on visually perceived eye level between two long lines differing in pitch or roll-tilt 39: 307
Optimal spatial localization is limited by contrast sensitivity 39: 503
Peripheral and central delay in processing high spatial frequencies: reaction time and VEP latency studies 39: 699
The spatial tuning of color and luminance peripheral vision measured with notch filtered noise masking 39: 721
Alignment of separated patches: multiple location tags 39: 789
Perceived distance, shape and size 39: 975
Transducer model produces facilitation from opposite-sign flanks 39: 987
Contrast dependency of foveal spatial functions: orientation, vernier, separation, blur and displacement discrimination and the tilt and Poggendorff illusions 39: 1631
Assessment of cortical dysfunction in human strabismic amblyopia using magnetoencephalography (MEG) 39: 1723
Measuring perceived 3D shape at multiple spatial scales 39: 1833
Spatial sensitization of increments and decrements: a border-contrast process and a net-excitation process 39: 1847
Learning of interpolation in 2 and 3 dimensions 39: 2051
The time course of psychophysical end-stopping 39: 2063
Adaptation and the temporal delay filter of fly motion detectors 39: 2603
Temporal recruitment along the trajectory of moving objects and the perception of position 39: 2669
Does early non-linearity account for second-order motion? 39: 2853
Discriminating local continuity in curved figures 39: 3287
Spatial facilitation by color and luminance edges: boundary, surface, and attentional factors 39: 3431
Vernier acuity with compound gratings: the whole is equal to the better of its parts 39: 3681
Multiple gain control processes in contrast-contrast phenomena 39: 3983
Detecting collinear dots in noise 39: 4161

SPECTRAL SENSITIVITY
An ultraviolet absorbing pigment causes a narrow-band violet receptor and a single-peaked green receptor in the eye of the butterfly *Papilio* 39: 1
Residual vision in the blind field of hemidecorticated humans predicted by a diffusion scatter model and selective spectral absorption of the human eye 39: 149
The effects of temperature on the dark-adapted spectral sensitivity function of the adult zebrafish 39: 1051
Visual attention modifies spectral sensitivity of nystagmic eye movements 39: 1551
Visual pigments and oil droplets in the retina of a passerine bird, the canary *Serinus canaria*: microspectrophotometry and opsin sequences 39: 2801
Enhanced retinal longwave sensitivity using a chlorophyll-derived photosensitiser in *Malacosteus niger*, a deep-sea dragon fish with far red bioluminescence 39: 2817
The spectral sensitivity of the human short-wavelength sensitive cones derived from thresholds and color matches 39: 2901
Visual pigments, cone oil droplets, ocular media and predicted spectral sensitivity in the domestic turkey *(Meleagris gallopavo)* 39: 3321
L, M and L-M hybrid cone photopigments in man: deriving $_{\lambda}\mu\alpha\xi$ from flicker photometric spectral sensitivities 39: 3513

Increment-threshold spectral sensitivity during saccadic eye movements in uniform visual field 39: 3951
Ethambutol affects the spectral and polarisation sensitivity of on-responses in the optic nerve of rainbow trout 39: 4145

SPEED (*see* MOTION PERCEPTION (SPEED SENSITIVITY))

SPHERICAL ABERRATION (*see* ABERRATION)

STEREOPSIS
The effects of contrast on perceived depth and depth discrimination 39: 9
Quantitative depth for a phantom surface can be based on cyclopean occlusion cues alone 39: 109
Occlusion contributes to temporal processing differences between crossed and uncrossed stereopsis in random-dot displays 39: 331
The influence of large scanning eye movements on stereoscopic slant estimation of large surfaces 39: 467
An orientation anisotropy in the effects of scaling vertical disparities 39: 481
Stereopsis based on monocular gaps: metrical encoding of depth and slant without matching contours 39: 493
On the relationship between the spatial channels for luminance and disparity processing 39: 559
The effect of target size and eccentricity on reflex disparity vergence 39: 823
The extrinsic/intrinsic classification of two-dimensional motion signals with barber-pole stimuli 39: 915
Global motion processing is not tuned for binocular disparity 39: 961
Perceived distance, shape and size 39: 975
Horizontal and vertical disparity, eye position, and stereoscopic slant perception 39: 1143
Stereoscopic occlusion and the aperture problem for motion: a new solution 39: 1273
Stereopsis, cyclovergence and the backwards tilt of the vertical horopter 39: 1347
Stereoscopic depth but not shape perception from second-order stimuli 39: 1491
Measuring perceived 3D shape at multiple spatial scales 39: 1833
Local and global stereopsis in the horse 39: 1861
Computational analysis of disparity modulation sensitivity: an explanation in terms of a Bayesian surface reconstruction 39: 1881
Characteristics of accommodation toward apparent depth 39: 2087
On the apparent collapse of stereopsis in random-dot-stereograms at isoluminance 39: 2127
Stereopsis from contrast envelopes 39: 2313
First and second-order contributions to surface interpolation 39: 2335
Behavioral evidence for visual perception of 3-dimensional surface structures in monkeys 39: 2399
Orientation tuning of the transient-stereopsis system 39: 2717
Two processes in stereoscopic apparent motion 39: 2739
Stereothresholds in persons with congenital nystagmus and in normal observers during comparable retinal image motion 39: 2963
Sensitivity to horizontal and vertical corrugations defined by binocular disparity 39: 3049
Bias and sensitivity of stereo judgements in the presence of a slanted reference plane 39: 3057
Stereoscopic (cyclopean) motion sensing 39: 3329
The stereoscopic (cyclopean) motion aftereffect is selective for spatial frequency and orientation of disparity modulation 39: 3745
Interaction between the perceived shape of two objects 39: 3834
Extraction of depth from opposite-contrast stimuli: transient system can, sustained system can't 39: 4010
Depth aliasing by the transient-stereopsis system 39: 4333

STILES-CRAWFORD EFFECT
The depth-of-field of the human eye from objective and subjective measurements 39: 2039
Learning of interpolation in 2 and 3 dimensions 39: 2051
A new approach to the study of ocular chromatic aberrations 39: 4309

STRABISMUS (*see also* AMBLYOPIA)
Orientation-based texture segmentation in strabismic amblyopia 39: 411
A deficit in strabismic amblyopia for global shape detection 39: 901
Assessment of cortical dysfunction in human strabismic amblyopia using magnetoencephalography (MEG) 39: 1723
Sparse-sampling of gratings in the visual cortex of strabismic amblyopes 39: 3526
The neural deficit in strabismic amblyopia: sampling considerations 39: 3575
The orientation discrimination deficit in strabismic amblyopia depends upon stimulus bandwidth 39: 4018

SUMMATION, PROBABILITY
Evidence for the stochastic independence of the blue-yellow, red-green and luminance detection mechanisms revealed by subthreshold summation 39: 733
What pattern the eye sees best 39: 887

SUMMATION, SPATIAL
Noisy templates explain area summation 39: 367
What pattern the eye sees best 39: 887
Seeing better at night: life style, eye design and the optimum strategy of spatial and temporal summation 39: 1611
Contrast integration across space 39: 2597

SUMMATION, TEMPORAL
Seeing better at night: life style, eye design and the optimum strategy of spatial and temporal summation 39: 1611

SUPPRESSION (*see also* BINOCULAR RIVALRY)
Increment-threshold spectral sensitivity during saccadic eye movements in uniform visual field 39: 3951

SURFACE PERCEPTION
Orientation-based texture segmentation in strabismic amblyopia 39: 411
The influence of large scanning eye movements on stereoscopic slant estimation of large surfaces 39: 467
Stereopsis based on monocular gaps: metrical encoding of depth and slant without matching contours 39: 493
Integration and segregation of local motion signals: the role of contrast polarity 39: 811
Feature specific segmentation in perceived structure-from-motion 39: 881
What motion distributions yield global transparency and spatial segmentation? 39: 1121
Texture filling-in and texture segregation revealed by transient masking 39: 1285
A self-organizing neural system for learning to recognize textured scenes 39: 1385
Stereoscopic depth but not shape perception from second-order stimuli 39: 1491
Simultaneous color constancy: how surface color perception varies with the illuminant 39: 1531
A visual evoked potential correlate of global figure-ground segmentation 39: 1597
Colour and polarity contributions to global motion perception 39: 1813
An optimal estimation approach to visual perception and learning 39: 1963
Effects of a benzodiazepine, lorazepam, on motion integration and segmentation: an effect on the processing of line-ends? 39: 2017
On the apparent collapse of stereopsis in random-dot-stereograms at isoluminance 39: 2127
First and second-order contributions to surface interpolation 39: 2335
Behavioral evidence for visual perception of 3-dimensional surface structures in monkeys 39: 2399
One-shot viewpoint invariance in matching novel objects in matching novel objects 39: 2885
Shapes, surfaces and saccades 39: 2929
Sensitivity to horizontal and vertical corrugations defined by binocular disparity 39: 3049
Three-dimensional shape and two-dimensional surface reflectance contributions to face recognition: an application of three-dimensional morphing 39: 3145

The role of terminators and occlusion cues in motion integration and segmentation: a neural network model 39: 3301
Spatial facilitation by color and luminance edges: boundary, surface, and attentional factors 39: 3431
Spatial limitations of temporal segmentation 39: 4052
Speed tuning of motion segmentation and discrimination 39: 4297

TECHNIQUES
Reproducibility of ERG responses obtained with the DTL electrode 39: 1069
Measurement of the eye's near infrared wave-front aberration using the objective crossed-cylinder aberroscope technique 39: 2031
Bayesian adaptive estimation of psychometric slope and threshold 39: 2729
The neural deficit in strabismic amblyopia: sampling considerations 39: 3575
Scanning laser densitometry and color perimetry demonstrate reduced photopigment density and sensitivity in two patients with retinal degeneration 39: 3630

TEMPORAL DISCRIMINATION
Second-order processing of four-stroke apparent motion 39: 1795
Temporal recruitment along the trajectory of moving objects and the perception of position 39: 2669
Detection of temporal structure depends on spatial structure 39: 3033
Infant temporal contrast sensitivity functions (tCSFs) mature earlier for luminance than for chromatic stimuli: evidence for precocious magnocellular development? 39: 3223
Flicker and the efficiency of cues for capturing attention 39: 3241

TEMPORAL FREQUENCY
Localization and identification tasks rely on different temporal frequencies 39: 513
Rival ideas about binocular rivalry 39: 1447
Morphology of transient VEPs to luminance and chromatic pattern onset and offset 39: 1577
Temporal sensitivity of human luminance pattern mechanisms determined by masking with temporally modulated stimuli 39: 1641
Development of spatial and temporal vision during childhood 39: 2325
Temporal resolution deficits in the visual fields of MS patients 39: 2429
Adaptation and the temporal delay filter of fly motion detectors 39: 2603
Velocity tuned mechanisms in human motion processing 39: 3267
Short-range vernier acuity: interactions of temporal frequency, temporal phase, and stimulus polarity 39: 3351
Rod-cone-interactions in deuteranopic observers: models and dynamics 39: 3372
Spatial and temporal vision in patients treated for bilateral congenital cataracts 39: 3480
Spatio-temporal tuning of VEPs: effect of mode stimulation 39: 3491
Concurrent measurement of perceived speed and speed discrimination threshold using the method of single stimuli 39: 3849
Spatial limitations of temporal segmentation 39: 4052

TEXTURE PERCEPTION
Amodal completion in texture visual evoked potentials 39: 31
Categorical learning in pigeons: the role of texture and shape in complex static stimuli 39: 353
Long range interactions between oriented texture elements 39: 933
Texture segregation shows only a very small lower-hemifield advantage 39: 1171
Texture filling-in and texture segregation revealed by transient masking 39: 1285
A self-organizing neural system for learning to recognize textured scenes 39: 1385
On the mechanism for scale invariance in orientation-defined textures 39: 1477
A visual evoked potential correlate of global figure-ground segmentation 39: 1597
A comparison of the dynamics of simple (Fourier) and complex (non-Fourier) mechanisms in texture segregation 39: 1943

Target detection against narrow band noise backgrounds 39: 2191
Dichoptically cancelled motion 39: 2293
The interaction of first- and second-order cues to orientation 39: 2867
Optimal integration of texture and motion cues to depth 39: 3621
Experience-dependent integration of texture and motion cues to depth 39: 4062
Contrast inconstancy across changes in polarity 39: 4076
Position-based motion perception for color texture stimuli: effects of contrast and speed 39: 4172

THRESHOLD (*see* CONTRAST SENSITIVITY; DETECTION THRESHOLD; INCREMENT THRESHOLD)

TRANSPARENCY
Computational models of coherent and transparent plaid motion 39: 87
Integration after adaptation to transparent motion: static and dynamic test patterns result in different aftereffect directions 39: 803
Feature specific segmentation in perceived structure-from-motion 39: 881
What motion distributions yield global transparency and spatial segmentation? 39: 1121
Motion-transparent inducers have different effects on induced motion and motion capture 39: 1671
Global-motion detection with transparent-motion signals 39: 2239
Stereopsis from contrast envelopes 39: 2313
Speed tuning of motion segmentation and discrimination 39: 4297

VELOCITY (*see* MOTION PERCEPTION (SPEED SENSITIVITY))

VERNIER ACUITY (*see* HYPERACUITY)

VISUAL DIRECTION
Wondering about the wandering cyclopean eye 39: 2381
Perceived visual direction near an occluder 39: 4085

VISUAL SEARCH
Search for feature and for relative position: measurement of capacity limitations 39: 1321
Saccade selection in visual search: evidence for spatial frequency specific between-item interactions 39: 1373
Saccades require focal attention and are facilitated by a short-term memory system 39: 1555
Peripheral vision and oculomotor control during visual search 39: 1567
Which end is up? Two representation of orientation in visual search 39: 2075
Focal attention in visual search 39: 2305
Convex hull test of the linear separability hypothesis in visual search 39: 2681
Idiosyncratic characteristics of saccadic eye movements when viewing different visual environments 39: 2947
A simple saliency model predicts a number of motion popout phenomena 39: 3157
Interactions between achromatic and chromatic mechanisms in visual search 39: 3253

WAVELENGTH DISCRIMINATION (*see* COLOR DISCRIMINATION)

JOURNAL PACKAGES

Money-saving ways to buy journals such as...

Atmospheric Environment
Biochemical Pharmacology
Environmental Pollution
Life Sciences
Neuropharmacology
Neuroscience
Tetrahedron Letters
Trends in Pharmacological Sciences

Which libraries benefit?

Those libraries which take all the journals from a package will see an immediate benefit and saving. Libraries which take all but one of the journals may find that they can buy the missing title for a nominal amount.

Take advantage of these packages

Subscription Agents have been informed about these money-saving packages and are in a position to help librarians take advantage of the savings offered. Contact your nearest Regional Sales Office directly for more information and help.



Regional Sales Offices

For customers in Europe, Middle East and Africa
Elsevier Science
Regional Sales Office
Customer Support Department
P.O. Box 211
1000 AE Amsterdam
The Netherlands
Tel: (+31) 20 485 3757
Fax: (+31) 20 485 3432
E-mail: nlinfo-f@elsevier.nl

For customers in the United States & Canada
Elsevier Science
Regional Sales Office
Customer Support Department
P.O. Box 945
New York, N.Y. 10159-0945
U.S.A.
Tel: (+1) 212 633 3730
Toll Free number for North-American customers: 1-888-4ES-INFO (437-4636)
Fax: (+1) 212 633 3680
E-mail: usinfo-f@elsevier.com

For customers in Japan
Elsevier Science
Regional Sales Office
Customer Support Department
9-15 Higashi-Azabu 1-chome
Minato-ku
Tokyo
106-0044 Japan
Tel: (+81) 3 5561 5033
Fax: (+81) 3 5561 5047
E-mail: info@elsevier.co.jp

For customers in Asia and Australasia
Elsevier Science
Regional Sales Office
Customer Support Department
No. 1 Temasek Avenue
#17-01 Millenia Tower
Singapore 039192
Tel: (+65) 434 3727
Fax: (+65) 337 2230
E-mail: asiainfo@elsevier.com.sg

For customers in Latin America
Elsevier Science
Regional Sales Office
Rua Sete de Setembro 111/16
Andar
20050-002 Centro
Rio de Janeiro - RJ
Brazil
Tel: (+55) 21 509 5340
Fax: (+55) 21 507 1991
E-mail: elsevier@campus.com.br

CO815/P1

Did you know contributors to
Elsevier Science
books or journals
are entitled to

30% discount

on all our books*?

*(except multi-volume reference works)

Contact your nearest Elsevier Science
office in order to obtain
a subject catalogue

Regional Sales Offices

For customers in Europe, Middle East and Africa
Elsevier Science, Regional Sales Office, Customer Support Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands
Tel: (+31) 20 485 3757, Fax: (+31) 20 485 3432, E-mail: nlinfo-f@elsevier.nl

For customers in the United States & Canada
Elsevier Science, Regional Sales Office, Customer Support Department, P.O. Box 945, New York, N.Y. 10159-0945, U.S.A.
Tel: (+1) 212 633 3730, Toll Free number for North-American customers: 1-888-4ES-INFO (437-4636), Fax: (+1) 212 633 3680
E-mail: usinfo-f@elsevier.com

For customers in Japan
Elsevier Science, Regional Sales Office, Customer Support Department, 9-15 Higashi-Azabu, 1-chome, Minato-ku, Tokyo, 106-0044 Japan
Tel: (+81) 3 5561 5033, Fax: (+81) 3 5561 5047, E-mail: info@elsevier.co.jp

For customers in Asia and Australasia
Elsevier Science, Regional Sales Office, Customer Support Department, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192
Tel: (+65) 434 3727, Fax: (+65) 337 2230, E-mail: asiainfo@elsevier.com.sg

For customers in Latin America
Elsevier Science, Regional Sales Office, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil
Tel: (+55) 21 509 5340, Fax: (+55) 21 507 1991, E-mail: elsevier@campus.com.br

ELSEVIER | PERGAMON | NORTH HOLLAND | EXCERPTA MEDICA

CO815/P2

BACK ISSUES OF THIS JOURNAL

Back issues of this and all other Elsevier Science journals are available in hard copy. New subscribers to a journal may purchase back issues of that publication in hard copy edition at 25% discount off the standard price. Elsevier Science maintains stocks of back issues and orders may be placed with confidence at your nearest Elsevier Science office. Should any issue of a volume be temporarily out of stock at the time of ordering, a high quality photoduplicated copy will be supplied at no extra charge to complete your order.

SAVE UP TO 25% BY PURCHASING COMPLETE SETS

Customers wishing to purchase complete sets can do so at a saving of 25% off the individual volume price.

MICROFORM EDITIONS

Back issues in microform of Elsevier Science research journals are also available. For further information please apply to your nearest Elsevier Science office.

BACK ISSUES PRICE LIST

Full details of the rates of back issues of all Elsevier Science journals can be found in our Back Issues Price List. Please contact your nearest Elsevier Science office for a copy.

Regional Sales Offices

For customers in Europe, Middle East and Africa
Elsevier Science, Regional Sales Office, Customer Support Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands
Tel: (+31) 20 485 3757, Fax: (+31) 20 485 3432, E-mail: nlinfo-f@elsevier.nl

For customers in the United States & Canada
Elsevier Science, Regional Sales Office, Customer Support Department, P.O. Box 945, New York, N.Y. 10159-0945, U.S.A.
Tel: (+1) 212 633 3730, Toll Free number for North-American customers: 1-888-4ES-INFO (437-4636), Fax: (+1) 212 633 3680
E-mail: usinfo-f@elsevier.com

For customers in Japan
Elsevier Science, Regional Sales Office, Customer Support Department, 9-15 Higashi-Azabu, 1-chome, Minato-ku, Tokyo, 106-0044 Japan
Tel: (+81) 3 5561 5033, Fax: (+81) 3 5561 5047, E-mail: info@elsevier.co.jp

For customers in Asia and Australasia
Elsevier Science, Regional Sales Office, Customer Support Department, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192
Tel: (+65) 434 3727, Fax: (+65) 337 2230, E-mail: asiainfo@elsevier.com.sg

For customers in Latin America
Elsevier Science, Regional Sales Office, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil
Tel: (+55) 21 509 5340, Fax: (+55) 21 507 1991, E-mail: elsevier@campus.com.br

ELSEVIER | PERGAMON | NORTH HOLLAND | EXCERPTA MEDICA

CO815/P3

Receive Regular News of Elsevier's Publications

Elsevier Science mails information on new and existing publications regularly.
If you would like to be added to the mailing list please send us your name and full mailing address, indicating your fields of interest:

a subject areas

- Chemistry and Chemical Engineering
- Clinical Medicine
- Computer Science
- Earth and Planetary Sciences
- Economics, Business and Management Science
- Engineering, Energy and Technology
- Environmental Science and Technology
- Life Sciences
- Materials Science
- Mathematics
- Physics and Astronomy
- Social Sciences

ELSEVIER | PERGAMON | NORTH HOLLAND | EXCERPTA MEDICA

Regional Sales Offices

For customers in Europe, Middle East and Africa
Elsevier Science
Regional Sales Office
Customer Support Department
P.O. Box 211
1000 AE Amsterdam
The Netherlands
Tel: (+31) 20 485 3757
Fax: (+31) 20 485 3432
E-mail: nlinfo-f@elsevier.nl

For customers in the United States & Canada
Elsevier Science
Regional Sales Office
Customer Support Department
P.O. Box 945
New York, N.Y. 10159-0945
U.S.A.
Tel: (+1) 212 633 3730
Toll Free number for North-American customers: 1-888-4ES-INFO (437-4636)
Fax: (+1) 212 633 3680
E-mail: usinfo-f@elsevier.com

For customers in Japan
Elsevier Science
Regional Sales Office
Customer Support Department
9-15 Higashi-Azabu
1-chome
Minato-ku
Tokyo
106-0044 Japan
Tel: (+81) 3 5561 5033
Fax: (+81) 3 5561 5047
E-mail: info@elsevier.co.jp

For customers in Asia and Australasia
Elsevier Science
Regional Sales Office
Customer Support Department
No. 1 Temasek Avenue
#17-01 Millenia Tower
Singapore 039192
Tel: (+65) 434 3727
Fax: (+65) 337 2230
E-mail: asiainfo@elsevier.com.sg

For customers in Latin America
Elsevier Science
Regional Sales Office
Rua Sete de Setembro 111/16
Andar
20050-002 Centro
Rio de Janeiro - RJ
Brazil
Tel: (+55) 21 509 5340
Fax: (+55) 21 507 1991
E-mail: elsevier@campus.com.br

CO815/P5

AVAILABLE AT YOUR FINGERTIPS...

THE ELSEVIER SCIENCE CATALOGUE ON THE INTERNET

Features include:

ELSEVIER SCIENCE

Catalogue on INTERNET

- ORDER YOUR **FREE** SAMPLE COPY OF *JOURNAL/BOOK TITLE* TODAY BY CHECKING ITS CATALOGUE ENTRY

Other features include:-

- All the journals, with complete information about journal editors and editorial boards
- Listings of special issues and volumes
- Listings of recently published papers for many journals
- Complete descriptions and contents lists of book titles
- Clippings of independent reviews of published books
- Book series, dictionaries, reference works
- Electronic and CD-ROM products
- Full text search facilities
- Ordering facilities
- Print options
- Hypertext links
- Alerting facility for new & forthcoming publications
- Updated monthly

TRY IT TODAY!

http://www.elsevier.nl/

For further queries please contact:-

Customer Support Department
Tel: +1 (212) 633 3730
Fax: +1 (212) 633 3680
E-mail: usinfo-f@elsevier.com

Customer Support Department
Tel: +31 (20) 485 3757
Fax: +31 (20) 485 3432
E-mail: nlinfo-f@elsevier.nl

ELSEVIER SCIENCE

Catalogue on INTERNET

CO7A05/p15

ELSEVIER | PERGAMON | NORTH HOLLAND | EXCERPTA MEDICA

VISION RESEARCH

INSTRUCTIONS TO AUTHORS

General

Five double-spaced typewritten copies of the manuscript and illustrations are required. The original plus three copies must be submitted to the central office, preferably by airmail:

Vision Research
P.O. Box 12011
1100 AA Amsterdam-Zuidoost
The Netherlands

and one copy to one of the 10 Section Editors whose subject area most closely relates to the work submitted. This holds for full papers as well as for Rapid Communications. (Please indicate to the central office which Section Editor you have selected; every sixth issue of *Vision Research* contains a full description of the scope of each section). To speed up the reviewing process, the title and abstract of your manuscript should be Emailed simultaneously to the Section Editor of your choice. Should you prefer to send your manuscript by express *courier*, please contact the Central Office by email (e.a.borghols@amc.uva.nl) to obtain the appropriate address, since courier services do not accept packages addressed to a P.O. Box number.

Section 1

GÜNTER NIEMEYER, Department of Ophthalmology, Neurophysiology Laboratory, University Hospital, CH-8091 Zürich, Switzerland [*Email* niemeyer@opht.unizh.ch]

SAMUEL M. WU, Mail Station NC–205, Cullen Eye Institute Baylor College of Medicine, Houston, TX 77030, U.S.A. [*Email* swu@bcm.tmc.edu]

Section 2

RANDOLPH BLAKE, Dept. of Psychology, Vanderbilt University, 301 Wilson Hall, 111 21st Ave S, Nashville, TN 37240, U.S.A. [*Email* randolph.blake@vanderbilt.edu]

ADAM REEVES, Dept. of Psychology 125 NI, Northeastern University, 125 Nightingale Hall, 360 Huntington Avenue, Boston, Massachusetts 02115, U.S.A. [*Email* reeves@neu.edu]

STEVEN K. SHEVELL, Visual Sciences Center, The University of Chicago, 939 East 57th Street, Chicago, IL 60637, U.S.A. [*Email* shevell@uchicago.edu]

Section 3

EILEEN KOWLER, Department of Psychology, Rutgers University, 152 Frelinghuysen Road, Piscataway, NJ 08854-8020, U.S.A. [*Email* kowler@rci.rutgers.edu]

CHRISTA NEUMEYER, Institut für Zoologie (Abt. III), Johannes Gutenberg Universität, 55099 Mainz, Germany [*Email* christa.neumeyer@uni-mainz.de]

Section 4

ELLEN C. HILDRETH, Department of Computer Science, Wellesley College, Wellesley, MA 02181, U.S.A. [*Email* ehildreth@wellesley.edu]

CONCETTA MORRONE, Istituto di Neurofisiologia del C.N.R., Via S. Zeno, 51, 56100, Pisa, Italy [*Email* concetta@neuro.in.pi.cnr.it]

Section 5

IVAN BODIS-WOLLNER, Department of Neurology, SUNY Health Science Center at Brooklyn, 450 Clarkson Avenue, Box 1213, Brooklyn, NY 11203, U.S.A. [*Email* bodisi01@hscbklyn.edu]

EBERHART ZRENNER, Department of Pathophysiology of Vision and Neuro-Ophthalmology, University of Tübingen, Schleichstraße 12–16, 72076 Tübingen, Germany [*Email* eberhart.zrenner@uni-tuebingen.de]

Authors are urged to be as concise as their material will allow, both in text and in illustrations and to take particular care to ensure that the paper is in final form once submited. Papers of monograph length will not be considered, nor will a series of numbered papers. *Rapid Communications* should not exceed a length of about 2000 words.

All manuscripts should be accompanied by a clear statement that the work has not been published elsewhere and is not under review with another journal, and that if published in *Vision Research* it will not be reprinted elsewhere in any language in the same form without the consent of the publisher, who holds the copyright. Authors should keep copies of all material submitted. Manuscripts will not be returned, and top copies of the artwork will be returned only if this is specifically indicated.

All authors must sign the 'Transfer of Copyright' agreement before the article can be published. This transfer agreement enables Elsevier Science Ltd to protect the copyrighted material for the authors, but does not relinquish the author's proprietary rights. The copyright transfer covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations, and includes the right to adapt the article for use in conjunction with computer systems and programs, including reproduction or publication in machine-readable form and incorporation in retrieval systems. Authors are responsible for obtaining from the copyright holder permission to reproduce any figures for which copyright exists.

Full papers and Rapid Communications will be judged by two qualified reviewers. If in response to a published article a letter to the Editor is received, this letter will be sent out for review and at the same time be forwarded to the author(s) tackled. If the letter is accepted, the author(s) of the initial paper will be invited to write a reply within a short period of time, and the reviewers of the letter will be asked to review the reply. Authors volunteering to prepare *Minireviews* are invited to submit proposals to the appropriate Section Editor including the following information: (1) title, (2) justification for a Minireview at this time on the topic selected, (3) a rough outline and (4) a **firm** date for submission of the completed work, should the Section Editor accept the proposal. *Vision Research* has a restrictive *Obituary* policy. Obituaries should be submitted to the appropriate section Editor and the Chairman, and should not exceed a length of one printed page including photograph.

Specific

1. Papers should be written in the English language, accompanied by an abstract. The title page should include up to five key words selected from the key word list published bi-annually in the first and thirteenth issues of *Vision Research*. If a key word which does not appear in the list is needed, it should be underlined. Animal classification should also be given to serve as a guideline for abstracting and indexing.
2. The abstract must be no longer than 100 words and should supplement the title informing the reader of the essential points of the paper.
3. Authors are encouraged to use 95% confidence limits. For purely descriptive studies, rather than those which aim to compare means, the standard deviation is an appropriate measure.
4. The manuscript should be single-sided, double-spaced *typewritten* with generous margins. All materials will be discarded **one month** after publication, unless the publisher is requested to return original material to the author.

5. Rejected manuscripts and figures will not be returned to authors, unless specifically required. Rejected manuscripts will not be reconsidered for publication, so they cannot be resubmitted as a revision. Submission as a new paper is possible if manuscript and experiments have been extended substantially.
6. Authors should return a revised manuscript within 6 months, otherwise it will be treated as a new submission. All material will be discarded after 1 year.
7. *Electronic Manuscripts*

   Authors are encouraged to submit a computer disk (5.25″ or 3.5″ HD/DD disk) containing the *final* version of the paper along with the *final* manuscript to the Editorial office. Please observe the following criteria:

   (a) Send only hard copy when first submitting your paper.
   (b) When your paper has been refereed, revised if necessary and accepted, send a disk containing the final version with the final hard copy. **It is essential that the printed version supplied is produced directly from the electronic version**. In the event of differences between disk and hard copy, the hard copy will be considered to be definitive.
   (c) Specify what software was used, including which release (e.g. WordPerfect 4.0).
   (d) Specify what computer was used (either IBM compatible PC or Apple Macintosh).
   (e) Include the text file and separate table and illustration files, if available.
   (f) The file should follow the general instructions on style/arrangement and, in particular, the reference style of this journal as given in item (10).
   (g) The file should be single and should use the wrap-around end-of-line feature (i.e. no returns at the end of each line). Use hard returns (i.e. the enter key) only at the end of paragraphs. Page design will be handled by the publisher. There is no need therefore to use formatting commands such as centring, justifying text, indenting etc. Use the word processors' facilities to indicate the following text attributes: bold, underline, italic, superscript, subscript, strikeout. When using symbols to denote special characters please supply a list of all codes used. Do not use the hyphenation facilities available on the word processor. Authors should not use their own macros. When preparing tables, tabs should be used, not spaces, to align columns.
   (h) Authors wishing to submit their articles as a $LaTeX$/TeX file are recommended to use the "Article" style or $LaTeX$ package which is available via anonymous FTP and CTAN centres on the Internet.

Host names	CTAN directory
ftp.dante.de	/pub/tex/macros/latex209/contrib/elsevier
ftp.tex.ac.uk	/pub/archive/macros/latex209/contrib/elsevier
ftp.shsu.ed	/tex-archive/macros/latex209/contrib/elsevier

   Further details on TeX can be obtained from Sebastian Rahtz: *Tel.* 44 1865 843662; *Fax* 44 1865 843905; *Email* s.rahtze@elsevier.co.uk.

   (i) Keep a back-up disk for reference and safety.
8. Reprints can be provided at a reasonable cost if ordered when the page proofs are returned. A reprint order form will accompany the proofs. Copies of the particular issue in which the article appears may also be ordered on this form, at a generous discount offer.
9. **Corrections to the proofs must be restricted to printer's errors**. Other than these, any substantial changes will be charged to the author.
10. When human subjects are used, manuscripts must be accompanied by a statement that the experiments were undertaken with the understanding and written consent of each subject. Authors should be aware of the Code of Ethics of the World Medical Association (Declaration of Helsinki), which has been printed in the *British Medical Journal* (18 July 1964). When experimental animals are used, the methods section must clearly indicate that adequate measures were taken to minimize pain or discomfort. Experiments should be carried out in accordance with the European Communities Council Directive of 24 November 1986 (86/609/EEC) or with the Guidelines laid down by the NIH in the US regarding the care and use of animals for experimental procedures. Editors reserve the right to reject papers if there is doubt whether appropriate procedures have been used.
11. *References*

   (a) These should be cited in the text by giving the last name of the author (or authors) followed by the year of publication in parentheses, e.g. Gray (1998), Gray and Regan (1998) or (Gray & Regan, 1998). If there are three or more authors, citations should read Brandstätter, Koulen and Wässle (1997), first citation; Brandstätter et al. (1997), second citation. If there is more than one work by an author (or authors) in a given year, then they should be labelled alphabetically within each year (e.g. Gray, 1998a,b).
   (b) The full references should be typed on a separate page and placed at the end of the article. They should not be given as footnotes. References should include the names of all the authors and their initials, the year of publication, the full title of the article or book, name of the journal, the volume number and the pages. For books, the city of publication and the publisher should be given. The following may serve as illustrations.:

   Gray, R., & Regan, D. (1998). Spatial frequency discrimination and detection characteristics for gratings defined by orientation texture. *Vision Research*, *38*, 2601–2617

   Brandstätter, J. H., Koulen, P., & Wässle, H. (1997) Kainate receptors in the rat retina. *Investigative Ophthalmology and Visual Science*, *38* (Suppl.), 689 (Abstract).

   Kamermans, M., & Spekreijse, H. (1995). Spectral behaviour of cone-driven horizontal cells in teleost retina. In: N.N. Osborne, & G.J. Chader. *Progress in retinal and eye research* (pp. 313–360). Oxford: Pergamon Press.

   (c) Unpublished work, work in press or conference proceedings should be cited only exceptionally, and preprints *must* accompany the paper if they are essential to its argument.
12. *Illustrations and Tables*

   (a) Only standard size (*ca* $8\frac{1}{2} \times 12$ in.) should be sent with the paper. They should not be affixed in place, but the proper places for insertion should be indicated in the text. All photographs, graphs and diagrams should be referred to as "Figures" and should be numbered consecutively, as should the tables. The legends should be typed, correspondingly, on a separate sheet at the end of the article. The author's name, the number, and an indication of the proper orientation should be written lightly on the back of each figure or table.
   (b) Halftone illustrations (e.g. micrographs) should be glossy prints and should be approximately 1.5 times the final size. In general, it is preferable that any lines or letters that are to appear on the photographs be inserted by the publisher. Their position should be drawn on a leaf of drawing paper firmly attached to the photograph, or on an additional print. Where possible, the author should include a guide to the Production Department which will help them identify the salient features to be reproduced.
   (c) Line drawings should be drawn on stiff white paper or tracing cloth, high quality computer graphics are acceptable. They should be approximately twice their final size. The letters and symbols should be drawn so that they will be clearly legible when reduced. The following standard symbols are readily available to the publisher. ○ △ □ ● ▲ ■ + ×. Other special symbols (e.g. Greek letters) should be made legible and explicit.